THE SOUTHWESTERN NATURALIST 56(4):473–598 DECEMBER 2011

INDEX TO VOLUMES 47 THROUGH 56

Troy L. Best

Department of Biological Sciences, 331 Funchess Hall, Auburn University, AL 36849

This index was constructed by listing each article alphabetically by title and by the last name of the first author. Titles beginning with general terms or phrases (e.g., a, an, the, observations on, notes on the) are listed by the next word in the title. Second and subsequent authors are listed with a reference to the first author. All taxa included in titles are listed, but family, genus, and species names are included each time they appear in abstracts, texts, tables, and figure legends.

Abacion
tesselatum, 56:424
texense, 56:424
wilhelminae, 56:424
Abacionidae, 56:424
Abaeis nicippe, 48:512
Abbott, John C., Robert A. Behrstock, and Robert R. Larsen, Notes on the distribution of Odonata in the Texas Panhandle, with a summary of new state and county records, 48:444–448
Abbott, John C., see Bauer, Kendra K., —
Abbott, Laurie B., Dominika Lepak, and David L. Daniel, Vegetative and reproductive phenology of African rue (*Peganum harmala*) in the northern Chihuahuan Desert, 52:209–218
Abbreviata terrapenis, 48:212
Abedus, 50:241
herberti, 53:400
Abies, 48:257, 49:385, 49:395, 50:8, 50:293, 51:6, 51:271, 51:283, 52:28, 54:201, 56:121
coahuilensis, 50:94, 50:502
concolor, 47:269, 48:224, 48:492, 48:493, 48:495–497, 48:501, 48:504, 49:241, 49:479, 50:199, 50:325, 50:370, 50:462, 51:65, 51:109, 51:412, 51:427, 52:3, 52:158, 52:493–503, 53:22, 53:35, 53:146, 53:148, 53:151, 53:152, 53:154, 53:155, 53:158, 53:347, 53:432, 55:218, 56:2, 56:117, 56:232, 56:306
durangensis, 55:348
lasiocarpa, 47:269, 47:498, 48:258, 50:462, 50:508, 51:60, 51:65, 52:494, 53:35, 55:218
magnifica, 51:108, 52:158, 53:22, 53:347
vejari, 55:428
Abnormal antlers and pedicles on Rocky Mountain elk in northern Arizona, Janet L. Rachlow, Raymond M. Lee, and Ryan K. Riley, 48:147–153
Abnormal digits in Strecker's chorus frogs (*Pseudacris streckeri*, Hylidae) from central Texas, Marcos Gridi-Papp and Cristina O. Gridi-Papp, 50:490–494
Aboveground and belowground growth of seedlings of an early and late successional species in infertile and fertile soil, J. K. Bush, 53:39–44
Abrocoma bennetti, 56:420, 56:421
Abronia, 49:332, 53:404, 53:405
ammophila, 53:403
fragrans, 56:142, 56:145
latifolia, 53:403
macrocarpa, 53:403, 56:141–146
maritima, 50:134, 50:139–141, 52:435, 53:403
maritime, 56:142, 56:145
umbellata, 53:403, 56:141
umbellate, 56:142, 56:145
villosa, 56:142, 56:145
Abronietum maritimae, 50:134, 50:138, 50:140, 50:141
Abundance and diversity of seeds in digestive tracts of *Terrapene carolina* and *T. ornata* in southwestern Missouri, Matt D. Stone and Don Moll, 54:346–350
Abundance of cottontails (*Sylvilagus*) in an exurbanizing southwestern savanna, Carl E. Bock, Zach F. Jones, and Jane H. Bock, 51:352–357
Abundance of grassland birds following a spring prescribed burn in southern Arizona, trends in, Chris Kirkpatrick, Stephen DeStefano, R. William Mannan, and John Lloyd, 47:282–292
Abundance of hibernating bats in a karst region of the southern Great Plains, trends in, Jeffrey A. Prendergast, William E. Jensen, and Stanley D. Roth, 55:331–339
Abundance of non-breeding horned larks and chestnut-collared longspurs on grazed and rested semiarid grassland, Jeffrey F. Kelly, David L. Hawksworth, and Raymond A. Meyer, 51:172–180
Abundance of seedlings in response to elevation and nurse species in northeastern Mexico, Enrique Jurado, Jaime F. García, Joel Flores, Eduardo Estrada, and Humberto González, 56:154–161
Abundance of the gynogen *Poecilia formosa* and its sexual host *Poecilia latipinna* (Teleostei: Poeciliidae) in some southern Texas habitats, relative, David L. McNeely and Cara E. Wade, 48:451–453
Abundance, survival, and hibernation of Preble's meadow jumping mice (*Zapus hudsonius preblei*) in Boulder County, Colorado, Carron A. Meaney, Anne K. Ruggles, Bruce C. Lubow, andNorman W. Clippinger, 48:610–623
Abutilon, 52:200, 52:522, 52:523
fruticosum, 53:499, 55:497
incanum, 52:355, 56:160
malacum, 52:355
palmeri, 52:355
parvulum, 55:497
pringley, 50:147
theophrasti, 56:325–332
Abuzeineh, Alisa A., Robert D. Owen, Nancy E. McIntyre, Carl W. Dick, Richard E. Strauss, and Tyla Holsomback, Response of the marsh rice rat (*Oryzomys palustris*) to inundation of habitat, 52:75–78
Acacia, 47:410, 47:437, 47:520, 47:567, 48:123, 48:142, 48:559, 49:283, 49:285, 49:290, 51:2, 51:4, 51:5, 51:7, 51:415, 52:86, 53:16, 53:244, 54:410, 55:341, 55:348, 55:426–428, 55:431, 56:155, 56:366
angustissima, 48:187, 51:6, 51:9, 52:355, 55:496, 55:498
baileyana, 51:493, 51:497

berlandieri, 47:103, 48:283, 48:321–332, 49:367–375, 51:6, 51:9, 53:2, 53:86, 53:87, 54:318, 56:157, 56:160, 56:274
biaciculata, 50:69
bilimekii, 49:127
brandegeana, 50:146, 51:505
cimbispina, 50:147
cochliacantha, 49:127
constricta, 47:163, 47:390, 48:482, 48:636, 48:693, 50:69–74, 51:9, 51:433, 52:355, 54:2, 54:227, 54:437, 55:496, 55:499, 56:405
coulteri, 51:9, 54:93
cymbispina, 55:316
farnesiana, 47:86–91, 49:127, 51:1, 51:9, 51:283, 51:433, 52:355, 53:10, 53:39–44, 53:71, 54:318, 54:454, 54:502
flexuosa, 51:498
gaumeri, 51:463
glandulifera, 50:69, 51:9
greggii, 47:32, 47:450, 48:482, 48:693, 49:502, 49:503, 51:492–496, 52:200, 52:355, 52:522, 52:523, 52:601, 53:65, 53:71, 53:312, 54:2, 54:437, 54:447, 54:502, 55:430, 55:496, 56:405
gregii, 48:636
guanacastensis, 47:87, 47:89
hindsii, 53:10
indica, 47:89
insularis, 47:90
koa, 52:356–365
longifolia, 51:493, 51:494, 51:496
mearnsii, 51:493, 51:497
millefolia, 52:355
minuata, 47:423, 47:426, 47:427, 47:430, 47:431, 48:321–332, 49:33, 49:35, 53:87
minuta, 47:90, 48:283
neovernicosa, 49:25, 50:69–73, 51:9, 55:496
pacensis, 47:87, 47:89
palmeri, 52:117
parviflora, 51:9
peninsularis, 47:90
pennatula, 49:127
pinetorum, 47:90
rigidula, 47:103, 47:427, 48:283, 48:321–332, 49:373, 51:6, 51:9, 52:342, 53:2, 53:86, 53:87, 53:425, 54:14, 54:227, 54:318, 54:447, 54:502, 56:160, 56:343
roemeriana, 51:6, 51:9
schaffneri, 47:87–89, 48:321–332, 51:6, 51:9, 53:2, 55:430
schottii, 50:69–74
shaffneri, 56:160
smalli, 47:568
smallii, 47:87, 47:90, 50:479, 54:69
suaveolens, 51:449
tortilis, 48:197
tortuosa, 47:87, 47:89
Acaciella, 55:428
angustissima, 55:430
Acaena pinnatifida, 49:191
Acalipha californica, 50:142, 50:143, 50:146, 52:200, 52:355
Acalypha, 47:602
californica, 53:71
Acamptopappus sphaerocephalus, 54:376
Acanthaceae, 52:302–305, 53:70, 55:256, 56:159
Acanthatrium alicatai, 52:597–600
Acanthatrium alicatai (Trematoda: Lecithodendriidae) from two species of bats (Chiroptera: Vespertilionidae) in southwestern Texas, Chris T. McAllister, Charles R. Bursey, and Robert C. Dowler, 52:597–600
Acanthinodera cummingi, 56:420
Acanthocephala thomasi, 55:112
Acanthocephalan (*Neoechinorhynchus emydis*) infections in Texas map turtles (*Graptemys versa*), Peter V. Lindeman and Michael A. Barger, 50:12–16
Acanthocereus
sicariguensis, 47:83
tetragonus, 47:83
Acanthocyclops
pennaki, 55:526
robustus, 55:526
robustus-vernalis, 55:529
vernalis, 55:526
Acanthogobius flavimanus, 53:338, 53:339
Acari, 55:278–279, 56:131–133
Accipiter
cooperi, 52:272, 52:275, 52:277
cooperii, 47:499, 47:500, 54:86, 54:249, 56:17–23
gentiles, 52:272, 52:279, 55:24
gentilis, 47:499, 47:500, 49:377, 53:347, 54:249, 56:194
striatus, 47:499, 47:500, 49:105, 52:272, 54:288, 54:292
Accipitridae, 51:233, 54:288
Accipter striatus, 54:86
Acentrella, 48:30
Acer
glabrum, 47:63, 48:504, 53:152
grandidentatum, 47:602, 49:25, 53:152
macrophyllum, 54:367
negundo, 49:529, 50:199, 51:53, 53:252, 54:202, 55:204
Achalarus
albociliatus, 48:521
toxeus, 48:521
Acheta
assimilis, 52:320
domesticus, 50:217, 51:312
Achillea
millefolium, 48:12, 49:191, 56:56
ptarmica, 48:12
Achlyodes busirus, 48:523
Achnanthes, 49:397
hauckiana, 49:399
Achnanthidium
minutissimum, 49:397, 49:399
pyrenaicum, 49:397, 49:399
Achnatherum
coronatum, 53:73
nelsonii, 52:498, 52:499
speciosum, 53:73
Achyronychia cooperi, 53:71
Acinetobacter, 51:300
Acinonyx trumani, 47:63
Acitis macularia, 47:374
Ackerman, Joshua T., see Herring, Garth, —
Ackland, Emily N., see Husak, Jerry F., and —
Acleisanthes longiflora, 55:497
Acmaeodera, 53:424, 53:426–428
Acoelorraphe wrightii, 54:105
Acomatacarus arizonensis, 55:278–279
Acomatacarus arizonensis (Acari: Leeuwenhoekiidae): new records from three species of lizards in the Mexican Chihuahuan Desert, Cristina García-De la Peña, Ricardo Paredes-León, Barry O'Connor, Héctor Gadsden-Esparza, and Cameron W. Barrows, 55:278–279
Acomus guzmaniensis, 54:109
Acrididae, 48:198, 48:270, 49:259, 51:24, 51:25, 51:314, 51:557, 51:558, 52:319, 52:320, 52:322, 52:437, 53:140, 53:162–168, 53:386, 55:112, 55:113, 55:192
Acris
crepitans, 49:530, 49:531, 50:268, 50:269, 53:116, 55:459
gryllus, 53:117
Acrochordus
arafurae, 55:280
javanicus, 55:280
Acrocomia aculeata, 55:318
Acrolophitus maculipennis, 55:112
Acroneuria, 48:30
Acrostichum danaeifolium, 55:319
Acta de la Reunion de Negocios de la Southwestern Association of Naturalists, Tarleton State University, Stephenville, Texas, 20 abril 2007, Loren K. Ammerman, 53:289–294
Acta de la Reunion de Negocios de The Southwestern Association of Naturalists, Casa de la Cultura, Colima, Colima, Mexico, Viernes 14 de abril del 2006, Loren K. Ammerman, 52:180–184
Acta de la Reunion del Consejo Directivo y Oficiales de The Southwestern Association of Naturalists, Colima, Colima, Mexico, Jueves 13 de abril, 2006, Loren K. Ammerman, 52:172–176
Acta de la Reunion del Consejo Directivo y Oficials de la Southwestern Association of Naturalists, Stephenville, Texas, Jueves, 19 abril 2007, Loren K. Ammerman, 53:278–283
Actinemys, 55:560
marmorata, 55:89–97, 55:561
Actinobacteria, 51:306
Actinonaias ligamentina, 47:604, 53:46

Actitis macularia, 49:412–414, 50:318, 50:320, 54:288, 54:294
Activity patterns of two sympatric species of skunks (*Mephitis mephitis* and *Spilogale gracilis*) in Texas, Sean A. Neiswenter, Robert C. Dowler, and John H. Young, 55:16–21
Activity patterns of wild boars (*Sus scrofa*) in southern Texas, Tyler A. Campbell and David B. Long, 55:564–567
Activty patterns of the desert nightsnake (*Hypsiglena chlorophaea*), Robert E. Weaver, 55:172–178
Aculeiferum, 51:497
Adams, R. Bill, James C. Pitman, and Louis A. Haverson, Texas tortoise (*Gopherus berlandieri*) consumed by a mountain lion (*Puma concolor*) in southern Texas, 51:581–582
Adams, Rick A., see Hayes, Mark A., —
Adelpha
  basiloides, 48:515
  bredowii, 52:14
  fessonia, 48:515
  iphiclus, 48:515
  naxia, 48:515
  phylaca, 48:515
  serpa, 48:515
Adelphia ixia, 48:515
Adenophyllum porophylloides, 48:180, 48:187, 52:200, 53:70
Adenostema fasciculatum, 51:574, 52:196, 52:198, 52:200, 53:61, 53:62, 53:64–67, 53:72
Adenostoma sparcifolium, 47:578, 47:579
Adiantum, 52:200
Adkins, Roger N., and Louis A. Harveson, Summer diets of feral hogs in the Davis Mountains, Texas, 51:578–580
Adlafia minuscula, 49:399
Adler, Lynn S., Size-mediated performance of a generalist herbivore feeding on mixed diets, 49:189–196
Adolphia californica, 52:200
Aechmophorus
  clarkii, 54:108
  occidentalis, 54:287
Aechmoporus clarkii, 48:360
Aechynomene, 51:8
Aedes, 48:637, 50:241
Aegolius acadicus, 48:394
Aegopogon
  cenchroides, 48:181, 51:458, 54:442
  tenellus, 48:181
Aepyceros melampus, 55:511
Aeromonos hydrophila, 51:300
Aeronautes
  saxatalis, 54:286, 54:289
  saxatilis, 49:108
  saxitalis, 47:141–142
Aeschnidae, 53:380
Aeschynomene, 51:8
Aeshna umbrosa, 48:446, 48:447
Aeshnidae, 47:465, 48:446, 48:447, 50:242, 54:97, 54:98, 54:470, 54:471, 55:236
Aethilla lavochrea, 48:522
Afton, Alan D., see Gabrey, Steven W., —
Agamia agami, 48:707, 48:709
Agamidae, 55:280
Agapetus boulderensis, 51:332, 54:185, 54:192
Agavaceae, 47:78, 47:79, 47:83, 47:576, 48:187, 50:476, 53:73, 55:428
Agave, 47:354, 47:614, 48:119, 48:598, 50:137, 51:283, 55:428
  cerulata, 50:132, 50:144, 52:196, 52:198, 52:200, 53:65, 53:67, 53:73
  chrysantha, 49:426
  cocui, 47:79, 47:83
  colorata, 49:432
  deserti, 47:579, 49:426
  havardiana, 49:429, 49:432
  lecheguilla, 53:92, 55:278
  lechugilla, 47:410, 56:90
  lechuguilla, 49:283, 51:2, 52:98, 52:110, 52:601, 53:87, 54:262, 54:454, 55:126, 55:496, 55:498
  macroacantha, 49:426
  mckelveyana, 49:426
  morani, 52:200
  palmeri, 48:722–725, 49:68–74, 49:425–434
  parryi, 49:427, 49:431, 51:433
  scabra, 48:181, 48:184, 48:187
  schottii, 49:426, 49:427, 49:431
  shawii, 53:67, 53:73
  sobria, 50:133, 50:146
  striata, 53:92
  vizcainoensis, 50:141, 50:143
  wocomahi, 49:432
Agavetum subcerulatae, 50:141, 50:149
Agavo cerulatae, 50:137, 50:149
Age, growth, and life history comparisons between the invasive white sucker (*Catostomus commersoni*) and native Rio Grande sucker (*C. plebeius*), Megan V. McPhee, 52:15–25
Age, growth, and reproduction of spotted gar, *Lepisosteus oculatus* (Lepisosteidae), from the Lake Pontchartrain estuary, Louisiana, Joseph W. Love, 49:18–23
Agelaius phoeniceus, 47:553, 49:32, 51:528, 54:105, 54:106, 54:472
Agelauis phonecius, 56:434
Ageleneidae, 54:334
Agelenidae, 54:337, 56:47, 56:52
Agelenopsis
  aperta, 56:47, 56:51
  longistyla, 56:47
  narvia, 56:47
Agenbroad, Larry D., see McDonald, H. Gregory, —
Aggregation of *Sceloporus minor* (Sauria: Phrynosomatidae) from Cerro el Potosí, Nuevo León, Mexico, Jorge A. Contreras-Lozano, David Lazcano, and Armando J. Contreras-Balderas, 56:119–120
Agkistrodon, 55:137
  bilineatus, 50:24–28
  contortrix, 49:531, 50:269, 55:459
  piscivorus, 49:465–471, 49:530, 49:531, 50:269, 55:11–15, 55:160–166, 56:290, 56:467
  piscivurus, 50:29
Aglaodiaptomus clavipes, 55:526
Agnetina, 51:147
Agnus, 55:348
Agonistic and courtship behaviors in *Dionda diaboli*, the Devils River minnow, Catherine T. Phillips, James R. Gibson, and Joe N. Fries, 54:341–344
Agonostomus monticola, 52:372, 55:600
Agosia, 56:281, 56:285
  chrysogaster, 48:667, 54:465, 55:136, 55:229, 55:547
Agouti paca, 48:573
Agoutidae, 48:573
Agraulis vanillae, 48:513
Agroeca trivittata, 54:335
Agromyzidae, 53:140
Agropyron
  cristatum, 48:493, 48:494, 48:504, 49:274
  desertorum, 48:494, 48:504
  intermedia, 48:493
  repens, 50:213
  smithii, 47:320, 48:461
Agrostis, 52:522, 52:523
Aguilar Santamaria, Ma. Angeles, see Sanchez, Irma Urbina, —
Aguilar, Karla Ma., see Rojas-Aréchiga, Mariana, —
Aguilera-Reyes, Ulises, see Monroy-Vilchis, Octavio, —
Aguirre, Juan L., see Peinado, Manuel, —
Aguirre-Muñoz, Alfonso, see Knowlton, Jessie L., —
Aguna
  asander, 48:520
  aurunce, 48:520
  claxon, 48:520
  coeloides, 48:520
  metophis, 48:520
Aides brilla, 48:525
Aigner, Paul A., and Peter E. Scott, Use and pollination of a hawkmoth plant, *Nicotiana attenuata*, by migrant hummingbirds, 47:1–11
Ailanthus altissima, 53:252
Ailurus, 51:290
Aimophila
  aestivalis, 54:377
  botterii, 47:282, 47:283
  cassinii, 47:282, 47:283, 48:290, 48:291, 54:139
  ruficeps, 49:107, 53:468, 54:353
  sumichrasti, 55:569
Aix sponsa, 47:486–489, 54:504
Alanen, Marit I., see Hutton, Kelly A., —
Alanen, Marit I., see Schauffert, Carol A., —

Alaniz, M. A., see Everitt, J. H., —
Alaníz-García, Jorge, see Ruiz-Campos, Gorgonio, —
Alaria arisaemoides, 54:496
Albert, Steven, Cynthia A. Ramotnik, and C. Gregory Schmitt, Collared peccary range expansion in northwestern New Mexico, 49:524–528
Albizia, 51:8
grandibracteata, 56:393
julibrissin, 51:493, 51:494, 51:497
Alcaligenes, 51:300
Alces
alces, 50:469, 53:316
americanus, 55:283
Alcock, John, Hilltopping behavior of two species of *Astata* (Hymenoptera: Crabronidae) in central Arizona, 52:564–569
Alcock, John, Hilltopping by *Palpada mexicana* (Diptera: Syrphidae), 56:353–357
Alcock, John, Territorial preferences of the hilltopping wasp *Hemipepsis ustulata* (Pompilidae) remain stable from year to year, 53:190–195
Alcumbrac, Ole J., see Tatman, Nicole M., —
Alexander, Lois F., see Rickart, Eric A., —
Alexander, M. L., see Phillips, C. T., —
Alexander, Mara L., see Oxley, F. M., —
Aleyrodidae, 49:259
Alfaro cultratus, 52:372
Alford, D. Lang, see Cooper, Susan M., —
Algal taxonomic survey of Zion National Park and Cedar Breaks National Monument, Utah, and Pipe Spring National Monument, Arizona, Thomas Smith and Theresa Piccin, 49:395–406
Aliulus
caddoensis, 56:423, 56:424
carrollus, 56:424
Allassogonoporus marginalis, 52:599
Alleculidae, 54:170
Allen, Michael F., see Barrows, Cameron W., and —
Allen, Vivien G., see McDonald, Christopher G., —
Allen's big-eared bat (*Idionycteris phyllotis*) documented in Colorado based on recordings of its distinctive echolocation call, Mark A. Hayes, Kirk W. Navo, Lea' R. Bonewell, Cyndi J. Mosch, and Rick A. adams, 54:499–501
Allenrolfea occidentalis, 48:472, 50:134, 50:140, 50:142
Allenrolfeetum occidentalis, 50:129, 50:134, 50:138, 50:140, 50:147, 50:149
Allenrolfea occidentalis, 55:319
Alliaceae, 53:73
Alligator mississippiensis, 51:346–351, 52:314, 52:315, 55:137
Allintoshius, 52:599
nycticeius, 52:599
travassosi, 52:599
Allionia incarnata, 55:497
Allison, Linda, see McKinney, Ted, —
Allison, Pamela S., and Joseph C. Cepeda, Nesting and hatchling behavior of the Texas horned lizard (*Phrynosoma cornutum*), 54:211–213
Allium, 47:589
glandulosum, 48:181
haematochiton, 53:73
Allocorrigia filiformis, 49:256–257
Allocosa utahana, 54:335
Allocreadiidae, 52:127
Allometry, sexual size dimorphism, and niche partitioning in the Mediterranean gecko (*Hemidactylus turcicus*), James B. Johnson, Lance D. McBrayer, and Daniel Saenz, 50:435–439
Allophyllum nemophilophyllum, 53:64, 53:72
Allosmaitia strophius, 48:519
Almazán-Núñez, R. Carlos, Octavio R. Rojas-Soto, Oscar Nova-Muñoz, and Adolfo G. Navarro-Sigüenza, Blackpoll warbler (*Dendroica striata*) and other records of birds from Guerrero, Mexico, 54:510–514
Almendáriz, Ana, see Greenbaum, Eli, —
Almuerzothyas, 53:74, 53:78, 53:82
Alnus, 48:312, 51:326, 51:327, 53:252
incana, 51:53
oblongifolia, 54:183
rhombifolia, 47:226
rubra, 53:43
Alona, 48:341
Alonso-Pérez, Nicolás, see Servín, Jorge, —
Alopecosa
aculeata, 56:47
kochi, 54:333, 56:47
Alopex lagopus, 53:118, 54:497
Alosa
chrysochloris, 54:387
pseudoharengus, 55:547
sapidissima, 53:339, 53:531
Alouatta
palliata, 48:574, 52:393–399
pigra, 48:571, 48:574, 52:393
Aloysia
gratissima, 47:103, 47:128, 53:2, 53:87, 53:485, 54:318, 55:496, 55:511
wrightii, 47:440, 47:443, 47:445, 47:446, 49:6, 49:8, 55:497
Aloyssia gratissima, 48:187
Alucitidae, 52:306, 52:307
Alvarado, Fernando, see Vega Rivera, Jorge H., —
Alvarado, Javier, see Seminoff, Jeffrey A., —
Alvarado, Sergio A., see Santander, Francisco J., —
Alvarado-Díaz, Javier, Pedro Garcia-Garrido, and Ireri Suazo-Ortuño, Food habits of a paedomorphic population of the Mexican salamander, *Ambystoma ordinarium* (Caudata: Ambystomatidae), 48:100–102
Alvarado-Díaz, Javier, see Suazo-Ortuño, Ireri, —
Alvarez-Castañeda, Sergio Ticul, and Evelyn Rios, Noteworthy record of western harvest mouse (Muridae: *Reithrodontomys megalotis*) on the Baja California Peninsula, 48:471–472
Álvarez-Castañeda, Sergio Ticul, Predation on desert mammals by *Lanius ludovicianus* (Laniidae), 47:628–630
Álvarez-Castañeda, Sergio Ticul, see Cabrera-Santiago, Horacio, —
Álvarez-Castañeda, Sergio Ticul, see González-Ruiz, Noé, —
Alydidae, 53:140
Amacher, Andrew J., Reginald H. Barrett, and Scott L. Stephens, Observations of black-tailed jackrabbits (*Lepus californicus*) increase within forests treated with prescribed fire, 56:115–118
Amador-del-Angel, Enrique, see Wakida-Kusunoki, Armando, —
Amanita
muscaria, 48:662–665
vaginata, 48:662, 48:663, 48:665
Amaranthaceae, 50:213, 53:70, 56:159
Amaranthus, 54:441, 54:442, 55:480, 55:483
acanthobracteatus, 52:252, 52:253
fimbriatus, 52:200
palmeri, 56:159
watsonii, 53:70
Amauria rotundifolia, 53:70
Amaurobiidae, 56:47
Amazon sailfin catfish, *Pterygoplichthys pardalis* (Castelnau, 1855) (Loricariidae), another exotic species established in southeastern Mexico, Armando Wakida-Kusunoki, Ramon Ruiz-Carus, and Enrique Amador-del-Angel, 52:141–144
Amazona
oratrix, 54:93, 55:140
viridigenalis, 54:93
Amblema plicata, 52:138, 53:46
Ambloplites
ariommus, 54:390
rupestris, 52:132, 54:390
Amblyomma americanum, 50:59
Amblyopone orizabana, 56:432
Amblyopsis rosae, 51:95
Amblyscirtes
phylace, 52:14
tolteca, 48:525
Amblystegium riparium, 52:146
Ambrosia, 48:307, 52:105, 52:350, 55:480, 55:483

ambrosioides, 52:105, 52:355, 52:522, 52:523, 53:65, 53:67, 53:70
artemisifolia, 53:172, 54:348
artemisiifolia, 48:12
brianthii, 50:144
camphorata, 50:144, 52:198, 52:200, 53:65, 53:66, 53:70
camphorate, 53:67
chamissones, 52:435
chenopodifolia, 50:132, 50:143, 50:144, 50:147, 52:198, 52:200
chenopodiifolia, 53:67
confertiflora, 53:70
cordifolia, 52:355
deltoidea, 47:365, 47:449–453, 50:485, 52:348, 52:349, 52:355, 52:419, 53:109, 54:431
deltoides, 48:559
dumosa, 47:450, 47:579, 48:11, 48:203, 48:684, 49:502, 49:503, 50:136, 50:141, 50:143, 50:145, 50:147, 53:67, 53:70, 53:312, 54:376, 55:315–316
magdalenae, 50:145, 53:70
psilostachya, 48:180, 51:526, 53:2, 53:499
salsola, 53:70
trifida, 55:256, 55:257, 55:260
Ambrysus californicus, 50:242
Ambystoma, 50:368
annulatum, 49:209–217
lermaensis, 50:254
maculatum, 49:213
opacum, 48:102, 53:115–117
ordinarium, 48:100–102
texanum, 49:531, 49:532, 53:116
tigrinum, 49:257, 49:258, 49:377, 50:365, 53:202, 53:460, 55:252
Ambystomatidae, 48:100–102, 50:363, 50:365, 55:252, 55:280
Ameiridae, 55:526
Ameiurus
melas, 47:191, 48:43, 48:667, 49:85, 49:86, 52:130, 52:132, 52:133, 53:126, 53:239, 54:389, 55:81–83, 55:154, 56:277, 56:280, 56:281, 56:285
natalis, 47:191, 48:667, 52:132, 52:133, 53:126, 53:236, 53:237, 54:389, 55:82, 55:154
natalus, 48:43
Ameiva
ameiva, 47:210
exsul, 53:180
plei, 53:177, 53:180, 53:182
undulata, 48:211
wetmorei, 53:180
Amelanchier
alnifolia, 50:213, 52:495, 52:498
utahensis, 53:152, 53:154, 56:98
Ameletidae, 53:380
Ameletus, 53:380
Americabaetis, 50:241
Amia calva, 54:397
Amicia, 51:7, 55:430
zygomeris, 51:9
Amitermes meridionalis, 47:175
Amman, Brian R., see Bradley, Robert D., —
Ammannia coccinea, 55:256, 55:259
Ammerman, L. K., see Matthews, A. K., —
Ammerman, Loren K., Acta de la Reunion de Negocios de la Southwestern Association of Naturalists, Tarlton State University, Stephenville, Texas, 20 abril 2007, 53:289–294
Ammerman, Loren K., Acta de la Reunion de Negocios de The Southwestern Association of Naturalists, Casa de la Cultura, Colima, Colima, Mexico, Viernes 14 de abril del 2006, 52:180–184
Ammerman, Loren K., Acta de la Reunion del Consejo Directive y Oficialis de la Southwestern Association of Naturalists, Stephenville, Texas, Jueves, 19 abril 2007, 53:278–283
Ammerman, Loren K., Acta de la Reunion del Consejo Directivo y Oficiales de The Southwestern Association of Naturalists, Colima, Colima, Mexico, Jueves 13 de abril, 2006, 52:172–176
Ammerman, Loren K., see Debelica, Anica, —
Ammerman, Loren K., The Southwestern Association of Naturalists, minutes of the Meeting of the Board of Governors and Officers, Colima, Colima, Mexico, Thursday, 13 April 2006, 52:168–171
Ammerman, Loren K., The Southwestern Association of Naturalists, minutes of the Business Meeting, Casa de la Cultura, Colima, Colima, Mexico, Friday, 14 April 2006, 52:176–180
Ammerman, Loren K., The Southwestern Association of Naturalists, minutes of the Meeting of the Board of Governors and Officers, Stephenville, Texas, Thursday, 19 April 2007, 53:273–277
Ammerman, Loren K., The Southwestern Association of Naturalists, minutes of the Business Meeting, Tarlton State University, Stephenville, Texas, 20 April 2007, 53:284–288
Ammerman, Loren K., The Southwestern Association of Naturalists, minutes of the Meeting of the Board of Governors and Officers, Overton Room, Holiday Inn, Memphis, Tennessee, Thursday, 10 April 2008, 53:542–549
Ammerman, Loren K., The Southwestern Association of Naturalists, acta de la Reunion del Consejo Directivo y Oficialis, Overton Room, Holiday Inn, Memphis, Tennessee, Jueves, 10 abril 2008, 53:549–556
Ammerman, Loren K., The Southwestern Association of Naturalists, minutes of the Business Meeting, The University of Memphis, Memphis, Tennessee, Fogelman Executive Center, Friday, 11 April 2008, 53:557–562
Ammerman, Loren K., The Southwestern Association of Naturalists, acta de la Reunion de Negocios, The University of Memphis, Memphis, Tennessee, Fogelman Executive Center, Viernes, 11 abril 2008, 53:562–567
Ammermann, Loren K., The Southwestern Association of Naturalists, minutes of the Business Meeting, Olsen Auditorium, Huntsville, Texas, Friday, 15 April 2005, 51:131–136
Ammermann, Loren K., The Southwestern Association of Naturalists, minutes of the Meeting of the Board of Governors and Officers, Huntsville, Texas, Thursday, 14 April 2005, 51:127–131
Ammocrypta, 55:590
clara, 54:517
vivax, 54:391, 54:517
Ammodramus
henslowii, 52:457
maritimus, 47:532, 48:465–467
savannarum, 47:288, 49:107, 50:231, 51:527, 51:528, 52:455, 55:462
Ammospermophilus, 52:533
harrisii, 47:132, 48:575, 49:79, 49:80
insularis, 48:575, 48:576
interpres, 47:132–133, 48:575, 49:288, 52:402, 55:379, 56:273–274
leucurus, 47:132, 48:106, 48:568, 48:570, 48:575, 52:537
Ammotragus lervia, 47:325, 47:329, 51:282–284, 53:87, 53:88
Amnicola, 53:386
Amorpha, 51:8
apiculata, 52:200
canescens, 56:59
fruticosa, 47:598, 51:493, 51:494, 51:496, 51:497
Amphiachyrus draconculoides, 55:197, 55:198
Amphibians and reptiles of the Whetstone Mountains, Arizona, Dale S. Turner, Peter A. Holm, Elizabeth B. Wirt, and Cecil R. Schwalbe, 48:347–355
Amphicarpaea, 55:430
Amphicosmoecus, 53:381
canax, 51:326, 51:333
Amphilophus, 52:371
bussingi, 52:372, 52:375, 52:376
Amphinemura, 53:380
Amphipleura pellucida, 49:397, 49:399
Amphispiza
belli, 50:443, 50:446
bilineata, 47:283, 50:440, 50:443
Amphora
acutiuscula, 49:399
ovalis, 49:396, 49:399
perpusilla, 49:399
Ampullaridae, 55:115, 55:116

Amsinckia, 49:306, 49:503
intermedia, 52:200
menziesii, 49:190, 53:70
Amynthas
corticis, 52:468–474
diffringens, 52:468, 52:469
Amyris, 49:506
Anabaena constricta, 49:398
Anabolia
bimaculata, 51:333
bimaculatus, 54:192
Anacardeaceae, 48:673
Anacardiaceae, 48:187, 52:394, 53:70, 55:428
Anaea troglodyta, 48:506, 48:515
Anagallis arvensis, 49:191
Anaplasma phagocytophilum, 56:370
Anartia
amathea, 48:513
jatrophae, 48:513
Anas
acuta, 48:244, 51:233, 54:287, 55:501–509
americana, 48:244, 48:245
clypeata, 48:244, 51:233
crecca, 48:244, 51:233, 54:287
cyanoptera, 48:244, 49:105, 54:287
diazi, 51:233
discors, 48:242, 48:244, 51:233, 54:287, 54:291
fulvigula, 47:532, 53:234
platyrhynchos, 48:241, 48:242, 48:244, 48:245, 48:362, 51:233, 52:55–57, 53:234, 54:141, 54:287, 54:290, 55:508
strepera, 48:244, 54:287, 54:294
Anastrus
neareris, 48:523
sempiternus, 48:523
Anatidae, 47:532, 51:233, 53:235
Anax, 53:380
junius, 48:446, 50:242, 54:98
walsinghami, 50:242
Anaxyrus
cognatus, 56:251–255
debilis, 56:251–255
houstonensis, 53:116
melancholicus, 48:676–680
punctatus, 56:252
woodhousei, 53:116
Anaxyrus melancholicus Tschudi: synonym of the Mexican taxon *Bufo compactilis* Wiegmann (Anura: Bufonidae), Jennifer B. Pramuk and Joseph R. Mendelson, III, 48:676–680
Ancistrocactus scheeri, 52:344
Ancona-Martínez, Sergio, see Zaldívar-Rae, Jaime, —
Ancylidae, 50:244
Ancyronyx, 51:147
Anders, Angela D., and Donald C. Dearborn, Population trends of the endangered golden-cheeked warbler at Fort Hood, Texas, from 1992–2001, 49:39–47
Andersen, Douglas C., and S. Mark Nelson, Effects of river flow regime on cottonwood leaf litter dynamics in semi-arid northwestern Colorado, 48:188–201
Andersen, Douglas C., see Miller, Michael S., —
Andersen, Douglas C., see Nelson, S. Mark, and —
Andersen, Mark C., see Kroll, Andrew J., —
Andersen, Mark C., see Sipos, Michael P., —
Anderson, James T., and David A. Haukos, Breeding ground affiliation and movements of greater white-fronted geese staging in northwestern Texas, 48:365–372
Anderson, James T., and Thomas C. Tacha, Habitat use by nonbreeding wood ducks in the Coastal Plain and Rice Prairie region of Texas, 47:486–489
Anderson, Kirk E., Sebastian L. Zeltzer, Rick P. Overson, and William H. Clark, Identification of cryptic hosts for two inquiline parasites of the seed-harvester ant *Pogonomyrmex* and new localities for *P. anergismus* (Hymenoptera: Formicidae), 55:532–538
Anderson, Robert P., A. Townsend Peterson, and Stephen L. Egbert, Vegetation-index models predict areas vulnerable to purple loosestrife (*Lythrum salicaria*) invasion in Kansas, 51:471–480
Anderson, Thomas W., see Saiki, Michael K., —
Anderson, Todd A., see Platt, Steven G., —
Andrena, 50:294, 50:297–299
Andrenidae, 50:297, 53:426
Andrew, Nancy G., see Marshal, Jason P., —
Androlaelaps fahrenholzi, 50:90
Andropogon, 49:352, 50:398, 54:137, 55:477, 55:480–482, 56:317
barbinodis, 47:560, 47:561
gerardi, 50:213
gerardii, 48:461, 49:241, 50:268, 51:526, 52:454, 53:216, 55:259, 55:290, 56:225
glomeratus, 49:176, 54:238, 54:242, 55:204
hallii, 49:335, 51:526, 52:542, 55:478
saccharoides, 47:320
scorparium, 55:478
virginicus, 51:359, 55:257
Anemopsis californica, 49:219, 52:200, 53:72, 53:462
Angiocaulus, 50:38
gubernaculatum, 50:37
gubernaculatus, 50:32
Anguidae, 47:41, 47:51, 47:614–615, 49:327–333, 50:25, 50:497–498, 51:401–406, 52:325, 54:404, 55:252, 56:131
Anguilla rostrata, 55:82, 55:85
Animal-related vehicle accidents at the Los Alamos National Laboratory, New Mexico, James Biggs, Sherri Sherwood, Sarah Michalak, Leslie Hansen, and Carey Bare, 49:384–394
Anisacanthus thruberi, 52:304, 52:355
Anisakidae, 52:127
Anisantha tectorum, 51:120
Anisopodidae, 56:79, 56:80
Anisotremus davidsonii, 54:157
Ankistrodesmus
falcatus, 49:402
nannoselene, 49:402
Annona
cherimola, 50:472–475, 50:477
glabra, 55:319
Annonaceae, 50:475
Annual cycles in body mass and reproduction of Chiricahua fox squirrels (*Sciurus nayaritensis chiricahuae*), Bret S. Pasch and John L. Koprowski, 51:531–535
Annual frequency of clutches of *Pseudemys texana* and *Trachemys scripta* at the headwaters of the San Marcos River in Texas, Francis L. Rose, 56:61–65
Anoda cristata, 48:187
Anogra gypsophila, 47:300
Anolis, 51:167, 54:206
alvarezdeltoroi, 52:323, 52:325
carolinensis, 47:209, 49:531
garmani, 47:209
nebulosus, 47:206, 51:159
Anopheles, 55:236
Anoplophora glabripennis, 52:367
Anoura geoffroyi, 48:574, 50:97, 54:412, 54:414, 55:348, 55:349, 55:354
Ansary, Ali M., see de Gouvenain, Roland C., and —
Anser, 49:535, 51:233
albifrons, 48:286–289, 48:365–372
Antechinus, 51:59, 51:71
Antelope cervicapra, 55:511
Antennaria
media, 54:356
parvifolia, 52:498, 52:499
rosea, 48:504
Anteos
clorinde, 48:512
maerula, 48:512
Anteros carausius, 48:517
Anthanassa
argentea, 48:514
frisia, 48:514
Anthicidae, 55:191
Anthicus, 52:223
Anthocoridae, 48:133
Anthomyia, 50:291, 50:294, 50:295, 50:299
Anthomyiidae, 50:295, 55:191
Anthony, Carl D., Jill A. Wicknick, and Robert G. Jaeger, Site tenacity and homing in the Rich Mountain sala-

mander, *Plethodon ouachitae* (Caudata: Plethodontidae), 47:401–408
Anthoptus
epictetus, 48:523
insignis, 48:523
Anthrax irroratus, 53:426–428
Anthribidae, 55:191
Anthus cervinus, 55:569, 55:572
Antigonon leptopus, 50:441
Antigonum leptopus, 50:146
Antigonus
erosus, 48:522
nearchus, 48:522
Antilocapra americana, 47:329, 47:354, 47:545, 47:558, 48:270, 48:574, 48:725–728, 51:220–225, 51:433, 52:402–404, 53:319–325, 53:389–393, 54:45–54, 54:152, 54:481, 55:51, 55:283–284, 55:514
Antilocapridae, 47:329, 48:573–574, 51:233
Antilope cervicapra, 52:533, 52:536
Antirrhinum nuttallianum, 53:72
Antrozous pallidus, 47:328, 48:575, 49:80, 50:200, 50:202, 50:203, 51:421, 52:402, 52:482, 52:485–491, 52:597–599, 54:169, 54:421, 54:424–426, 55:110–115, 55:210, 55:331, 55:332, 55:336, 55:352, 55:354
Anura, 48:676–680, 49:263–266
Anyphaena
dixiana, 56:47
rita, 56:47
Anyphaenidae, 54:334, 54:337, 56:47
Anzueto V., Roderico, and Jonathan A. Campbell, Guatemalan beaded lizard (*Heloderma horridum charlesbogerti*) on the Pacific versant of Guatemala, 55:453–454
Apalone, 52:609
ferox, 55:137
mutica, 50:166, 50:169
spinifera, 49:531, 50:166, 50:168, 50:169
Apantesis, 50:297
Apatania arizona, 51:332, 54:185, 54:192, 54:193
Apataniidae, 51:332, 54:185
Aphaenogaster cockerelli, 55:112
Aphanocapsa
delicatissima, 49:398
endophytica, 49:398
rivularis, 49:398
Aphanothece microscopica, 49:398
Aphelocoma
californica, 48:386, 50:442, 51:120, 53:468
ultramarina, 52:276
Aphonopelma
echinum, 56:46, 56:51
iodius, 54:336
Aphrededoridae, 54:390
Aphredoderus sayanus, 47:190, 47:191, 54:390
Aphrissa statira, 48:512
Apiaceae, 49:190, 49:191, 51:458, 53:70, 53:395, 53:458–465, 55:256
Apiastrum angustifolium, 53:70
Apidae, 50:297, 50:298, 52:319, 53:426, 55:192
Apis, 53:112
mellifera, 47:466, 48:81–84, 49:431, 50:307–311, 51:542–551, 52:302, 52:304, 54:105, 56:168
Apium graveolens, 52:200, 53:70
Aplectana, 50:255
incerta, 47:294, 47:296, 47:297, 50:254
itzocanensis, 47:294, 47:296, 47:297
Aplodinotus grunniens, 50:162, 51:398, 54:392, 55:82, 55:85, 55:155
Aplomado falcons and grazing: invoking history to plan restoration, Joe C. Truett, 47:379–400
Apocyclops dimorphus, 55:526
Apocynaceae, 53:70
Apocynum androsaemifolium, 48:494, 48:496, 48:504
Apodemia
hypoglauca, 48:518
nais, 52:13
Apodemus sylvaticus, 53:367
Apodidae, 54:289, 54:290
Apodiformes, 47:623–626
Apollophanes
margarita, 56:49
punctipes, 56:49
texanus, 54:335, 56:49–51
Apteragia
odocoilei, 50:59–61
pursglovei, 50:59
Aptostichus, 52:435–436
atomarius, 52:436
simus, 52:436
Aquarius, 50:241
Aquatic invertebrates of Cuatro Ciénegas, Coahuila, México: natives and exotics, Eric C. Dinger, Adam E. Cohen, Dean A. Hendrickson, and Jane C. Marks, 50:237–246
Aquatic invertebrates of the Grand Staircase-Escalante National Monument, Utah, Mark R. Vinson and Eric C. Dinger, 53:374–384
Aquila chrysaetos, 48:263, 48:630, 48:707, 48:709, 49:55, 49:377, 50:32, 50:33, 50:441, 50:446, 51:233, 52:272, 52:293, 52:420, 52:534, 53:206, 54:288, 54:292, 54:431
Aquilar-Aquilar, Rogelio, see Martínez-Aquino, Andrés, —
Ara militaris, 52:272, 52:277, 54:505
Arabis, 48:504
perennans, 53:71
platysperma, 54:356
Araceae, 53:73
Arachis hypogaea, 53:386
Arachnida, 55:304, 55:470
Arachnidae, 49:259
Aralia humilis, 52:355
Araneae, 51:310–319
Araneidae, 51:314, 53:140, 54:331, 54:332, 54:334, 54:337, 56:46, 56:52
Araneus
arizonensis, 56:46
illaudatus, 56:46
Aranguren, Jaime O., see Martino, Angela M. G., —
Aratinga
aster, 54:105
holochlora, 54:93
Arawacus
jada, 48:519
sito, 48:518
Arbour, David, see Butler, Christopher J., —
Arbutus, 48:185, 55:348, 56:131
andrachne, 56:393
arizonica, 50:7–11, 52:273, 52:279
menziesii, 52:162
xalapensis, 48:181, 48:187, 52:111
Arce, Nallely, see Carmona, Roberto, —
Arceuthobium
microcarpum, 50:462
vaginatum, 48:257, 50:464
Archaeological fauna of the former Chinatown section of El Paso, Texas, additions to the, Arthur H. Harris, 49:534–538
Archaeoprepona demophon, 48:515
Archdeacon, Thomas P., and Stephen R. Davenport, Predation by age-0 smallmouth bass (*Micropterus dolomieu*) on bigscale logperch (*percina macrolepida*) in the Pecos River, New Mexico, 55:120–122
Archilestes, 53:380
Archilochus alexandri, 53:468
Architecture, population size, myrmecophiles, and mites in an excavated nest of the honeypot ant, *Myrmecocystus mendax* Wheeler, in Arizona, John R. Conway, 48:449–450
Archocentrus
myrnae, 52:371–377
nanoluteus, 52:375
nigrofasciatus, 52:371, 52:372, 52:375, 52:376
septemfasciatus, 52:372, 52:375, 52:376
Archosargus probatocephalus, 49:49
Arcidens wheeleri, 53:45
Arcostaphylos nevadensis, 51:108
Arcthrocnemum subterminale, 50:135
Arctiidae, 49:190, 50:297
Arctium, 54:523
minus, 48:12
Arctopsyche, 53:381
Arctostaphyllos
pringlei, 52:200
pungens, 48:177, 48:179
Arctostaphylos, 48:723, 50:473, 50:477, 52:162, 53:147, 53:148, 53:151, 53:154, 53:156–158, 54:328
catalinae, 51:574
glauca, 47:579, 49:306, 50:472, 50:473, 50:475, 50:476, 53:65, 53:71, 53:358
nevadensis, 53:347
peninsularis, 53:71
pringlei, 53:152
prostrata, 53:22

pungens, 48:181, 48:182–185, 48:187, 48:231, 48:236, 52:273, 53:152, 55:348, 55:448
uva-ursi, 47:63, 52:498
Arctostaphylus pungens, 52:620
Ardea
alba, 48:131, 50:320, 51:232, 54:503, 56:420, 56:421
goliath, 52:315
herodias, 50:252, 51:232, 51:370, 54:287, 54:293, 54:503
Ardeidae, 54:287
Ardops nichollsi, 47:505, 47:506
Arecaceae, 48:580, 50:475, 50:476, 53:73, 56:66–70
Arellano, Elizabeth, see Sanchez, Irma Urbina, —
Arenaria, 47:587, 47:602
benthamii, 53:499
douglasii, 53:71
interpres, 54:129
patula, 47:588, 52:121
Arenas-Ríos, Edith, see León-Galván, Miguel A., —
Arends, Alexis, see Martino, Angela M. G., —
Arenivega, 55:112
Arequipa erectocylindrica, 56:395
Argemone
echinata, 56:160
munita, 53:72
Argennina, 56:47
Argia, 48:30
apicalis, 48:446
fumipennis, 50:242
immunda, 48:446, 48:447
moesta, 48:446
nahuana, 48:446, 50:242
plana, 50:242
pulla, 50:242
sedula, 50:242
tonto, 50:242
translata, 50:242
Argiope trifasciata, 54:334, 56:46
Argyrogrammana stilbe, 48:517
Argythamnia lancelata, 52:522, 52:523
Arideidae, 51:232
Aristida, 47:284, 47:354, 47:520, 47:558, 47:560–562, 48:262, 49:25, 49:335, 51:173, 52:98, 52:555, 52:556, 53:2, 53:87, 53:92, 55:480, 55:482, 55:511, 55:513–515, 56:274, 56:257, 56:317
abscensionis, 52:622
adscensionis, 48:180, 48:182, 48:187, 48:487, 51:13, 53:73, 56:160
glabrata, 49:290
glauca, 53:73
hamulosa, 49:290
longiseta, 47:155, 56:327
oligantha, 53:500, 53:503, 54:494
purpurea, 48:187, 49:6, 49:8, 50:275, 53:73, 54:447, 55:497
ternipes, 47:277–279, 47:440, 47:443, 48:181, 48:182, 48:187, 52:622
Arius felis, 54:521, 54:522
Arizona cotton rat (*Sigmodon arizonae*) in New Mexico, first record of the, Jennifer K. Frey, Robert D. Fisher, Michael A. Bogan, and Clyde Jones, 47:491–493
Arizona elegans, 47:308, 53:483, 53:485, 55:176, 55:252
Arkansas darter, *Etheostoma cragini*, and least darter, *E. microperca*, in Arkansas, status of, Chad W. Hargrave and James E. Johnson, 48:89–92
Arkansas record of the robber fly *Microstylum morosum* (Diptera: Asilidae), first, Michael D. Warriner, 49:83–84
Arkansia wheeleri, 53:45–49
Armadillidiidae, 47:464
Armadillidium, 47:463, 47:464
vulgarare, 48:49
Armstrong, Fred, see Gilad, Oranit, —
Arnica cordifolia, 56:329
Arnold, Keith A., see Brooks, Daniel M., and —
Arnold, Keith A., see Kosciuch, Karl L., —
Arremonops rufivirgatus, 52:440, 54:95, 54:507
Arroyo-Cabrales, Joaquín, see Escobedo-Morales, Luis Arturo, —
Arroyo-Cabrales, Joaquin, see Mead, Jim I., —
Arroyo-Cabrales, Joaquín, see Muñiz-Martínez, Raúl, —
Artema atlanta, 56:50
Artemesia
californica, 47:230
douglasiana, 54:328
filifolia, 48:114, 49:322
tridentata, 48:192, 54:249
Artemia, 52:379, 53:237–239
Artemisa tridentata, 47:158
Artemisia, 47:64, 47:66, 48:626, 50:211, 50:371, 51:200, 52:196 53:148, 53:151, 54:201, 55:383, 55:479, 55:480, 55:482, 56:365
absinthium, 48:12
abyssinica, 49:11
californica, 51:574, 52:200, 54:328
campestris, 48:12, 51:579
carruthii, 53:152
dracunculus, 52:200, 53:152
filifolia, 49:6, 49:334, 52:555, 54:141, 55:477, 56:317
frigida, 47:63, 51:198, 53:152
ludoviciana, 51:526, 52:200, 53:70, 53:152, 55:496
nova, 52:617
scoparia, 48:11, 49:11
tridentata, 47:63, 47:134, 47:136, 47:176, 49:11, 49:271, 50:4, 50:18, 50:213, 50:370, 51:201, 51:289, 52:198, 52:200, 53:152, 53:154, 54:202, 55:172, 56:97, 56:188
vulgaris, 48:12
Artesia
subterranea, 53:74, 53:78, 53:79, 53:81, 53:82
welbourni, 53:81
Arteurotia tractipennis, 48:522
Arthrobacter, 51:304, 51:307
pascens, 51:306
ramosus, 51:306
Arthrocnemetum subterminalis, 50:135, 50:149
Arthropoda, 56:422–426
Arthurdendyus triangulatus, 51:254
Artibeus, 47:505, 54:411
hirsutus, 48:574, 55:347, 55:350, 55:353–355
inopinatus, 50:97
intermedius, 47:137, 48:142, 48:143, 48:574, 50:97, 53:518, 54:410, 54:412–414, 55:347, 55:348, 55:350, 55:353, 55:354
jamaicensis, 47:506, 48:143, 48:574, 48:582, 48:583, 48:586, 50:97, 53:518, 54:412–414, 55:350, 55:354
lituratus, 48:574, 48:583, 48:585, 48:586, 50:97, 54:410, 54:412–414, 55:350
toltecus, 55:350, 55:351, 55:353, 55:354
Artificial lighting and presence of *Menidia beryllina* on growth and diet of *Labidesthes sicculus*, effects of, Raul Ramirez, Eric R. Johnson, and Keith B. Gido, 51:510–513
Artificial nests reveal meaningful patterns of predation in Kansas grasslands?, do, Robert J. Robel, John P. Hughes, Timothy D. Keane, and Kenneth E. Kemp, 48:460–464
Arundo donax, 47:423, 47:429, 49:97, 51:505, 54:318
Asagena fulva, 56:46
Ascarops, 47:294–297, 48:208–211, 48:213, 48:214, 48:217, 52:243, 52:245, 52:246, 52:248
strongylina, 52:599
Ascia monuste, 48:513
Asclepias
albicans, 52:355
linaria, 52:355
subulata, 52:355
verticillata, 56:59
Asellidae, 51:251, 53:79, 53:380
Ashe, Vikki A., see Geluso, Keith, —
Ashmeadiella, 53:426–428
opuntiae, 53:427
Ashmunella, 48:14–16, 48:22
auriculata, 48:17–20
harrisi, 48:17–20
kochii, 48:17–20
organensis, 48:17–21
pasonis, 48:17–20
rhyssa, 48:20
salinasensis, 48:17–20
todseni, 48:17–21
Asilidae, 49:83–84, 51:314, 52:618, 55:191
Asimina triloba, 50:472
Asio
otus, 48:76, 49:55, 52:292, 55:24
stygius, 52:272
Asiochirus blarina, 50:90, 50:91

Aspicarpa hyssopifolia, 48:187
Aspidoscelis, 51:167, 55:301
angusticeps, 53:180, 54:458
burti, 48:689, 48:690
communis, 53:181, 53:182, 54:457, 54:458, 55:125
costata, 53:175–184
cozumela, 52:40, 53:180, 54:457, 54:458
deppei, 52:40
deppii, 50:262–267, 53:176, 53:180, 54:458
dixoni, 54:457, 56:185
exsanguis, 48:685–692, 50:172–176, 50:260, 54:226–230, 56:185
flagellicauda, 48:685–692, 50:260
gularis, 48:690, 48:692–694, 48:696–699, 50:172, 50:176, 50:260, 50:269, 51:556, 54:453–460, 55:420–423, 56:180, 56:184, 56:185
guttata, 50:262–267, 55:126
hyperythra, 55:583
hyperythrus, 54:457, 54:458
inornata, 48:690, 55:422, 55:423, 56:184, 56:185
inornatus, 54:457, 54:458
labialis, 55:278
laredoensis, 50:172, 50:173, 50:176, 55:420, 55:421, 55:423
lineatissima, 53:181, 54:457, 54:458, 55:125
marmorata, 52:251–257, 55:125–129
marmoratus, 56:318
maslini, 53:180, 54:458
neomexicana, 50:172–176, 54:226–230, 56:185
neomexicanus, 54:458
neotesselata, 56:128–130, 56:180, 56:181, 56:185
ocellifer, 55:125
rodecki, 53:180, 54:458
sacki, 53:182
septemvittata, 56:90
sexlineata, 52:40, 55:419–425, 56:128, 56:180–186
sexlineatus, 54:457, 54:458, 56:318–319
sonorae, 48:685–692, 54:457
tesselata, 48:685–692, 48:692–700, 50:172–176, 50:258–262, 51:555–560, 52:40, 54:226–230, 55:125–129, 56:128–130, 56:180–186
tigra, 53:182
tigris, 48:680–684, 48:692–700, 50:172–176, 50:260, 51:556, 52:40, 52:321, 54:226–230, 54:456–458, 55:420, 55:583, 56:180, 56:184, 56:185
uniparens, 56:185
velox, 56:185
Aspidoscelis sexlineata (Sauria: Teiidae) in Mexico: distribution, habitat, morphology, and taxonomy, Edmundo Pérez-Ramos, Adrián Nieto-Montes de Oca, Jorge A. Vargas-Contreras, James E. Cordes, Mark A. Paulissen, and James M. Walker, 55:419–425
Aspidoscelus
burti, 55:252
burtii, 55:244
flagellicauda, 55:244–248, 55:252
sonorae, 55:244–248, 55:252
tigris, 55:244–248, 55:252
Aspidosperma quebracho-blanco, 52:571
Association between fire return interval and population dynamics in four California populations of Tecate cypress (*Cupressus forbesii*), Roland C. de Gouvenain and Ali M. Ansary, 51:447–454
Association between the Oklahoma salamander (*Eurycea tynerensis*) and Ordovician-Silurian strata, Renn Tumlison and George R. Cline, 48:93–95
Association of black-tailed prairie dogs (*Cynomys ludovicianus*) with playa lakes and a new approach to estimating size of populations, Alison L. Pruett, Clint W. Boal, Mark C. Wallace, Heather A. Whitlaw, and James D. Ray, 54:19–23
Astata
boharti, 52:564–569
boops, 52:564
immigrans, 52:564, 52:568
minor, 52:564
occidentalis, 52:564–569
unicolor, 52:564, 52:568
Aster, 47:590
curtus, 48:12
dumosus, 55:256, 55:259
ericoides, 51:526, 55:256, 55:258, 55:259
lanceolatus, 55:256, 55:259, 55:260
lateriflorus, 55:256, 55:258, 55:259
novi-belgii, 48:12
oblongifolius, 47:590
praealtus, 55:256, 55:259
sericeus, 47:590
subulatus, 53:397, 53:462
Asteraceae simsia, 51:579
Asteraceae, 47:449–453, 48:1–13, 48:187, 49:127, 49:180, 49:191, 50:213, 50:476, 51:458, 51:482, 51:484, 51:486, 52:195, 52:350, 53:70, 53:498, 55:256, 55:258, 55:259, 55:428, 56:51, 56:159, 56:162–171, 56:276
Asteriscus pygmaeus, 48:11
Asterocampa idyja, 48:515
Astianthus viminalis, 55:141
Astragalus, 49:503, 51:1, 51:5, 51:7, 51:8, 52:522, 52:523, 55:283, 55:426–429, 55:431
calycosa, 48:494–496
calycosus, 48:504, 53:71
coriaceus, 51:9
didymocarpus, 53:71
diphacus, 51:9
douglasii, 52:200, 53:64, 53:71
emoryanus, 55:430
gruinus, 53:64
hypoleucus, 51:9
idrietorum, 53:71
legionensis, 51:4, 51:9
mollissimus, 51:6, 51:9
nuttallianus, 51:9, 53:71
palmeri, 52:200, 53:71
prorifer, 53:71
purpusii, 51:4, 51:9
racemosus, 51:6
sanguineus, 51:4, 51:9
Astragulus miguelensis, 50:34
Astraptes
alardus, 48:521
alector, 48:521
anaphus, 48:521
egregius, 48:521
enotrus, 48:521
fulgerator, 48:521
Astrocaryum mexicanum, 48:580
Astrolepis sinuata, 53:70, 55:498
Astronium graveolens, 55:141
Astrophytum
asterias, 52:341–346, 53:423–430
capricorne, 52:342, 56:395
myriostigma, 52:342
ornatum, 52:342
Astyanax
aeneus, 52:372
mexicana, 48:452
mexicanus, 48:86, 49:437, 49:438, 50:76, 51:554, 56:109
Atalopedes campestris, 48:525
Atamisquea emarginata, 50:145, 52:355, 55:316
Atarnes sallei, 48:522
Ateles geoffroyi, 48:571, 48:574, 52:393–399
Athene cunicularia, 49:272, 49:274, 49:377, 49:509–512, 50:499, 51:406–409, 51:575, 52:60–66, 53:29–33, 54:87–90, 54:301, 54:377, 55:51, 56:378–384
Athericidae, 53:380
Atherinella crystallina, 55:600
Atherinidae, 47:142–147, 53:225, 54:390, 55:280
Atherinomorpha, 49:87–88, 52:229–233
Atherinops affinis, 53:338, 53:339
Atherinopsidae, 52:229, 53:339, 55:587, 55:589
Atherinopsis californiensis, 53:339
Atherix, 53:380
Atila spadiceus, 55:391
Atiplex julacea, 50:139
Atlides
carpasia, 48:518
gaumeri, 48:518
halesus, 48:518, 52:568
polybe, 48:518
Atopschye, 50:243
Atopsyche
sperryi, 51:329, 51:332, 54:184, 54:185, 54:188, 54:189
tripunctata, 51:332, 54:185
Atractelmis, 48:31
Atractis
longicaudatum, 48:211
penneri, 48:208–212, 48:215, 48:217
scelopori, 48:211
Atractosteus spatula, 55:85

Atriplex, 47:416, 47:463, 47:637, 48:413, 48:626, 49:503, 50:213, 51:2, 51:29, 51:200, 51:209, 53:328, 56:365, 56:383
argentea, 55:421
barclayana, 50:140–145
californica, 50:34
canescens, 48:559, 49:6, 50:4, 50:134, 50:139, 50:140, 50:142, 50:145, 50:189, 50:275, 51:173, 51:176, 51:515, 52:99, 52:100, 52:211, 52:256, 52:355, 54:227, 55:493, 55:498
confertifolia, 50:18, 50:189, 52:617
hymenelytra, 55:315
julacea, 50:133, 50:138, 50:140–143, 50:145
lentiformis, 52:355
patula, 49:11, 50:3
polycarpa, 48:684, 50:133, 50:142–145, 51:515, 52:200, 52:355, 53:71
prostata, 50:3
texana, 52:342
watsonii, 50:141
Atriplicetosum canescentis, 50:138, 50:139
Atriplicetum polycarpae, 50:129, 50:133, 50:142, 50:144, 50:145, 50:147
Atriplici, 50:147
julaceae, 50:133, 50:149
Attalea cohune, 55:318
Attheyella, 55:527
Atypical pair-bonding behavior among golden-fronted woodpeckers (*Melanerpes aurifrons*), Michael S. Husak, 50:85–88
Audouinella violacea, 49:403
Auriparus flaviceps, 47:286, 49:32, 50:440, 50:442
Austrosialis, 53:524
Autochton
longipenis, 48:521
zarex, 48:521
Auturus
evides, 56:424, 56:425
louisianus, 56:425
Avena, 49:306, 50:34
fatua, 49:12, 51:574
sativa, 51:359, 52:622
Averill-Murray, Annalaura, see Morrison, Michael L., and —
Aversive behavior of beaded lizard, *Heloderma horridum*, to sympatric and allopatric predator snakes, Carlos J. Balderas-Valdivia and Aurelio Ramírez-Bautista, 50:24–31
Avey, Josh T., Warren B. Ballard, Mark C. Wallace, Mary H. Humphrey, Paul R. Krausman, Fielding Harwell, and Ernest B. Fish, Habitat relationships between sympatric mule deer and white-tailed deer in Texas, 48:644–653
Avey, Josh, see Krausman, Paul R., —
Avian mortality during fall 2001 migration at communication towers along the Rio Grande corridor in southern New Mexico, Daniel L. Ginter and Martha J. Desmond, 49:414–417
Avian mortality during fall 2001 migration at communication towers along the Rio Grande corridor in southern New Mexico, correction for, Daniel L. Ginter and Martha J. Desmond, 50:520
Avian nestling predation by endangered Mount Graham red squirrel, Claire A. Zugmeyer and John L. Koprowski, 52:155–157
Avian use of Chinese tallow seeds in coastal Texas, Warren C. Conway, Loren M. Smith, and James F. Bergan, 47:550–556
Avicennia germinans, 47:424–426, 48:465, 48:466, 50:135, 55:319
Avicennietum germinantis, 50:135, 50:149
Avila-Flores, Rafael, see Velarde, Enriqueta, —
Avila-Torres Agatón, Luis Gerardo, see Orozco-Lugo, Carmen Lorena, —
Awaous banana, 52:372
Axis axis, 51:358–367
Axtell, Ralph W., and Hobart M. Smith, Clarification of name usage for the variable skink, *Eumeces multivirgatus epipleurotus*, 49:100
Ayala-Pérez, Víctor, see Carmona, Roberto, —
Ayenia microphylla, 52:355
Aythya
affinis, 48:244, 48:245, 55:570
americana, 48:244
collaris, 48:244, 48:245, 55:570
valisineria, 48:244
Azevedo, Fernando C. C., Ricardo L. Costa, Henrique V. B. Concone, André Pires-da Silva, and Luciano M. Verdade, Cannibalism among jaguars (*Panthera onca*), 55:597–599
Azolla
carolianiana, 55:257
filiculoides, 52:200
Azollaceae, 55:257
Aztecula sallaei, 53:224, 53:227, 53:228
Aztekium ritterii, 49:11
Aztlanolagus, 50:366
agilis, 50:365

Babb, Marie E., see Stone, Paul A., —
Babb, Randall D., George L. Bradley, Thomas C. Brennan, and Andrew T. Holycross, Preliminary assessment of the diet of *Gyalopion quadrangulare* (Serpentes: Colubridae), 50:390–392
Babb, Randall D., see Rorabaugh, James C., —
Baccaris sarothroides, 48:559
Baccharis, 52:196, 53:86, 53:252, 54:462, 55:194
glutinosa, 47:598, 51:415, 53:70, 53:97–98
halimifolia, 50:398, 54:238
neglecta, 47:423, 47:426, 47:430, 47:434, 47:568, 53:87
pilularis, 47:230, 49:247, 50:34, 51:574, 54:328
salicifolia, 47:426, 47:430, 51:505, 52:200, 53:70
sarothrae, 52:198
sarothroides, 52:200, 53:70
viminea, 53:70
Baccus, John T., see Breeden, Jeff B., —
Baccus, John T., see Ferguson, Adam W., —
Baccus, John T., see McGhee, Jay D., and —
Baccus, John T., see Najvar, Paige A., —
Baccus, John T., see Schwertner, T. Wayne, —
Baccus, John T., see Small, Michael F., —
Bacillus, 51:300
thuringiensis, 51:304, 51:306, 51:307
Bacopa, 50:249, 55:421
Bactrurus, 51:251
Baeolophus atricristatus, 53:467, 53:468
Baeotis
sulphurea, 48:517
zonata, 48:517
Baetidae, 47:199, 48:30, 50:241, 53:379, 53:380, 55:236, 55:553
Baetis, 48:30, 50:241, 52:223, 55:553–555
Baetodes, 50:241
Baez, A., see Hodnett, John-Paul M., —
Baez, Arturo, see Mead, Jim I., —
Báez, Rafael, see Goldberg, Stephen R., —
Bagley, Brian E., see Marsh, Paul C., —
Bagre marinus, 49:49
Bahia absinthifolia, 55:497
Bahm, Matt A., and Brian L. Sullivan, Interspecific depredation of raptors by red-tailed hawks (*Buteo jamaicensis*) on San Clemente Island, California, 54:85–87
Bahm, Matt A., James M. Mueller, and Aaron R. Sides, Inventory of terrestrial mammals at Amistad National Recreation Area, Texas, 53:85–90
Bailey, Lindley A., James R. Dixon, Rick Hudson, and Michael R. J. Forstner, Minimal genetic structure in the Rio Grande cooter (*Pseudemys gorzugi*), 53:406–411
Baileya multiradiata, 52:200, 52:252, 52:253, 52:256
Bain, Matthew R., and Tanya M. Shenk, Nests of Preble's meadow jumping mouse (*Zapus hudsonius preblei*) in Douglas County, Colorado, 47:630–633
Baiomys
musculus, 48:574, 53:102, 54:412, 54:413, 54:416
taylori, 47:249, 47:251, 47:255, 47:561, 47:562, 48:419–426, 48:574, 49:520, 49:533, 51:88, 51:89, 52:444, 53:85,

53:88, 53:89, 54:87, 54:88, 54:238, 54:239, 54:302, 54:303, 55:52, 55:53, 55:205, 55:288–291
Baird, Troy A., see Luna, Linda D., and —
Bairdiella icistia, 54:157
Baker, Robert J., see Bradley, Robert D., —
Baker, Robert J., see McAliley, L. Rex, —
Baker, Terrell T., see Wampler, Christina R., —
Bakerdania, 50:90
Balantiopteryx
io, 48:574
plicata, 48:574, 48:713, 50:97, 55:347, 55:348, 55:353, 55:354
Balderas-Valdivia, Carlos J., and Aurelio Ramírez-Bautista, Aversive behavior of beaded lizard, *Heloderma horridum*, to sympatric and allopatric predator snakes, 50:24–31
Balderas-Valdivia, Carlos, see Ramírez-Bautista, Aurelio, —
Balin, Lois, Mexican long-tongued bat (*Choeronycteris mexicana*) in El Paso, Texas, 54:225–226
Ballard, Bart M., see Kloss, Christopher L., —
Ballard, Warren B., see Avey, Josh T., —
Ballard, Warren B., see Brunjes, Kristina J., —
Ballard, Warren B., see Butler, David A., —
Ballard, Warren B., see Kamler, Jan F., —
Ballard, Warren B., see Merkle, Jerod A., —
Ballard, Warren B., see Mills, Brandon H., —
Ballard, Warren B., see Tatman, Nicole M., —
Ballesteros, Claudia, see Cervantes, Fernando A., —
Ballinger, Royce E., see Lemos-Espinal, Julio A., —
Ballinger, Royce E., see Smith, Geoffrey R., —
Banda-Leal, Javier, Robert W. Bryson, Jr., and David Lazcano Villarreal, New record of *Elgaria parva* (Lacertilia: Anguidae) from Nuevo León, México, 47:614–615
Baptisia
bracteata, 49:176, 49:177, 49:179, 49:180, 49:183
tinctoria, 56:55
Bárcenas, Horacio, and Rodrigo A. Medellín, Ocelot (*Leopardus pardalis*) in Aguascalientes, Mexico, 55:447–449
Bare, Carey, see Biggs, James, —
Barger, Michael A., see Lindeman, Peter V., and —
Barisia, 54:404
imbricata, 47:614, 50:179, 50:254, 51:401–406, 52:258, 52:260
monticola, 50:179
Barking vocalizations in San Joaquin kit foxes (*Vulpes macrotis mutica*), James D. Murdoch, Katherine Ralls, Brian L. Cypher, and Richard P. Reading, 53:118–124
Barnes, Mary B., see Bates, Christa L., —
Barnes, Paul W., see D'Souza, Lana E., and —
Barr, Charles L., see Pedersen, Ellen K., —
Barragán, Felipe, see Lorenzo, Consuelo, —
Barrett, Reginald H., see Amacher, Andrew J., —
Barrows, Cameron W., and Michael F. Allen, Conserving species in fragmented habitats: population dynamics of the flat-tailed horned lizard, *Phrynosoma mcallii*, 54:307–316
Barrows, Cameron W., Population dynamics of a threatened sand dune lizard, 51:514–523
Barrows, Cameron W., see Chen, Xiongwen, —
Barrows, Cameron W., see García-De la Peña, Cristina, —
Bartels, Brian C., see Ritzi, Christopher M., —
Barton, Andrew M., Response of *Arbutus arizonica* (Arizona madrone) to fire in southeastern Arizona, 50:7–11
Bartramia longicauda, 48:290, 50:233, 55:571
Baseline survey of Texas horned lizards, *Phrynosoma cornutum*, in Texas, Scott E. Henke, 48:278–282
Basileuterus
culicivorus, 48:709–710, 54:94
lachrymosa, 54:94
rufifrons, 54:505
Basilinna leucotis, 52:277
Basiliscus vittatus, 52:40
Baslisascaris procyonis, 47:125
Bassaniana utahensis, 56:49, 56:51
Bassariscus
astutus, 47:255, 48:249–256, 48:575, 48:600, 48:723, 49:79, 49:80, 49:535, 49:537, 51:581, 52:113, 52:402, 53:87, 53:512, 55:20, 56:232
casei, 48:250, 48:253–255
lycopotamicus, 48:250, 48:253
ogallalae, 48:249–256
parvus, 48:254
rexroadensis, 48:250, 48:252–254
sumichrasti, 48:250, 48:252, 48:253, 48:575
Bassariscus ogallalae (Carnivora: Procyonidae) from the Ogallala Group (Miocene) of Ellis County, Kansas, with comments on variation within *Bassariscus*, new record of, Gabe S. Bever, 48:249–256
Bassett, Scott, see Trammell, E. Jamie, —
Bates, Christa L., Michael R. J. Forstner, Mary B. Barnes, Marvin Whiteley, and Robert J. C. McLean, Heterotrophic limestone-adherent biofilm isolates from the Edwards Aquifer, Texas, 51:299–309
Batido maritimae, 50:135, 50:149
Batis maritima, 47:428, 48:465, 50:135, 50:398, 52:76, 54:237
Batrachochytrium dendrobatidis, 48:59
Batrachoseps attenuatus, 52:35
Batrachospermum, 52:588
Bats at three national monuments in central Arizona, occurrence and activity of, Melanie Bucci, Yar Petryszyn, and Paul R. Krausman, 55:207–216
Bats from El Salvador, three new records of, James G. Owen, 50:96–99
Bats from Oaxaca, Mexico, records of, Antonio Santos-Moreno, Sergio García Orozco, and Eliécer Efraín Pérez Cruz, 55:454–456
Bats of northwestern Durango, Mexico: species richness at the interface of two biogeographic regions, Laura Torres-Morales, Diego F. García-Mendoza, Celia López-González, and Raúl Muñiz-Martínez, 55:347–362
Battaglia, Daniel S., see Miller, Michael R., —
Battus
laodamas, 48:512
philenor, 48:512
polydamas, 48:512
Bauer, Jim W., Kenneth A. Logan, Linda L. Sweanor, and Walter M. Boyce, Scavenging behavior in puma, 50:466–471
Bauer, Kendra K., John C. Abbott, and Kate Quigley, Collared peccary (*Pecari tajacu*) in Bastrop County, Texas, 55:138–139
Bauerus dubiaquercus, 48:575, 55:585–587
Baugh, Alexander T., Adam G. West, Eric A. Rickart, Thure E. Cerling, James R. Ehleringer, and M. Denise Dearing, Stable isotope ratios ($\delta^{15}N$ and $\delta^{13}C$) of syntopic shrews (*Sorex*), 49:493–500
Bauhinia, 51:5, 51:7, 55:431
divaricata, 54:91
lunarioides, 51:6, 51:9
lunaroides, 51:6
macranthera, 51:6, 51:9
purpurea, 51:4, 51:9, 51:493, 51:494
ramosissima, 51:6, 51:9
variegata, 51:493, 51:494
Baulius, 52:223
Baxter, B. Dnate', see Bradley, Robert D., —

Beameria, 51:255
venosa, 51:256, 54:24–30
wheeleri, 51:256
Bean, Preston T., Jacob T. Jackson, Diana J. McHenry, Timothy H. Bonner, and Michael R. J. Forstner, Rediscovery of the headwater catfish *Ictalurus lupus* (Ictaluridae) in a western Gulf-slope drainage, 56: 285–289
Beaucaena gracilis, 48:673
Beavers (*Castor canadensis frondator*) in Río Bavispe, Sonora, México, status of, Juan-Pablo Gallo-Reynoso, Gabriela Suárez-Gracida, Horacio Cabrera-Santiago, Elsa Coria-Galindo, Janitzio Egido-Villarreal, and Leo C. Ortiz, 47:501–504
Bebbia
atriplicifolia, 50:134
juncea, 50:134, 50:136, 50:142, 50:143, 50:145, 50:146, 52:200, 53:70
Becker, Dawne E., see Murphy, John F., —
Beckman, Daniel W., see Wakefield, Carl K., and —
Bedford, Theresa L., see Pedersen, Ellen K., —
Behavior and activity budgets of Sonoran pronghorns (*Antilocapra americana sonoriensis*), Ryan R. Wilson, Paul R. Krausman, and John R. Morgart, 54:45–54
Behavior and habitat use by shorebirds in an urban wetland complex along the central Gulf Coast of Texas, Shannon R. Rowell-Garvon and Kim Withers, 54:127–135
Behavior and timing of life-history events in a semi-captive population of the Sonoran pronghorn (*Antilocapra americana sonoriensis*), Ryan R. Wilson, Paul R. Krausman, and John R. Morgart, 53:389–393
Behavioral interactions between axis and fallow deer at high-value food patches, Jay D. McGhee and John T. Baccus, 51:358–367
Behrstock, Robert A., see Abbott, John C., —
Belk, Mark C., see Rogers, Duke S., —
Bell, Christopher J., see Jass, Christopher N., and —
Bell, Christopher J., see Murray, Lyndon K., —
Bellis perennis, 48:12
Beloperone californica, 53:70
Belostoma, 50:241
Belostomatidae, 50:241, 53:400, 54:470, 54:471
Bembidion, 52:223
Bembix, 52:568, 55:442
Bench, Dan W., see Bowen, Thomas, —
Bender, Louis C., see Halbritter, Heather, and —
Bender, Louis C., see Villordo-Galván, J. Agustín, —
Benedict, Lauryn, Long-term occupancy of home ranges and short-term changes in use of habitat by California towhees (*Pipilo crissalis*), 54:324–330
Benefits of subcutaneous implantation of radiotransmitters in pocket gophers, Matthew B. Connior and Thomas S. Risch, 54:214–216
Benítez-Rodríguez, J. Leopoldo, Alma Orozco-Segovia, and Mariana Rojas-Aréchiga, Light effect on seed germination of four *Mammillaria* species from the Tehuacán-Cuicatlán Valley, central Mexico, 49:11–17
Benjamin, Jill E., see Mooring, Michael S., —
Benn, Steve J., see Fredricks, Timothy B., —
Benson-Amram, Sarah, see Hoogland, John L., —
Benthic community structure of the Green and Colorado rivers through Canyonlands National Park, Utah, USA, G. Allen Haden, Joseph P. Shannon, Kevin P. Wilson, and Dean W.Blinn, 48:23–35
Berberis
fendleri, 53:151, 53:152, 53:154
haematocarpa, 52:355
higginsiae, 52:200
repens, 50:213, 53:151, 53:152, 53:154, 53:156
trifoliolata, 49:283, 53:451, 55:496
Berchemia scanders, 49:529
Bergan, James F., see Conway, Warren C., —
Bergey, Elizabeth A., see Taylor, Christopher A., —
Berginia glandulosa, 50:132
Bergman, David L., see Fischer, Justin W., —
Berkheya coddii, 51:482, 51:487
Bernardia
incana, 53:71
myricaefolia, 56:160
myricifolia, 52:200, 53:71
Berosus, 50:240, 53:400
Berriochloa, 48:443
Berry, Kate, see Trammell, E. Jamie, —
Berula erecta, 53:397, 53:462
Best, Christopher F., see Fowler, Norma L., —
Best, Troy L., and Kenneth N. Geluso, Summer foraging range of Mexican free-tailed bats (*Tadarida brasiliensis mexicana*) from Carlsbad Cavern, New Mexico, 48:590–596
Best, Troy L., see Hunt, John L., and —
Best, Troy L., see Sánchez-Hernández, Cornelio, —
Best, Troy L., see Schnell, Gary D., —
Best, Troy L., see White, Jeremy A., —
Bestgen, Kevin R., Koreen A. Zelasko, Robert I. Compton, and Tom E. Chart, Survival, condition, habitat use, and predation on stocked bonytails (*Gila elegans*) in the Green River, Colorado and Utah, 53:488–494
Bestgen, Kevin R., see Walford, Cameron D., and —
Bettongia tropica, 51:71
Betula fontinalis, 48:384
Beucarnea pliabilis, 48:506
Bever, Gabe S., Morphometric variation in the cranium, mandible, and dentition of *Canis latrans* and *Canis lepophagus* (Carnivora: Canidae) and its implications for the identification of isolated fossil specimens, 50:42–56
Bever, Gabe S., New record of *Bassariscus ogallalae* (Carnivora: Procyonidae) from the Ogallala Group (Miocene) of Ellis County, Kansas, with comments on variation within *Bassariscus*, 48:249–256
Bezzia, 50:240, 51:143, 51:146–148
Bibionidae, 55:182, 55:191, 56:80
Biblis hyperia, 48:514
Bickford, Sophia M., see McColgin, Maureen E., —
Biddulphia laevis, 49:397, 49:399
Bidens, 48:184
aequisquama, 51:458
bigelovii, 48:180, 48:187
cernua, 48:12
frondosa, 48:12
pilosa, 48:12
polylepis, 48:11
tripartita, 48:12
Bifora americana, 53:499
Biggins, Dean E., and Denise M. Biggins, Bobcat attack on a cottontail rabbit, 51:119–122
Biggins, Denise M., see Biggins, Dean E., and —
Biggs, James, Sherri Sherwood, Sarah Michalak, Leslie Hansen, and Carey Bare, Animal-related vehicle accidents at the Los Alamos National Laboratory, New Mexico, 49:384–394
Bignonia radicans, 49:529
Bignoniaceae, 48:187, 55:256
Billieturnera helleri, 52:342
Bimastos, 52:468
Bioclimate-vegetation interrelations in northwestern Mexico, Manuel Peinado, Miguel Á. Macías, Juan L. Aguirre, and José Delgadillo Rodríguez, 55:311–322
Biogeography and paleoenvironments of late-Pleistocene muskrats on the southern plains, Patrick J. Lewis and Eileen Johnson, 47:121–125

Biomphalaria, 50:416
Biorbia fossilia, 48:443
Bipalium
adventitium, 51:252–254
kewense, 51:252–255, 52:470, 52:471
Bipedidae, 52:324
Bipes canaliculatus, 52:323–325
Bird records from Tamaulipas, Mexico, new, Héctor A. Garza-Torres, J. Rafael Herrera-Herrera, Griselda Escalona-Segura, Jorge A. Vargas-Contreras, and Adolfo G. Navarro S., 48:707–710
Birds from Cuatro Ciénegas Basin, natural protected area, Coahuila, Mexico, additional records of, Armando J. Contreras-Balderas, Juan H. López-Soto, José Ma. Torres-Ayala, and Salvador Contreras-Arquieta, 49:103–109
Birds from the Plains of Tehuantepec, Oaxaca, Mexico, Amy E. McAndrews and Jorge E. Montejo Díaz, 55:569–575
Birds in tropical deciduous forest to brown-headed cowbirds (*Molothrus ater*), response of, Víctor H. Mendoza-Rodríguez, Jorge H. Vega Rivera, Iraís Medina-Montaño, and Felipe Campos-Cerda, 55:390–393
Birds of harvested and unharvested pine-oak forests, Chihuahua, Mexico, Andrew M. Miller and Carol L. Chambers, 52:271–283
Birds of northern Hidalgo, Mexico, new information on the, Octavio R. Rojas-Soto, Luis A. Sánchez-González, and Samuel López de Aquino, 47:471–475
Bison, 47:63, 49:229, 50:364, 51:226, 51:227, 51:231, 51:233, 51:236, 51:237, 54:75, 54:78, 54:217
alaskensis, 51:235
bison, 51:221, 51:234, 51:572, 52:402–404, 52:455, 52:533, 52:536, 53:57, 53:137, 55:51, 55:374, 56:225
latifrons, 51:235
priscus, 51:234–235
Bivalvia, 52:424–430, 55:297–298
Black bears forage on army cutworm moth aggregations in the Jemez Mountains, New Mexico, Jonathan D. Coop, Charles D. Hibner, Aaron J. Miller, and Gregory H. Clark, 50:278–281
Black-headed grosbeaks nesting in riparian and Gambel oak pastures in southwestern Colorado, comparison of, Catherine P. Ortega and Joseph C. Ortega, 48:383–388
Blacklock, Gene, see Skoruppa, Mary Kay, —
Black-necked stilt (*Himantopus mexicanus*) breeding range extension in Mexico, Armando J. Contreras-Balderas, 50:84–85
Blackpoll warbler (*Dendroica striata*) and other records of birds from Guerrero, Mexico, R. Carlos Almazán-Núñez, Octavio R. Rojas-Soto, Oscar Nova-Muñoz, and Adolfo G. Navarro-Sigüenza, 54:510–514
Black-tailed jackrabbits (*Lepus californicus*) increase within forests treated with prescribed fire, observations of, Andrew J. Amacher, Reginald H. Barrett, and Scott L. Stephens, 56:115–118
Blackwell, Bradley D., and Ray W. Drenner, Mercury contamination of macroinvertebrates in fishless grassland ponds, 54:468–474
Blaesoxipha plinthopyga, 56:275
Blair, Albert Patrick, 1913–2004, Peggy Hill and Steven Goldsmith, 50:282–283
Blair, Andrew W., and Paula S. Williamson, Effectiveness and importance of pollinators to the star cactus (*Astrophytum asterias*), 53:423–430
Blaniulidae, 56:423
Blarina
brevicauda, 50:88–92, 55:370, 56:225, 56:243, 56:244
carolinensis, 47:255, 50:88–92, 56:410, 56:412
hylophaga, 47:255, 47:322, 50:88–93, 55:366, 56:412
Blarinobia simplex, 50:90, 50:91
Blasius, Heidi B., see Porath, Mark T., —
Blattidae, 55:191
Blattiedae, 47:465
Bleich, Vernon C., see Marshal, Jason P., —
Bleich, Vernon C., see Villepique, Jeffrey T., —
Bleich, Vernon C., Thomas R. Stephenson, Becky M. Pierce, and Morgan J. Warner, Body condition of radio-collared mule deer while injured and following recovery, 52:164–167
Blinn, Dean W., and David E. Ruiter, Phenology and distribution of caddisflies (Trichoptera) in Oak Creek, a high-desert perennial stream in Arizona, 54:182–194
Blinn, Dean W., and David E. Ruiter, Tolerance values of stream caddisflies (Trichoptera) in the lower Colorado River Basin, USA, 51:326–337
Blinn, Dean W., see Ellsworth, Patricia M., and —
Blinn, Dean W., see Haden, G. Allen, —
Block, William M., Robin E. Russell, and Joseph L. Ganey, Occupancy and habitat associations of four species of sciurids in ponderosa pine-Gambel oak (*Pinus ponderosa-Quercus gambelii*) forests in northern Arizona, 56:193–203
Block, William M., see Ganey, Joseph L., —
Block, William M., see Pope, Theresa L., and —
Blood parasites in Ross' and white-fronted geese in southern Texas, survey of, Christopher L. Kloss, Alan M. Fedynich, and Bart M. Ballard, 48:286–289
Blouin-Demers, Gabriel, see Bulté, Grégory, —
Boa constrictor, 50:24–29, 52:40
Boal, Clint W., and Matthew D. Giovanni, Raptor predation on Ord's kangaroo rats: evidence for diurnal activity by a nocturnal rodent, 52:291–295
Boal, Clint W., see Pruett, Alison L., —
Boal, Clint W., Tracy S. Estabrook, and Adam E. Duerr, Productivity and breeding habitat of loggerhead shrikes in a southwestern urban environment, 48:557–562
Boback, Scott M., see Montgomery, Chad E., —
Bobcat attack on a cottontail rabbit, Dean E. Biggins and Denise M. Biggins, 51:119–122
Bobcat killed by a coyote, Philip S. Gipson and Jan F. Kamler, 47:511–513
Bock, Carl E., Zach F. Jones, and Jane H. Bock, Abundance of cottontails (*Sylvilagus*) in an exurbanizing southwestern savanna, 51:352–357
Bock, Jane H., see Bock, Carl E., —
Body condition of mule deer in the Sonoran Desert is related to rainfall, Jason P. Marshal, Paul R. Krausman, and Vernon C. Bleich, 53:311–318
Body condition of radio-collared mule deer while injured and following recovery, Vernon C. Bleich, Thomas R. Stephenson, Becky M. Pierce, and Morgan J. Warner, 52:164–167
Body size on reproductive characteristics of the northern grasshopper mouse in north-central Kansas, effect of, Jacob R. Goheen, Glennis A. Kaufman, and Donald W. Kaufman, 48:427–431
Body size variation and evolutionary ecology of eastern and western screech-owls, Frederick R. Gehlbach, 48:70–80
Body size, sexual dimorphism, and clutch size in two populations of the lizard *Sceloporus ochoteranae*, Geoffrey R. Smith, Julio A. Lemos-Espinal, and Royce E. Ballinger, 48:123–126
Boeberastrum anthemidifolia, 53:70
Boechera perennans, 53:71

Boerhaavia
coulteri, 54:523–524
intermedia, 48:487
torreyana, 48:487
Boerhavia
intermedia, 55:497
scandens, 47:426
Bogan, Michael A., see Ellison, Laura E., —
Bogan, Michael A., see Frey, Jennifer K., —
Bogan, Michael A., see Geluso, Keith, —
Bogan, Michael A., see Kennedy, Michael L., —
Bogertophis subocularis, 52:113
Bogidiellidae, 53:74, 53:79
Boidae, 50:25, 50:28
Boiga irregularis, 53:387, 55:176
Bojang, Pasano, see Fox, Charles W., —
Boling, Jacob, see Newby, Jennifer L., —
Boltonia decurrens, 48:12
Bolus nests of red squirrels in the Pinaleño and White mountains of Arizona, characteristics of, Paul J. Young, Vicki L. Greer, and Sheri K. Six, 47:267–275
Bombacaceae, 47:78, 47:83
Bombacopsis fendleri, 47:83
Bombax, 47:80
Bombus
americanorum, 47:466
bimaculatus, 49:84
impatiens, 49:84
sonorus, 49:431
Bombycilla cedrorum, 49:107
Bombyliidae, 53:424, 53:426
Bombylius, 50:299
Bonar, Scott A., see Ward, David L., and —
Bonewell, Lea' R., see Hayes, Mark A., —
Bonner, Timothy H., Chad Thomas, Casey S. Williams, and John P. Karges, Temporal assessment of a West Texas stream fish assemblage, 50:74–78
Bonner, Timothy H., see Bean, Preston T., —
Bonner, Timothy H., see Durham, Bart W., —
Bonner, Timothy H., see Hulbert, Julie, —
Bonner, Timothy H., see Patrikeev, Michael, —
Bonner, Timothy H., see Watson, Jacqueline M., —
Bootetix argentatus, 55:112
Borage, 52:100
Boraginaceae, 48:443, 49:190, 49:502, 49:503, 53:70, 56:159, 56:160
Boren, Jon C., see Wampler, Christina R., —
Borrelia burgdorferi, 56:370, 56:374
Borrichia frutescens, 47:424, 47:428, 47:429, 50:398, 52:76, 54:121, 54:237
Bos
bison, 48:574
taurus, 52:310, 52:505, 52:533, 52:534, 53:512
Bosmina, 52:230
Botaurus
lentiginosus, 49:107
pinnatus, 55:570
Botello, Francisco, Patricia Illoldi-Rangel, Miguel Linaje, and Víctor Sánchez-Cordero, New record of the rock squirrel (*Spermophilus variegatus*) in the state of Oaxaca, Mexico, 52:326–328
Bothriocephalus acheilognathi, 52:130, 52:133
Bothriochloa, 52:506, 54:20
babinnodis, 51:579
barbinodis, 48:185, 48:187, 54:447
barbinoidis, 55:497
ischaemum, 48:274, 48:275, 51:524–530, 53:87, 53:138, 53:139, 53:141, 53:497, 53:499, 53:500, 55:499, 56:327
ischaenum, 56:274
laguroides, 53:141, 56:327
saccharioides, 50:268, 55:511
Bothrops asper, 47:330, 47:514, 47:651
Botriochloa, 56:160
Bouchardina robisoni, 55:449–452
Bouchetia erecta, 53:498, 53:499
Bougainvillea, 49:506
Bouteloa gracilis, 53:92
Bouteloua, 47:284, 47:300, 47:354, 47:638, 48:179, 49:25, 49:290, 49:352, 51:116, 51:283, 51:311, 51:579, 52:98, 52:522, 52:523, 55:480–482, 55:511
aristidoides, 48:484, 48:487, 52:622, 55:497
barbata, 48:487
breviseta, 54:227
chasei, 53:92
chondrosioides, 48:180–182, 48:187
curtipendula, 47:155, 47:440, 47:441, 47:443, 47:444, 47:446, 47:560, 47:561, 47:590, 48:177, 48:180, 48:183, 48:185, 48:187, 48:235, 48:275, 48:461, 49:6, 49:8, 49:285, 50:268, 51:526, 52:506, 53:497, 53:502, 54:20, 54:447, 55:51, 55:497, 55:498, 55:513, 55:514, 56:327
eriopoda, 47:278, 47:279, 47:440, 47:441, 47:443, 47:444, 47:446, 47:561, 48:185, 49:6, 49:8, 51:173, 51:221, 53:163, 54:26, 54:447, 55:375, 55:497, 55:499, 56:45
gracilis, 47:128, 47:482, 47:558, 47:560, 47:561, 48:114, 48:177, 48:180–185, 48:187, 48:235, 48:262, 48:275, 48:718, 49:241, 49:271, 49:335, 51:173, 51:192, 52:505, 52:512, 52:542, 52:555, 52:556, 53:163, 53:202, 54:20, 54:59, 54:301, 54:447, 54:494, 55:23, 55:51, 55:283, 55:497, 56:10
hirsuta, 47:103, 48:180–182, 48:187, 48:262, 51:88, 53:92, 53:481, 55:497, 55:513, 55:514
ramosa, 55:497, 55:498
rigidiseta, 53:497, 53:499, 53:500
trifida, 52:342, 53:2, 53:87, 55:497, 56:160
Bouteluoa eriopolda, 47:277
Bouteola curtipendula, 53:92
Bouvardia ternifolia, 48:181, 48:187
Bovidae, 47:329, 48:270, 48:574, 51:233, 51:234
Bowen, Thomas, Dan W. Bench, and Lawrence A. Johnson, Recent colonization of Midriff Islands, Gulf of California, Mexico, by feral honeybees, *Apis mellifera*, 51:542–551
Bower, Michael R., see Quist, Michael C., —
Bower, Nathan W., see Wieder, William R., and —
Bowers, Janice E., Has climatic warming altered spring flowering date of Sonoran Desert shrubs?, 52:347–355
Bowers, Janice E., New evidence for persistent or transient seed banks in three Sonoran Desert cacti, 50:482–487
Bowers, Janice E., Regeneration of triangle-leaf bursage (*Ambrosia deltoidea*: Asteraceae): germination behavior and persistent seed bank, 47:449–453
Bowyer, R. Terry, see Villepique, Jeffrey T., —
Boyce, Walter M., and Bauer, Jim W., —
Boyce, Walter M., Chantal S. O'Brien, and Esther S. Rubin, Response of bighorn sheep (*Ovis canadensis*) to feral honey bees (*Apis mellifera*) at water, 48:81–84
Boyd, Amy E., see McIntosh, Margrit E., —
Boyd, Robert S., see Wall, Michael A., and —
Boykin, Ken, see Kroll, Andrew J., —
Brabata, Georgina, see Carmona, Roberto, —
Brachiaria cilliatissima, 51:88
Brachycarenus tigrinus, 49:407
Brachycentridae, 48:30, 51:25, 51:332
Brachycentrus, 48:30
americanus, 51:326, 51:332, 51:334
occidentalis, 51:332
Brachyiulus
lusitanus, 56:423
pusillus, 56:423
Brachylagus, 50:367, 50:368
coloradoensis, 50:366
idahoensis, 50:363–366, 50:370, 50:371
Brachyvatus, 50:240
Braconidae, 48:198, 53:140, 54:197, 55:192, 56:275
Bradford, David F., Jef R. Jaeger, and Randy D. Jennings, Population status and distribution of a decimated amphibian, the relict leopard frog (*Rana onca*), 49:218–228
Bradley, George L., see Babb, Randall D., —

Bradley, Lisa C., see Bradley, Robert D., —
Bradley, Robert D., Dallas D. Henson, and Nevin D. Durish, Re-evaluation of the geographic distribution and phylogeography of the *Sigmodon hispidus* complex based on mitochondrial DNA sequences, 53:301–310
Bradley, Robert D., Fred C. Bryant, Lisa C. Bradley, Michelle L. Haynie, and Robert J. Baker, Implications of hybridization between white-tailed deer and mule deer, 48:654–660
Bradley, Robert D., J. Delton Hanson, Brian R. Amman, B. Dnate' Baxter, Daris S. Carroll, Nevin D. Durish, Michelle L. Haynie, Mariko Kageyama, Lisa K. Longhoffer, Francisca M. Mendez-Harclerode, Serena A. Reeder, John R. Suchecki, Donald C. Ruthven, III, Maria N. B. Cajimat, Ciro Milazzo, Jr., Mary L. Milazzo, and Charles F. Fulhorst, Rapid recovery of rodent populations following severe drought, 51:87–93
Bradley, Robert D., see Carroll, Darin S., —
Brahea, 52:192
armata, 53:66, 53:73
dulcis, 53:16
Brangas getus, 48:518
Brannan, Chris R., see Brannan, Daniel K., —
Brannan, Daniel K., Chris R. Brannan, and Thomas E. Lee, Jr., Reproductive and territorial behavior of Comanche Springs pupfish (*Cyprinodon elegans*) in San Solomon Spring Pool, Balmorhea State Park, Reeves County, Texas, 48:85–88
Branneria
bonoculus, 54:350–351
carinata, 54:350
Branneria bonoculus (Diplopoda: Chordeumatida: Brannerioidea): new to the milliped fauna of Texas, Chris T. McAllister, William A. Shear, and Rowland M. Shelley, 54:350–351
Branneriidae, 54:350
Brannerioidea, 54:350–351
Brant, Joel G., and Thomas E. Lee, Jr., Morphological analysis of *Perognathus flavus* and *P. merriami* (Rodentia: Heteromyidae), 51:79–86
Brant, Joel G., Jana L. Higginbotham, and Clyde Jones, Noteworthy record of the silver-haired bat, *Lasionycteris noctivagans* (Chiroptera: Vespertilionidae), in Presidio County, Texas, 47:633–635
Branta
bernicla, 56:259
canadensis, 48:286, 48:287, 51:233
Brantley, Sandra L., see Richman, David B., —
Brasher, Anne M. D., see Caires, Andrea M., —
Brassica, 51:574, 52:200
nigra, 49:407, 51:484, 51:485
tournefortii, 56:334
tournifortii, 49:503
Brassicaceae, 49:503, 51:481–489, 53:71, 56:342
Braun, Janet K., Laurie J. Vitt, Janalee P. Caldwell, Michael A. Mares, and Marcia A. Revelez, Mammals from Le Flore County, Oklahoma, 56: 410–417
Breadth and overlap of diet between syntopic populations of parthenogenetic *Aspidoscelis tesselata* C and gonochoristic *Aspidoscelis sexlineata* (Squamata: Teiidae) in southeastern Colorado, Harry L. Taylor, Mark A. Paulissen, James M. Walker, and James E. Cordes, 56:180–186
Breeden, Jeff B., Michael F. Small, John T. Baccus, and Jack C. Eitniear, Vegetative composition of areas with and without breeding red-billed pigeons (*Patagioenas flavirostris*) in Texas, 54:68–73
Breeding abundance and nest-site distribution of the Altamira oriole at Santa Ana National Wildlife Refuge, Texas, Christopher R. Hathcock and Timothy Brush, 49:33–38
Breeding by cliff swallows (*Petrochelidon pyrrhonota*) in southern Arkansas, Renn Tumlison, 54:208–210
Breeding ducks and their habitats in the High Plains of Texas, James D. Ray, Brian D. Sullivan, and Harvey W. Miller, 48:241–248
Breeding ground affiliation and movements of greater white-fronted geese staging in northwestern Texas, James T. Anderson and David A. Haukos, 48:365–372
Breeding range expansion of cave swallows (*Petrochelidon fulva*) in Texas, Karl L. Kosciuch, Cheryl G. Ormston, and Keith A. Arnold, 51:203–209
Breeding sites by arid-land toads in rangelands: landscape-level factors, use of, Kerry L. Griffis-Kyle, Sean Kyle, and Jeremy Jungels, 56:251–255
Breeding system of *Astrophytum asterias*: an endangered cactus, Anna W. Strong and Paula S. Williamson, 52:341–346
Brenes, Roberto, and Neil B. Ford, Seasonality and movements of the Gulf Coast waterdog (*Necturus beyeri*) in eastern Texas, 51:152–156
Brennan, Thomas C., see Babb, Randall D., —
Brennan, Thomas C., see Brown, David E., —
Brevoortia patronus, 49:48, 49:49
Brewer, Clay E., and Louis A. Harveson, Diets of bighorn sheep in the Chihuahuan Desert, Texas, 52:97–103
Brickellia
baccharidea, 48:187
californica, 48:187
frutescens, 52:200, 53:70
veronicaefolia, 48:187
Brickey, Charles L., see Graening, G. O., —
Bridges by bats (Mammalia: Chiroptera) in the Rio Grande Valley, New Mexico, use of, Keith Geluso and Jeffrey N. Mink, 54:421–429
Briggler, Jeffrey T., and William L. Puckette, Observations on reproductive biology and brooding behavior of the Ozark zigzag salamander, *Plethodon angusticlavius*, 48:96–100
Briggler, Jeffrey T., James E. Johnson, and Dwayne D. Rambo, Demographics of a ringed salamander (*Ambystoma annulatum*) breeding migration, 49:209–217
Bright, Jordon, see Mead, Jim I., —
Briones-Salas, Miguel, and Antonio Santos-Moreno, First record of *Tonatia brasiliense* (Chiroptera, Phyllostomidae) in Oaxaca, México, 47:137–138
Briones-Salas, Miguel, see Santos-Moreno, Antonio, —
Brischoux, François, see Ford, Neil B., —
Bristly cave crayfish, *Cambarus setosus* (Decapoda: Cambaridae), and range extension into Arkansas, status update for, G. O. Graening, Horton H. Hobbs, III, Michael E. Slay, William R. Elliott, and Arthur V. Brown, 51:382–392
Bristow, Kirby D., see Jansen, Brian D., —
Britton, Carlton M., Sandra Rideout-Hanzak, and Steven D. Brown, Effects of burns conducted in summer and winter on vegetation of Matagorda Island, Texas, 55:193–202
Britton, Carlton M., see Butler, David A., —
Britzke, Eric R., and Lynn W. Robbins, Distribution of the eastern woodrat, *Neotoma floridana*, in Missouri, 47: 125–127
Bromelia
humilis, 47:79
pinguin, 54:91
Bromeliaceae, 51:462–470

Bromis inermis, 47:320
Bromus, 47:631, 47:638, 49:306, 50:34, 51:574, 53:328
anamolus, 48:494, 48:496, 48:504
ciliatus, 52:495
inermis, 48:493–496, 48:504
madritensis, 48:105, 53:64, 53:73
rubens, 48:105, 53:73
rubra, 48:626
secalinus, 47:631
tectorum, 48:626, 50:17–23, 52:617
trinii, 53:73
Bromgniartia intermedia, 51:9
Brooks, Daniel M., and Keith A. Arnold, Unusual tail measurements of *Bubo virginianus* from Texas, 50:498–501
Brooks, Daniel M., see Sarkozi, David L., and —
Brooks, James E., see Hoagstrom, Christopher W., —
Brooks, James E., see Varela-Romero, Alejandro, —
Brooks, Tammy S., see Withers, Kim, and —
Brosimum alicastrum, 52:394, 52:396, 55:141, 55:318
Brosimun alicastrum, 48:506
Brown, Arthur V., see Graening, G. O., —
Brown, Bryan T., see Stevens, Lawrence E., —
Brown, Christopher A., John M. Davis, Daniel J. O'Connell, and Daniel R. Formanowiz, Jr., Surface density and nocturnal activity in a West Texas assemblage of scorpions, 47:409–419
Brown, Coleen F., see Krausman, Paul R., —
Brown, Coleen F., see Morrison, Michael L., —
Brown, David E., Dana Warnecke, and Ted McKinney, Effects of midsummer drought on mortality of doe pronghorn (*Antilocapra americana*), 51:220–225
Brown, David E., Peter J. Unmack, and Thomas C. Brennan, Digitized map of biotic communities for plotting and comparing distributions of North American animals, 52:610–616
Brown, David E., see McKinney, Ted, —
Brown, Donald J., Bei DeVolld, and Michael R. J. Forstner, Escapes from hoop nets by red-eared sliders (*Trachemys scripta*), 56:124–127
Brown, Donald J., see Farallo, Vincent R., —
Brown, Erica J., see McColgin, Maureen E., —
Brown, Steven D., see Britton, Carlton M., —
Brown-headed cowbird attacks southwestern willow flycatcher nestlings, Hope D. Woodward and Scott H. Stoleson, 47:626–628
Bruchidae, 50:381
Brunjes, Kristina J., Warren B. Ballard, Mary H. Humphrey, Fieldling Harwell, Nancy E. McIntyre, Paul R. Krausman, and Mark C. Wallace, Home ranges of sympatric mule deer and white-tailed deer in Texas, 54:253–260
Brunner-Reynaldo, Noemí, see Martínez-Torres, Martín, —
Brush, Timothy, Range expansions and new breeding records of birds in Tamaulipas, Mexico, 54:91–96
Brush, Timothy, see Hathcock, Christopher R., and —
Brush, Timothy, see Monk, Steven G., and —
Bryant, Fred C., see Bradley, Robert D., —
Bryson, Robert W., Jr., and David Lazcano, Reproduction and mating behavior in the Del Nido ridgenose rattlesnake, *Crotalus willardi amabilis*, 47:310–311
Bryson, Robert W., Jr., Hobart M. Smith, and Julio Lemos-Espinal, Taxonomic status of the Madrean alligator lizard (Lacertilia: Anguidae) of the Sierra del Nido, Chihuahua, México, 50:497–498
Bryson, Robert W., Jr., see Banda-Leal, Javier, —
Bubo virginianus, 47:117–118, 47:499, 47:500, 49:55, 49:80, 50:442, 50:498–501, 52:292, 52:443, 53:128–129, 53:234, 54:88, 54:289, 54:292, 54:317, 54:319, 55:24, 56:20
Bubulcus ibis, 48:131, 51:208, 51:561
Bucci, Melanie, Yar Petryszyn, and Paul R. Krausman, Occurrence and activity of bats at three national monuments in central Arizona, 55:207–216
Bucephala
albeola, 48:244, 48:245, 51:106
clangula, 51:106, 54:287, 54:290
Bucephalus albeola, 54:294
Buchanan, Thomas M., and Michael M. Stevenson, Distribution of bigscale logperch, *Percina macrolepida* (Percidae), in the Arkansas River Basin, 48:454–460
Buchanan, Thomas M., see McAllister, Chris T., —
Buchloe, 49:352, 55:428
dactyloides, 47:320, 48:114, 48:274, 48:275, 48:718, 51:2, 51:192, 52:505, 52:542, 53:92, 54:20, 54:301, 54:447, 54:494, 55:51, 55:261, 55:513–515
Buddleja sessiliflora, 47:426, 52:355
Buff-breasted flycatcher (*Empidonax fulvifrons*) into the Rincon Mountains, Arizona, range expansion of the, Chris Kirkpatrick, Courtney J. Conway, and Dominic D. LaRoche, 52:149–152
Bufo, 47:104, 49:453, 50:167, 51:232, 53:116
alvarius, 47:15, 55:244–246, 55:252
arequipensis, 48:679
boreas, 48:55, 48:59
cognatus, 47:15, 48:351, 49:257, 49:258, 52:113, 55:252
compactilis, 48:676–679
debilis, 50:269, 53:483
exsul, 48:54–60
fastidiosus, 48:676
houstonensis, 52:386–392, 53:451
limensis, 48:680
marinus, 47:293–297, 48:678, 50:251, 50:252, 50:254, 50:255, 53:387
marmoreus, 52:305–309
mazatlanensis, 47:295
nebulifer, 49:531, 50:251, 50:252, 50:254, 50:255, 50:269, 53:453
occidentalis, 48:672, 48:674
punctatus, 48:351, 48:352, 52:113, 55:136, 55:246, 55:252, 55:583
regularis, 51:260
speciosus, 47:105, 47:106, 53:482–485
spinulosus, 48:676–678, 48:680
terrestris, 47:466
valliceps, 47:105, 47:293, 50:255, 53:483, 55:459
vellardi, 48:677–680
woodhousei, 50:209
woodhousii, 47:15, 49:531, 50:269
Bufonidae, 47:294, 48:676–680, 50:269, 51:232, 55:252, 55:584
Bulbochaete, 49:402
Bulinus, 50:416
Bullfrog tadpole (*Rana catesbeiana*) and red swamp crayfish (*Procambarus clarkii*) predation on early life stages of endangered razorback sucker (*Xyrauchen texanus*), Gordon A. Mueller, Jeanette Carpenter, and Darren Thronbrugh, 51:258–261
Bullock, Stephen H., J. Mario Salazar Ceseña, Jon P. Rebman, and Hugo Riemann, Flora and vegetation of an isolated mountain range in the desert of Baja California, 53:61–73
Bulmer, Walter, see Ordóñez-Garza, Nicté, —
Bulnesia sarmientoi, 52:571
Bulté, Grégory, Alana C. Plummer, Anne Thibaudeau, and Gabriel Blouin-Demers, Infection of Yarrow's spiny lizards (*Sceloporus jarrovii*) by chiggers and malaria in the Chiricahua Mountains, Arizona, 54:204–207
Bumelia lanuginosa, 53:451
Buprestidae, 53:426, 55:112
Burns conducted in summer and winter on vegetation of Matagorda Island, Texas, effects of, Carlton M. Britton, Sandra Rideout-Hanzak, and Steven D. Brown, 55:193–202

Burrows of desert tortoises (*Gopherus agassizii*) as thermal refugia for horned larks (*Eremophila alpestris*) in the Mojave Desert, Andrew D. Walde, Angela M. Walde, David K. Delaney, and Larry L. Pater, 54: 375–381
Bursera, 47:41, 48:123, 48:563, 52:394, 53:518, 55:317, 55:348
aloexylon, 51:18
aptera, 50:376
bipinnata, 54:410
epinnata, 50:147
fagaroides, 51:11–21
filicifolia, 50:147
grandifolia, 49:126
graveolens, 51:18
hindsiana, 50:132, 50:141, 50:143, 50: 144, 50:146
instabilis, 55:141
microphylla, 48:472, 50:132, 50:141, 50:143, 50:144, 50:146, 52:200, 52: 355, 53:71, 55:105
odorata, 50:146
simaruba, 48:506, 51:463, 55:141
Burseraceae, 51:463
Burseraceae, 48:563, 49:127, 51:11–21, 52: 394, 53:71
Burseretum
hindsiano-microphyllae, 50:132, 50:141, 50:149
microphyllae, 50:129, 50:141, 50:144
Bursey, Charles R., and Stephen R. Goldberg, New species of *Parapharyngodon* (Nematoda: Pharyngodonidae) and other helminthes in *Petrosaurus repens* and *P. thalassinus* (Squamata: Phrynosomatidae) from Baja California del Sur, Mexico, 52:243–250
Bursey, Charles R., see Goldberg, Stephen R., —
Bursey, Charles R., see McAllister, Chris T., —
Burt, M. Scott, see Eulinger, Kevin G., and —
Burton, J. Paul, and James M. Mueller, Chihuahuan raven (*Corvus cryptoleucus*) reproductive success and nest spacing in the southern High Plains of Texas, 51:48–51
Busemeyer, Daniel T., see Phillippe, Loy R., —
Bush, J. K., Aboveground and belowground growth of seedlings of an early and late successional species in infertile and fertile soil, 53:39–44
Bush, J. K., see Van Auken, O. W., and —
Buteo, 48:116, 53:113
albicaudatus, 52:63, 52:277, 54:506
albonotatus, 52:272
jamaicensis, 47:499, 47:500, 49:55, 49: 109–111, 50:446, 51:427, 52:63, 53: 206, 54:85–87, 54:288, 54:292, 55: 24, 56:38
jamicensis, 50:37
lagopus, 49:55
lineatus, 54:502
nitidus, 54:93, 54:503
platypterus, 55:574
regalis, 47:482–485, 48:290, 48:291, 49:55, 49:270–276, 49:377, 52:291, 52:292
swainsoni, 47:483, 48:115, 49:55, 50:- 520, 52:291, 52:292, 54:93, 55:24, 55:574
Buteogallus
anthracinus, 48:709, 54:502
anthricinus, 52:272
urubitinga, 48:709
Buthidae, 47:410, 55:112
Butler, Christopher J., Jennifer L. Curtis, Kimberly McBride, David Arbour, and Berlin Heck, Modeling the distribution of the dwarf palmetto (*Sabal minor*; Arecaceae) in McCurtain County, Oklahoma, 56:66–70
Butler, David A., Shawn P. Haskell, Warren B. Ballard, Mark C. Wallace, Carlton M. Britton, and Mary H. Humphrey, Differences in timing of parturition, birthing sites, and bedding sites of fawns in sympatric populations of deer, 54: 261–271
Butorides
striata, 54:287
virescens, 54:105, 54:106, 54:504
Butterflies (Papilionoidea and Hesperioidea) of Calakmul, Campeche, México, Carmen Pozo, Armando Luis Martínez, Santiago Uc Tescum, Noemí Salas Suárez, and Aixchel Maya Martínez, 48:505–525
Byrsonima crassifolia, 51:116
Bythotrephes cederstroemi, 50:159

Cabañas-Carranza, Guillermina, see Martínez-Aquino, Andrés, —
Cabares potrillo, 48:521
Cabassous centralis, 48:574
Cablk, Mary E., see Heaton, Jill S., —
Cabrera-Santiago, Horacio, see Gallo-Reynoso, Juan-Pablo, —
Cabrera-Santiago, Horacio, Sergio Ticul Álvarez-Castañeda, Noé González-Ruiz, and Juan Pablo Gallo-Reynoso, Distribution and natural history of Schmidly's deermouse (*Peromyscus schmidlyi*), 52:620–623
Cacama valvata, 55:112, 55:113, 56:367
Cactaceae, 47:78, 47:79, 47:81–83, 47: 162, 48:187, 49:11, 49:127, 50:65– 68, 50:375–380, 50:475, 50:483, 52: 98, 52:195, 52:341, 52:342, 52:344, 53:71, 56:147–153, 56:333–340, 56: 393, 56:394, 56:398
Cactus ferruginous pygmy-owl in Arizona, 1872–1971, R. Roy Johnson, Jean-Luc E. Cartron, Lois T. Haight, Russell B. Duncan, and Kenneth J. Kingsley, 48:389–401
Caecidotea, 50:386, 50:387, 51:251, 53:380, 54:358
ancyla, 51:95
antricola, 51:95
stiladactyla, 51:251
Caenidae, 50:241
Caenis, 50:241
Caesalpinaceae, 51:491
Caesalpinia, 55:316
caudata, 55:430
gaumeri, 51:463
gilliesii, 51:2, 51:4, 51:9
mexicana, 51:1, 55:430, 56:154–161
pulcherrim, 51:2
pulcherrima, 51:493, 51:494
Caesalpiniaceae, 47:602–604, 51:1, 51: 4–9, 51:493, 51:494, 56:160
Cain, James W., III, and Brian D. Jansen, Tree swallow entangled on teddy bear cholla spines, 50:272–273
Cain, James W., III, Heather E. Johnson, and Paul R. Krausman, Wildfire and desert bighorn sheep habitat, Santa Catalina Mountains, Arizona, 50:506–513
Cain, James W., III, see Krausman, Paul R., —
Caire, William, and Lynda Samanie Loucks, Loss in mass by hibernating cave myotis, *Myotis velifer* (Chiroptera: Vespertilionidae) in western Oklahoma, 55:323–330
Caire, William, see Loucks, Lynda M. Samanie, and —
Caire, William, see McNeely, David L., —
Caires, Andrea M., Mark R. Vinson, and Anne M. D. Brasher, Impacts of hikers on aquatic invertebrates in the North Fork of the Virgin River, Utah, 55:551–557
Cairina moschata, 54:93, 54:504
Cajimat, Maria N. B., see Bradley, Robert D., —
Cakile, 52:435
maritima, 50:141
Calaides
astyalus, 48:512
ornythion, 48:512
Calamagrostis
breweri, 54:356
tolucensis, 56:72
Calamintha arkansana, 47:588
Calamoceratidae, 48:36, 48:38, 51:332, 54:185, 55:236
Calamospiza melanocorys, 48:290, 48:291, 54:251, 56:205
Calamovilfa longifolia, 52:542
Calamusso, Bob, John N. Rinne, and Paul R. Turner, Distribution and abundance of the Rio Grande sucker in the Carson and Santa Fe

national forests, New Mexico, 47: 182–186
Calcarius, 48:290
ornatus, 51:172–180
Caldwell, Colleen A., S. Adam Fuller, William R. Gould, Paul R. Turner, and Dennis M. Hallford, Seasonal changes in 17-β estradiol of the Rio Grande chub (*Gila pandora*) in south-central New Mexico, 49:311–315
Caldwell, Janalee P., see Braun, Janet K., —
Calea, 48:11
Calephelis
azteca, 48:505, 48:508, 48:509, 48:517
browni, 48:517
fulmen, 48:517
maya, 48:517
stallingsi, 48:517
tikal, 48:517
wrighti, 48:517
yautepequensis, 48:517
Calia, 55:427
secundiflora, 51:9
Calibrachoa parviflora, 53:397
Calidris
alba, 54:129
alpina, 54:129
bairdii, 47:374
fuscicollis, 47:374, 47:377
himantopus, 50:320
mauri, 47:372, 47:374, 50:320, 54:129
minutilla, 47:374, 54:129
pusilla, 47:377, 54:129
California least tern chick predation by greater roadrunner, Adam W. Whelchel and Kevin C. Lunsford, 51:562–564
Caligo
atreus, 48:516
teucer, 48:516
Caliandra, 49:290
Calliades zeutus, 48:521
Calliandra, 51:8
californica, 52:200, 53:71
conferta, 55:496
eriophylla, 49:503, 52:355
humilis, 48:181
Calliandria biflora, 55:421
Callibaetis, 50:241
Callicapra americana, 53:451
Callicore texa, 48:515
Callilepis
chisos, 56:48
gertschi, 56:48
gosoga, 56:48, 56:51
mumai, 56:48
Callimormus
juventus, 48:523
saturnus, 48:523
Callipepla, 49:110, 52:113
californica, 49:472, 56:420
gambelii, 49:472, 53:512
gambelli, 55:379
squamata, 49:472
Calliphoridae, 54:170, 55:191
Callisaurus, 48:555
draconoides, 47:44, 47:46, 47:47, 47:52, 48:106, 48:211, 48:351, 48:352, 48:551, 52:321, 55:104–109, 55:244, 55:246, 55:248, 55:252, 55:583
Callophrys affinis, 52:13
Callosobruchus maculatus, 51:492
Calocedrus decurrens, 52:158, 53:347, 56:117
Calocephalus platycephalus, 48:11
Calochortus nuttallii, 52:498, 52:499
Calociasma lilina, 48:518
Caloneis schumanniana, 49:399
Caloparyphus, 53:380
Calophylum brasilienese, 55:141
Calopterygidae, 48:446, 50:242, 53:400
Calopteryx maculata, 48:446
Calosoma peregrinator, 55:112
Calothrix
brauuii, 49:397, 49:398
stagnalis, 49:398
Calotis hispidula, 48:11
Caluromyidae, 48:574
Caluromys derbianus, 48:570, 48:574
Calvo-Irabien L., Maria, see Mondragon, Demetria, and —
Calycadenia multiglandulosa, 51:484–486
Calycopis isobeon, 48:519
Calycoseris parryi, 53:70
Calydna sturnula, 48:517
Calypte
anna, 50:442
costae, 50:440, 50:442
Calyptocarpus vialis, 53:498, 53:499, 54: 441, 54:442, 54:502
Calyptridium
monandrum, 53:72
parryi, 53:72
umbellatum, 54:356
Calystegia macrostegia, 52:200
Camallanidae, 52:127
Camarena-Rosales, Faustino, see Ruiz-Campos, Gorgonio, —
Camarillo-Rangel, José L., see Goldberg, Stephen R., —
Cambarellus
montezumae, 52:230
puer, 49:250, 49:252, 49:253, 55:451
shufeldti, 55:451
Cambaridae, 49:252, 50:243, 50:245, 51: 94–99, 51:376–381, 51:382–392, 51: 392–396, 53:380
Cambarus
aculabrum, 51:96, 51:376–381, 51:385, 51:390
blandingi, 49:252
clypeatus, 49:252
difficilis, 49:252
diogenes, 49:252
gracilis, 49:252
hedgpethi, 49:252
immunis, 49:251
longimanus, 49:252
ludovicianus, 49:251, 55:451
nais, 49:252
neglectus, 49:252
setosus, 49:251, 49:252, 51:96, 51:97, 51:380, 51:382–392
simulans, 49:252
subterraneus, 49:251, 49:252, 51:94, 51:96, 51:97, 51:380, 51:385
tartarus, 49:252, 51:94–99, 51:380, 51: 385
zophonastes, 51:392–396
Camberidae, 47:464
Cameleobaetidius, 53:379
Camelidae, 51:233
Camelobaetidius, 50:241, 53:380
Camelobatidius, 48:30
Camelops, 49:232, 51:233
Camelus dromedarius, 47:530
Cameron, Guy N., and Beth L. Kruchek, Use of coastal wetlands by hispid cotton rats (*Sigmodon hispidus*), 50: 397–402
Cameron, Guy N., and Stephen R. Spencer, Entomofauna of the introduced Chinese tallow tree, 55:179–192
Cameron, Guy N., Jan M. Williams, and Beth L. Kruchek, Seasonal dynamics of small mammals and vegetation in a Gulf cordgrass community, 54:237–247
Camissonia
californica, 52:200, 53:72
cheiranthifolia, 50:141
crassifolia, 50:134, 50:138–140, 50:142, 50:143, 50:145
strigulosa, 52:200
Camissonio crassifoliae, 50:129, 50:138, 50:139
Campanulaceae, 51:458, 53:71
Campbell, Jonathan A., see Anzueto V., Roderico, and —
Campbell, Jonathan A., see Canseco-Marquez, Luis, and —
Campbell, Jonathan A., see Werler, John E., and —
Campbell, Tyler A., and David B. Long, Activity patterns of wild boars (*Sus scrofa*) in southern Texas, 55:564–567
Campbell, Tyler A., and David G. Hewitt, Mineral metabolism by white-tailed deer fed diets of guajillo, 49:367–375
Campbell, Tyler A., see Hellickson, Mickey W., —
Campbell, Tyler A., see McDonald, Christopher G., —
Campephilis imperialis, 52:280
Campephilus
guatemalensis, 48:69
guayaquil, 48:69
haematogastor, 48:69
imperialis, 48:62, 48:69
leucopogon, 48:69
magellanicus, 48:65, 48:69
melanoleucos, 48:69
pollens, 48:69

principalis, 48:62, 48:69
robustus, 48:69
rubricollis, 48:69
Camper, Jeffrey D., and James R. Dixon, Clutch and ovum sizes of three species of whipsnakes (*Masticophis*, Colubridae), 47:467–471
Campis radicans, 55:256, 55:259, 55:260
Camponotus, 54:213
Campos-Cerda, Felipe, see Mendoza-Rodríguez, Víctor H., —
Campos-Rodríguez, José Ismael, and Juan Carlos López-Vidal, Annotated checklist of type specimens in the herpetological collection of the Escuela Nacional de Ciencias Biológicas, I. P. N., Mexico, 52:323–326
Campostoma
anomalum, 47:187, 47:189, 47:191, 49:86, 50:76, 50:77, 52:383, 52:384, 54:387, 55:82, 55:84, 55:154, 55:578–580, 56:111
oligolepis, 54:387, 54:517
ornatum, 54:109, 56:281, 56:284, 56:285
Campsis radicans, 55:258
Camptocosa parallela, 54:333, 54:335, 56:47, 56:52
Camptopleura theramenes, 48:523
Camptostoma imberbe, 49:103, 49:108, 54:505
Campylorhynchus brunneicapillus, 47:282, 47:285
Canales-Delgadillo, Julio, see Scott-Morales, Laura, —
Canavalia, 55:430
villosa, 51:9
Cancino-Murillo, Ramón, see Monterrubio-Rico, Tiberio C., —
Candona caudate, 51:232
Candonidae, 51:232
Cañeda, Cristina, see Goldberg, Stephen R., —
Canestorp, K. Max, see Siemers, Jeremy L., —
Canid diversity in the Texas Panhandle, Jan F. Kamler and Warren B. Ballard, 51:569–571
Canidae, 47:329, 48:574, 50:42–56, 51:233, 54:74–81
Canis
armbrusteri, 54:76, 54:77
cedazoensis, 54:74, 54:75
dirus, 51:231, 51:233, 51:234, 54:74–81
familiaris, 47:348, 47:511, 49:267, 49:535, 51:214, 53:511, 55:168, 55:380, 56:189
gezi, 54:77, 54:78
latrans, 47:128, 47:249, 47:250, 47:255, 47:329, 47:348–352, 47:363, 47:365, 47:511–513, 47:618, 48:261, 48:263, 48:432, 48:561, 48:574, 48:630, 48:651, 48:725, 49:46, 49:55, 49:110, 49:377, 49:532, 50:42–56, 50:216–222, 50:467, 50:472–478, 51:122–126, 51:194, 51:214, 51:221, 51:272–276, 51:369, 51:427, 51:569, 51:581, 51:582, 52:113, 52:255, 52:329, 52:331, 52:402, 52:420, 52:506, 52:521, 52:531, 52:541, 52:546, 53:87, 53:187, 53:206, 53:215, 53:234, 53:390, 53:440, 53:452, 53:453, 53:473, 53:507–509, 53:512, 54:1–12, 54:46, 54:74, 54:75, 54:152, 54:431, 54:481, 54:493, 55:283–284, 55:395, 56:40, 56:117, 56:189, 56:231, 56:232, 56:404–409, 56:433
lepophagus, 50:42–56
lupus, 47:349, 47:511, 48:435, 48:574, 50:44, 50:45, 50:47–52, 50:56, 51:29, 51:272, 51:273, 51:275, 51:569, 52:402–404, 53:123, 53:472–479, 54:8, 54:74–76, 54:78, 54:480–485, 54:497, 56:232, 56:415, 56:433
nehringi, 54:77, 54:78
rufus, 47:250, 50:44, 50:45, 50:47–52, 50:56, 54:74, 54:77, 54:78, 56:415
Cannibalism among jaguars (*Panthera onca*), Fernando C. C. Azevedo, Ricardo L. Costa, Henrique V. B. Concone, André Pires-da Silva, and Luciano M. Verdade, 55:597–599
Cano-Santana, Zenón, see Figueroa-Castro, Dulce M., and —
Canotia holacantha, 52:355
Canseco-Marquez, Luis, and Jonathan A. Campbell, Variation in Zapotitlán coralsnake, *Micrurus pachecogili* (Serpentes: Elapidae), 48:705–707
Canseco-Márquez, Luis, Guadalupe Gutiérrez-Mayén, and Joseph R. Mendelson, III, Distribution and natural history of the hylid frog *Hyla xera* in the Tehuacan-Cuicatlan Valley, Mexico, with a description of the tadpole, 48:670–675
Canseco-Márquez, Luis, see Mendelson, Joseph R., III, and —
Cantharellus cibarius, 48:662, 48:663
Canthocamptidae, 55:527
Cantú A., César, see Estrada C., Eduardo, —
Capillaria, 54:495, 54:496
Capniidae, 52:225, 55:236
Capnobotes fuliginosus, 55:112
Caponiidae, 56:46
Capparaceae, 47:79, 47:83
Capparis flexuosa, 47:79, 47:83
Capra
hircus, 52:532, 56:189
ibex, 47:325, 47:329
Capreolus capreolus, 55:514
Caprifoliaceae, 53:71
Caprimulgus
carolinensis, 54:320
vociferus, 54:319
Capromeryx, 51:233, 51:234
Capsella, 49:407
Captures between Sherman live traps and Museum Special kill traps, comparison of, Kevin G. Eulinger and M. Scott Burt, 56:241–246
Carabidae, 47:464, 48:198, 49:259, 49:517, 50:91, 51:314, 51:557, 52:319, 52:320, 52:322, 53:386, 54:170, 54:197, 54:303, 54:338, 55:112, 55:191, 55:344, 56:316
Caracara
cheriway, 51:233, 51:236, 52:293, 53:187, 53:234
plancus, 51:370
Carassius auratus, 49:312, 52:132, 55:154
Caraveo, Yadira, see Taylor, Harry L., and —
Carbot-Chanona, Gerardo, see Montellano-Ballesteros, Marisol, and —
Carcharhinus leucas, 50:383
Cardellina rubrifrons, 52:276
Cárdenas, Manuel M., see Mata-González, Ricardo, —
Cárdenas-León, Mario, see Martínez-Torres, Martín, —
Cardinalidae, 47:553, 49:491
Cardinalis
cardinalis, 47:553, 49:32, 50:442, 52:179, 52:183, 53:468
sinuatus, 49:32, 50:442
Cardinalus sinuatus, 47:286
Cardiospermum
corindum, 50:142, 50:143, 50:146, 53:72
halicacabum, 55:256, 55:259, 55:260
Carduelis
pinus, 49:107, 54:289, 55:25
psaltria, 52:276, 54:95, 56:204, 56:205
tristis, 47:553, 49:107
Carduus
acanthoides, 48:12
nutans, 52:497
Caretta caretta, 56:427
Carex, 47:462, 49:86, 49:191, 52:497, 52:522, 52:523, 53:328, 53:497, 55:258–260
breweri, 54:356
bushii, 55:257
cherokeensis, 55:257, 55:261
crus-corvi, 55:257
cumulata, 56:55, 56:56
gravida, 55:257
helleri, 54:356
heteroneura, 54:356
leavenworthii, 55:257
lurida, 55:257, 55:261
nigricans, 54:356
pensylvanica, 56:56, 56:59
planostachys, 47:155, 55:434–441, 56:327
reniformis, 55:257
spissa, 52:200
tetrastachya, 55:257
utriculata, 51:53
vernaculata, 54:356
Caria
ino, 48:517
mantinea, 48:517
melino, 48:505, 48:508, 48:509, 48:517
stillaticia, 48:517
Cariama cristata, 51:42, 51:45

Carica papaya, 47:79, 47:83
Caricaceae, 47:78, 47:79, 47:83
Carlina vulgaris, 48:12
Carlowrightia arizonica, 52:355
Carmona, Roberto, Gorgonia Ruiz-Campos, José Alfredo Castillo-Guerrero, and Margarita Zamora-Orozco, Current distribution status of the white-faced ibis, *Plegadis chihi*, in the Peninsula of Baja California, Mexico, with special reference to the region of La Paz, 47:476–482
Carmona, Roberto, Gorgonio Ruiz-Campos, José Alfredo Castillo-Guerrero, and Georgina Brabata, Patterns of occurrence and abundance of land birds on Espíritu Santo Island, Gulf of California, México, 50:440–447
Carmona, Roberto, Nallely Arce, Víctor Ayala-Pérez, and Gustavo D. Danemann, Migratory patterns of the black tern (*Chlidonias niger*) at the Ojo de Liebre wetland complex, Baja California Sur, Mexico, 56: 255–259
Carnegia gigantea, 53:191
Carnegiea, 47:451, 48:598
gigantea, 47:449, 47:450, 48:391, 48:605, 49:11, 50:65–68, 50:377, 50:379, 50: 482–487, 50:513–515, 52:419, 52: 565, 54:431, 55:241, 55:316, 56:338, 56:394
tetetzo, 47:81
Carnivora, 48:249–256, 50:42–56, 54:74–81, 54:217–222
Carnivory on desert cottontails by Texas antelope ground squirrels, Michael T. Friggens, 47:132–133
Carollia
brevicauda, 48:574, 48:583, 50:96
perspicillata, 48:574, 48:582, 48:583, 48:586, 50:96, 50:97
sawvelli, 50:96–99, 55:455, 55:456
subrufa, 48:574, 50:96, 50:97
Carpenter, Jeanette, and Gordon A. Mueller, Small nonnative fishes as predators of larval razorback suckers, 53:236–242
Carpenter, Jeanette, see Mueller, Gordon A., —
Carpenter, Mary C., and Jim I. Mead, Late Pleistocene roadrunner (*Geococcyx*) from Kartchner Caverns State Park, southeastern Arizona, 48:402–410
Carpenter, Mary C., see Mead, Jim I., —
Carphophis amoenus, 55:175
Carpinus tropicalis, 47:602
Carpiodes, 52:383
carpio, 50:76, 50:77, 53:126, 54:389, 55:78, 55:81, 55:82, 55:153, 55:154
cyprinus, 54:389
velifer, 55:587–589
Carpoltrotus aequilaterus, 50:141
Carpochaete bigelovii, 48:181, 48:187
Carpodacus
cassinii, 55:25
mexicanus, 48:561, 50:440, 50:443, 52:276, 52:286, 55:267
purpureus, 47:553
Carpoides carpio, 51:398
Carpophilus, 53:424, 53:426–428
Carr, John L., see Greenbaum, Eli, —
Carr, John L., see Holcomb, Samuel R., and —
Carrhenes canescens, 48:522
Carroll, Connie J., see Phillippe, Loy R., —
Carroll, Darin S., and Robert D. Bradley, Systematics of the genus *Sigmodon*: DNA sequences from beta-fibrinogen and cytochrome *b*, 50:342–349
Carroll, Darin S., Lottie L. Peppers, Clyde Jones, and Robert D. Bradley, *Sigmodon ochrognathus* is a monotypic species: evidence from DNA sequences, 47:494–497
Carroll, Daris S., see Bradley, Robert D., —
Carson, Evan W., Ashley H. Hanna, Gary P. Garrett, James R. Gibson, and John R. Gold, Conservation genetics of cyprinid fishes (genus *Dionda*) in southwestern North America. II. Expansion of the known range of the Manantial roundnose minnow, *Dionda argentosa*, 55:576–581
Carthartes aura, 54:292
Cartron, Jean-Luc E., Paul J. Polechla, Jr., and Rosamonde R. Cook, Prey of nesting ferruginous hawks in New Mexico, 49:270–276
Cartron, Jean-Luc E., Rosamonde R. Cook, Gail L. Garber, and Kristin K. Madden, Nesting and productivity of ferruginous hawks in two areas of central and western New Mexico, 1999–2000, 47:482–485
Cartron, Jean-Luc E., see Johnson, R. Roy, —
Carya, 48:293
aquatica, 47:487, 49:64
illinoensis, 47:110, 47:487, 48:307, 49:529
illinoiensis, 50:86
illinoinensis, 53:251, 53:252, 54:223, 54:450, 54:502
ovata, 54:279, 56:411
texana, 51:359, 54:279
Caryophyllaceae, 48:187, 51:458, 51:459, 53:71, 55:256
Caryophylllaceae, 52:121
Carystoides, 48:524
Carystus phorcus, 48:524
Casazza, Michael L., see Halstead, Brian J., —
Cashner, Robert C., see Fuentes, Gustavo N., and —
Casmerodius albus, 49:103
Caso, Arturo, see Janečka, Jan E., —
Casper, Dennis, see Lovich, Jeff, —
Cassia, 55:316
gregii, 55:421
texana, 55:421
villosa, 50:147
Cassuarina, 51:552
Castañeda Guyasamin, Gabriela, see McCormack, John E., —
Castañeda, Gamaliel, Héctor Gadsden, Armando J. Contreras-Balderas, and Cristina García-De la Peña, Variation in home range of the side-blotched lizard, *Uta stejnegeri*, in Coahuila, Mexico, 52:461–467
Castañeda, Gamaliel, see García-De la Peña, Cristina, —
Castanopsis sempervirens, 51:108
Castela
emoryi, 52:355
texana, 47:163, 52:342, 53:425
tortuosa, 50:376
Castellón-Olivares, José de Jesús, Abraham Rublúo-Islas, Jorge Sepúlveda-Betancourt, and Gorgonio Ruiz-Campos, Environmental effects on biomass productivity of wild populations of *Yucca schidigera* in Baja California, Mexico, 47:576–584
Castianeira, 56:50
amoena, 56:47
dorsata, 56:47
nanella, 56:48
occidens, 56:48, 56:51
Castilia
myia, 48:514
ofella, 48:508, 48:514
Castilleja, 47:602
chromosa, 47:63
exserta, 52:200
lanata, 53:72
linariaefolia, 47:2, 47:9
lithospermoides, 51:458
martini, 48:496
martinii, 48:504
Castillo-Guerrero, José Alfredo, see Carmona, Roberto, —
Castor canadensis, 47:255, 47:501–504, 48:574, 49:75, 49:78, 49:80, 49:532, 50:469, 52:609, 53:87, 54:31, 54:37, 54:481, 55:273–277
Castoridae, 48:574
Catagonus wagneri, 47:527–531, 52:571
Catastomas insignis, 54:465
Catastrophic decline of a high-density population of hispid cotton rats (*Sigmodon hispidus*) in central Oklahoma, Jay E. Clark, Eric C. Hellgren, and Eric E. Jorgensen, 48:467–471
Cathartes aura, 50:446, 50:468, 51:370, 51:581, 52:148, 54:288, 54:505, 55:570
Catharus guttatus, 47:553, 49:32, 52:155, 52:156
Catheptes mexicanus, 50:442, 52:55–57, 53:468
Cathestecum erectum, 55:257, 55:497

Cathey, James C., see Cooper, Susan M., —
Cathey, James C., see Ryberg, Wade A., —
Catinella vermeta, 54:338
Catlin, Daniel H., and Daniel K. Rosenberg, Nest destruction associated with mortality and dispersal of burrowing owls in the Imperial Valley, California, 51:406–409
Catlin, Daniel H., see Gervais, Jennifer A., and —
Catlin, Daniel H., see LaFever, David H., —
Catonephele
mexicana, 48:514
numilia, 48:514
Catoptrohorus semipalmatus, 54:128
Catoptrophorus semipalmatus, 47:374, 54:288
Catosomidae, 51:232
Catostomidae, 52:132, 53:106, 53:339, 54:389, 54:514–518, 55:587, 55:588
Catostomus, 51:260
bernardini, 55:600, 56:281, 56:284, 56:285
catostomus, 55:382–389
commersoni, 47:182, 47:183, 50:423–434, 51:23, 52:15–25, 54:389
commersonii, 53:531, 54:485–492, 55:78, 55:81, 55:82, 55:382–389
discobolus, 51:22, 52:131, 52:132, 52:135, 53:106, 53:531, 55:382–389
guzmaniensis, 54:109
insignis, 48:667
latipinnis, 48:43–46, 51:22, 51:23, 52:131, 52:132, 53:106, 53:531, 55:382–389
leopoldi, 56:281, 56:285
occidentalis, 47:195, 47:196, 53:338, 53:339
plebeius, 47:182–186, 52:15–25, 54:109, 54:486, 54:490, 55:82
Caudata, 47:401–408, 48:100–102
Cavernicolous Missouri triclad (Platyhelminthes: Turbellaria) records, Michael E. Slay, William R. Elliott, and Ronald Sluys, 51:251–252
Cavex brevior, 55:257
Ceanothus, 49:306, 51:449, 51:574, 53:22, 53:347, 53:358
cuneatus, 51:484–486, 54:328
fendleri, 48:181, 52:9, 53:151, 53:152, 53:154, 53:156, 53:158, 56:194
greggii, 53:64, 53:72, 53:151, 53:152
leucodermis, 52:196, 52:200
Ceballos, Gerardo, see Pelz-Serrano, Karla, —
Cebidae, 48:574
Cecidomyiidae, 56:80
Cecropiaceae, 48:581
Cediopsylla, 54:496
inaequalis, 48:721
Cedrela, 48:582
odorata, 48:505, 55:141
Cedrella odorata, 48:581
Ceiba, 48:582
acuminata, 55:316
parvifolia, 50:376
pentandra, 47:79, 47:81, 47:83, 48:581
schotti, 48:506
Celaenorrhinus stola, 48:522
Celastraceae, 55:428
Celastrina argiolus, 48:518
Celestus, 49:327
Celeus
castaneus, 48:69
elegans, 48:69
flavescens, 48:69
flavus, 48:69
grammicus, 48:69
loricatus, 48:69
lugubris, 48:69
spectabilis, 48:69
torquatus, 48:69
undatus, 48:69
Celithemis
eponina, 54:97, 54:98
fasciata, 48:446, 48:447
Celmia conoveria, 48:519
Celtis, 53:216, 53:252, 53:386, 53:387, 54:346–348, 56:155
ehrenbergiana, 54:318
laevigata, 47:420, 47:422–431, 47:568, 48:302, 48:307, 48:646, 49:33, 49:34, 49:529, 50:479, 51:359, 52:84, 53:39–44, 53:451, 54:69, 54:318, 54:446, 54:447, 54:502, 55:180, 55:181, 56:68
occidentalis, 54:254
pallida, 47:103, 47:128, 47:420, 47:423–426, 47:431, 48:693, 49:34, 50:479, 51:88, 52:355, 53:2, 53:98, 53:397, 53:481, 54:69, 54:502, 55:493, 55:498, 56:161
pubescens, 52:571
reticulata, 47:32, 47:462, 47:520, 48:600, 50:268, 53:244, 54:447
willistonii, 48:443
Cemophora coccinea, 48:554, 48:555
Cenchrus, 53:386
ciliaris, 54:14, 56:349
ciliaris, 53:2
echinatus, 56:160
incertus, 56:160
spinifex, 49:179, 49:186
Centaurea, 47:631
nigra, 48:12
scabiosa, 48:12
solstitialis, 48:11, 49:247
Centauriam namophilum, 53:327
Centella asiatica, 49:176, 49:179, 49:180
Centrarchidae, 52:132, 54:390, 55:587, 55:589
Centrioptera texana, 55:112
Centrocercus
gunnisoni, 50:209
minimus, 49:334
urophasianus, 50:209, 56:316
Centronycteris, 55:455
centralis, 55:454
maximiliani, 48:574
Centropomus undecimalis, 52:372
Centrorhynchus, 47:294, 47:297
Centrosema, 51:8
Centruroides
exilicauda, 50:392
vittatus, 47:409–419, 55:112
Centurio senex, 48:574, 50:97
Century plants (*Agave palmeri*) by coatis (*Nasua narica*), use of, Maureen E. McColgin, Erica J. Brown, Sophia M. Bickford, Anna L. Eilers, and John L. Koprowski, 48:722–725
Cepeda, Joseph C., see Allison, Pamela S., and —
Cephalanthus occidentalis, 47:374, 49:62, 52:355, 55:257
Cephalocereus
chrysacanthus, 49:11
columna-trajani, 56:147
purpusii, 55:318
Cephalogonimidae, 50:253
Cephalogonimus americanus, 50:251, 50:252, 50:253, 50:255
Cepheuptychia glaucina, 48:516
Cerambycidae, 52:356–363, 52:364–370, 54:170, 55:112, 55:191, 56:337
Ceraphronidae, 55:192
Cerastium
natus, 51:459
nutans, 51:458
Ceraticelus laticeps, 56:46
Ceratitis capitata, 56:275
Ceratophyllum, 48:49, 48:50, 51:505, 51:507, 52:138
demersum, 48:91, 52:142
Ceratopogonidae, 48:31, 48:288, 50:240, 51:143, 51:146, 51:147, 53:140, 53:380, 56:79, 56:80
Ceratopsyche, 48:30
cockerelli, 51:332
oslari, 51:329, 51:332, 54:184, 54:185, 54:188, 54:189
venada, 51:332, 54:184, 54:185, 54:188, 54:189
Cercidium, 47:365, 48:391, 48:559, 50:308, 50:441, 51:8, 51:491, 52:104, 52:105, 53:109, 54:47
floridum, 49:502, 49:503, 54:431
microphyllum, 47:449–451, 50:136, 50:141, 50:144, 50:146, 50:485, 52:419, 53:71, 54:431, 55:105
peninsulare, 50:146
praecox, 47:79, 47:163, 50:376
texanum, 53:97
Cercis, 51:7
canadensis, 51:6, 51:9, 51:101, 51:493, 51:494, 53:216
occidentalis, 51:493, 51:494
Cercocarpus
betuloides, 47:579, 51:574, 54:152, 54:328
breviflorus, 48:15, 48:16
ledifolius, 56:98
montanus, 48:187, 50:213, 51:121, 53:151, 53:152, 53:154, 54:59
Cercopidae, 55:341
Cercyonis
meadii, 51:552
oetus, 52:6, 52:14

pegala, 51:552–553
sthenele, 51:552
Cercyonis pegala texana (Lepidoptera: Nymphalidae: Satyrinae): new record from the state of Coahuila, Mexico, Armando J. Contreras-Balderas and Andrew D. Warren, 51:552–553
Cereus
giganteus, 49:426, 53:109
griseus, 56:395
horrispinus, 47:83
repandus, 47:79, 47:83
smithianus, 47:83
Cerling, Thure E., see Baugh, Alexander T., —
Cernotina, 50:243
Cerqua, Jamie, see Ducey, Peter K., —
Cerrophidion
godmani, 52:437
tzotzilorum, 52:437–438
Certhia americana, 52:276, 55:24, 55:26
Cervantes, Fernando A., Ana Montiel, and Andrés García, Shrews (Mammalia, Soricomorpha) from Colima, Mexico, 53:101–104
Cervantes, Fernando A., J. Nahú Ramírez-Vite, Salvador Ramírez-Vite, and Claudia Ballesteros, New records of mammals from Hidalgo and Guerrero, Mexico, 49:122–124
Cervantes, Fernando A., see Fernández, Jesús A., —
Cervantes, Fernando A., see Lorenzo, Consuelo, —
Cervantes, Fernando A., see Portales, Gloria L., —
Cervantes, Fernando A., see Ramos-Lara, Nicolás, and —
Cervidae, 47:329, 48:148, 48:574, 51:233, 54:222
Cervus, 49:232
canadensis, 55:283
elaphus, 48:147–153, 48:639, 48:657, 49:384–394, 50:469, 51:222, 51:276–282, 51:364, 51:581, 52:1–14, 52:402–404, 52:533, 52:534, 53:316, 53:437, 54:152, 54:480, 54:483, 55:51, 56:1–8, 56:301, 56:305–314, 56:415
Ceryle alcyon, 54:284, 54:286, 54:289
Cesonia sincera, 56:48
Ceuthophilus, 53:203
Chabaudgolvania, 50:251–253, 50:255
elongata, 50:254
Chace, Jameson F., Habitat selection by sympatric brood parasites in southeastern Arizona: the influence of landscape, vegetation, and species richness, 49:24–32
Chacón, Elías, see Servín, Jorge, —
Chaenactis
glabriuscula, 53:70
stevioides, 53:70
tenuifolia, 53:70
Chaerophyllum tainturieri, 48:6, 53:499
Chaetodipus, 49:79, 49:80, 52:113, 52:506, 54:88, 55:379
arenarius, 47:629, 48:570, 48:574, 52:531, 52:537, 52:597
artus, 48:574
baileyi, 47:521–523, 47:629, 48:570, 48:574, 55:3, 55:4, 55:9
californicus, 48:568, 48:570, 48:574, 53:357–369
eremicus, 48:137, 52:403, 53:87
fallax, 48:568, 48:570, 48:574, 48:578, 52:531, 52:537
formosus, 48:574
goldmani, 48:574
hispidus, 47:128, 47:249, 47:250, 47:255, 47:328, 47:560, 47:562, 48:574, 48:616, 51:88, 51:89, 52:300, 52:403, 52:444, 53:87–89, 54:275, 54:302, 54:303, 55:3, 55:4, 55:9, 55:50, 55:52–54, 56:11, 56:227
intermedius, 47:128, 48:574, 49:286, 49:288, 53:88, 53:89, 55:3, 55:4, 55:9
lineatus, 48:574
nelsoni, 48:574, 52:403, 53:87–89
penicillatus, 48:570, 48:574, 48:578
pernix, 48:574
spinatus, 48:574, 52:531, 52:537
Chaetopappa asteroides, 55:256, 55:259
Chaetura
pelagica, 51:203, 54:93, 55:571
vauxi, 55:572
Chalcididae, 55:192, 56:275–276
Chalcoscirtus diminutus, 56:49
Chalybs janias, 48:519
Chamaecrista, 51:7
fasciculata, 47:103, 49:184–186, 53:481, 55:199, 56:59
greggii, 51:6, 51:9
nictitans, 48:180, 48:187, 56:59
Chamaemyiidae, 55:191
Chamaesaracha sordida, 55:498
Chamaesyce
angusta, 55:256, 55:259
cinerascens, 55:497
melanadenia, 52:200, 53:71
micromera, 52:200
nutans, 55:256, 55:259
serpyllifolia, 55:497
setiloba, 55:497
tomentulosa, 53:71
Chamberlain, Michael J., and Bruce D. Leopold, Effects of a flood on relative abundance and diversity of small mammals in a regenerating bottomland hardwood forest, 48:306–309
Chambers, Carol L., see Miller, Andrew M., and —
Chambers, Carol L., see Yarborough, R. Fenner, and —
Chambers, Mary, Gabriel David, Courtenay Ray, Ben Leitner, and Peter Pyle, Habitats and conservation of molt-migrant birds in southeastern Arizona, 56:204–211
Chameleonidae, 55:280
Changes in shell morphology of *Elimia comalensis* (Gastropoda: Pleuroceridae) from the Edwards Plateau, Texas, Russell L. Minton, Scott A. Reese, Kim Swanger, Kathryn E. Perez, and David M. Hayes, 52:475–481
Changing fish faunas in two reaches of the Rio Grande in the Albuquerque Basin, Christopher W. Hoagstrom, W. Jason Remshardt, Jude R. Smith, and James E. Brooks, 55:78–88
Channell, Rob, see Hickman, Karen R., —
Channell, Rob, see Hoffman, Justin D., —
Chaoborus, 52:230
Chara, 50:249, 51:232, 51:235, 51:505, 51:507, 51:554, 53:462
vulgaris, 49:396, 49:397, 49:402, 49:404
zeylanica, 48:86
Characeae, 51:232
Characium
ensiforme, 49:402
limneticum, 49:402
Characodon
audax, 52:125–130
germani, 52:126
lateralis, 52:125–130
Characteristics and use of the tail in signaling by the zebra-tailed lizard (*Callisaurus draconoides*), Douglas A. Eifler and Maria A. Eifler, 55:104–109
Characteristics of Abert's squirrel (*Sciurus aberti*) cavity nests, Andrew J. Edelman and John L. Koprowski, 51:64–70
Characteristics of seedling establishment of *Stenocereus stellatus* (Cactaceae) in the Tehuacán Valley, Mexico, Héctor Godínez-Alvarez, Leticia Ríos-Casanova, and Fabiola Pérez, 50:375–380
Charadrius
alexandrinus, 52:435–436, 54:129
melodus, 54:128
montanus, 48:290, 48:291, 51:191–196, 51:197–202
semipalmatus, 50:320, 54:129
vociferans, 54:288
vociferous, 54:129
vociferus, 49:535, 49:537, 50:318, 50:319, 51:528
wilsonia, 53:188, 54:129
Charina, 50:25
bottae, 55:176
trivirgata, 50:24, 50:26–28
Charis zama, 48:517
Chart, Tom E., see Bestgen, Kevin R., —
Checklist of type specimens in the herpetological collection of the Escuela Nacional de Ciencias Biológicas, I. P. N., Mexico, annotated, José Ismael Campos-Rodríguez and Juan Carlos López-Vidal, 52:323–326
Cheilanthes
covillei, 52:200, 53:70
parryi, 53:70

Cheiracanthium inclusum, 54:335, 56:47
Cheirodendron trigynum, 52:357
Chelifera, 48:31
Chelonia mydas, 47:314–316, 56:427
Chelydra serpentina, 48:544, 49:530, 49:531, 50:14, 50:166, 50:168–170, 50:269, 55:137, 55:561, 56:125, 56:429
Chelydridae, 55:137, 55:560, 56:429
Chen
caerulescens, 48:287, 50:320, 55:569, 55:570
rossii, 48:286–289
Chen, Xiongwen, Cameron W. Barrows, and Bai-Lian Li, Is the Coachella Valley fringe-toed lizard (*Uma inornata*) on the edge of extinction at Thousand Palms Preserve in California?, 51:28–34
Chen, Yiju R., see Siemers, Jeremy L., —
Chenopodiaceae, 48:187, 50:213, 51:482, 51:486, 53:71, 56:159
Chenopodium
album, 48:504, 56:159
graveolens, 48:181, 48:184, 48:187
incanum, 52:99, 52:100
murale, 52:200, 53:71, 55:421
Cheumatopsyche, 48:30, 51:147
arizonensis, 51:329, 51:332, 54:184, 54:185, 54:188, 54:189
campyla, 51:335
enonis, 51:326, 51:329, 51:332, 51:334
lasia, 51:332
pinula, 51:329, 51:332, 54:185, 54:188, 54:189
Chihuahuan raven (*Corvus cryptoleucus*) reproductive success and nest spacing in the southern High Plains of Texas, J. Paul Burton and James M. Mueller, 51:48–51
Chilomeniscus cinctus, 55:247, 55:252
Chilopsis linearis, 47:450, 51:415, 52:101, 53:97, 54:7, 54:227, 55:315, 55:341
Chimarra, 51:147
anguistipennis, 51:334
primula, 51:334, 54:187, 54:193
ridleyi, 51:334, 54:187
utahensis, 51:329, 51:334, 54:187, 54:189, 54:190
Chioides
catillus, 48:520
zilpa, 48:520
Chiomara georgina, 48:523
Chionactis occipitalis, 55:136
Chipault, Jennifer G., and Dustin H. Long, Pronghorn (*Antilocapra americana*) locked in fight becomes prey of coyotes (*Canis latrans*), 55:283–284
Chiroderma
salvini, 48:142, 48:143, 48:574, 50:97, 54:412, 54:415, 55:347, 55:351, 55:353, 55:354
villosum, 48:574, 48:583, 48:585, 50:97
Chironectes minimus, 48:574
Chironomidae, 47:199, 48:31, 48:101, 50:240, 51:25, 51:147, 53:106, 53:140, 53:378, 54:170, 55:191, 55:236, 55:552, 55:553, 56:80
Chiroptera, 47:137–138, 47:633–635, 48:138–144, 48:437–441, 48:715–717, 50:453–460, 52:597–600, 54:421–429, 55:110–115, 55:323–330, 55:340–346
Chirostoma
consocium, 52:231
estor, 52:229, 52:232
humboldtianum, 52:232, 53:224, 53:227
jordani, 53:227, 53:228
labarcae, 52:231
lucius, 52:229–233
umboldtianum, 53:228
Chiszar, David, see Smith, Hobart M., —
Chlidonias niger, 56:255–259
Chloracantha spinosa, 53:98
Chloris
cucullata, 47:103, 53:481
gayana, 48:187
submutica, 56:160
virgata, 48:187
Chloroceryle aenea, 55:572
Chlorogloea fritschii, 49:398
Chlomoleucon ebano, 47:427, 47:429, 47:430, 48:321–332, 49:33, 49:34, 50:479, 51:491, 54:91
Chloroperlidae, 53:380
Chlorophyta, 49:402
Chloropidae, 53:140
Chlorostilbon
auriceps, 54:511
canivetii, 47:473
Chlorostrymon simaethis, 48:519
Chlosyne
californica, 52:568
erodyle, 48:513
gaudialis, 48:514
janais, 48:514
lacinia, 48:514
Choate, Jerry R., see Hoffman, Justin D., —
Choate, Jerry R., see Hopton, Matthew E., and —
Choate, Jerry R., see Marquardt, Shauna R., and —
Choate, Jerry R., see Pitts, Richard M., —
Choeroniscus godmani, 48:574, 48:583, 50:97
Choeronycteris, 48:604
mexicana, 48:143, 48:574, 49:69, 49:425–434, 52:402, 54:225–226, 55:349, 55:354
Chondestes grammacus, 50:231, 50:443, 51:527, 51:528, 53:468, 56:205
Chondrosum
gracile, 51:268
gracilis, 51:120
Chordeiles
acutipennis, 50:442, 54:317, 54:319
minor, 51:528, 54:289, 54:319
Chordeumatida, 54:350–351
Chorizanthe, 52:200
interposita, 53:64, 53:72
pulchella, 53:72
rosulenta, 53:72
Choroterpes, 52:223
Christiansen, James L., see Pierce, Benjamin A., —
Christman, Bruce L., see Frey, Jennifer K., —
Chromis dispilus, 55:264
Chromobacterium, 51:300
Chromolaena odorata, 47:424, 47:428, 47:430
Chromolena odorata, 47:428
Chromosomal polymorphism in a natural population of *Drosophila willistoni* (Diptera: Drosophilidae) from Laguna Verde, Veracruz, Mexico: an eight-year record, Víctor M. Salceda, 51:320–325
Chromosomal variation in natural populations of *Drosophila pseudoobscura* inhabiting northern Mexico, Víctor M. Salceda, Judith Guzmán, Olga Olvera, and Louis Levine, 52:430–434
Chroococcus
dispersus, 49:398
limneticus, 49:397, 49:398
minor, 49:398
minutus, 49:398
pallidus, 49:398
turgidus, 49:398
Chrotopterus auritus, 48:574, 50:97
Chrysactinia mexicana, 55:496
Chrysanthemum
leucanthemum, 48:13
maximum, 48:13
Chrysemys, 49:535, 55:137, 55:560
picta, 48:47–53, 48:544, 49:537, 50:14, 55:93, 55:403–410, 56:61, 56:125, 56:127
Chrysocon brachyurus, 49:110
Chrysocyon brachyurus, 50:477, 51:561
Chrysolina pardalina, 51:482, 51:487
Chrysomela scripta, 48:193, 48:197
Chrysomelidae, 47:464, 48:197, 48:198, 49:259, 51:482, 51:491, 53:140, 54:170, 55:182, 55:187, 55:191, 55:344
Chrysopidae, 48:196, 54:171, 55:192
Chrysops, 50:241
Chrysothamnus, 48:626, 48:684, 51:200, 52:555, 54:201
nauseosus, 47:63, 48:11, 48:413, 51:268, 52:542, 53:252, 56:181, 56:276
nauseousus, 53:152, 53:154
pulchellus, 47:300, 51:311
teretifolius, 50:189
viscidiflorous, 47:176
viscidiflorus, 51:197, 51:198, 52:617
Churchwell, Roy T., see McGlinn, Daniel J., —
Cibolacris parviceps, 55:112
Cibotium glaucum, 52:357
Cicacas from Mexico (Hemiptera: Cicadoidea: Cicadidae), new records of, Allan F. Sanborn, 51:255–257
Cicada atrata, 54:24

Cicadellidae, 48:132–134, 49:259, 49:517, 50:91, 51:557, 53:137, 53:140, 53:142, 53:143, 54:170, 54:197, 55:182, 55:187, 55:191, 55:341, 55:344
Cicadidae, 51:255–257, 51:557, 51:558, 54:24–30, 55:112, 56:363–368
Cicadoidea, 51:255–257, 56:363–368
Ciceaba virgata, 54:105
Cicer, 55:427
Cichla ocellaris, 54:157
Cichlasoma
beani, 55:600, 56:280, 56:285
cyanoguttatum, 47:456, 48:452, 49:437, 49:438, 50:76, 53:116, 56:109, 56:111
minckleyi, 51:554
Cichlidae, 52:371–377
Cicindela
arenicola, 47:170
limbata, 47:169–174
oregona, 47:170, 47:173
theatina, 47:170
tranquebarica, 47:169–174
Cicindelidae, 47:169–174
Ciconiidae, 51:233
Cicurina
deserticola, 56:47
ludoviciana, 56:47
parma, 56:47
varians, 56:47
Cimex pilosellus, 47:454
Cimprich, David A., and Richard M. Kostecke, Distribution of the black-capped vireo at Fort Hood, Texas, 51:99–102
Cimprich, David A., see Summers, Scott G., —
Cinclus mexicanus, 52:272
Ciomara mithrax, 48:523
Circadian activity rhythm and potential predation risk of the prairie vole, *Microtus ochrogaster*, Lowell L. Getz, 54:146–150
Circidium macrum, 51:1
Circium, 50:213
Circulifer tenellus, 52:318
Circus cyaneus, 48:308, 50:446, 50:448–452, 51:233, 51:236, 52:63, 55:170
Cirolanidae, 53:79
Cirolanides texensis, 53:74, 53:78–80
Cirsium
acaulon, 48:12
arvense, 47:631, 48:13, 52:497
horridulum, 49:180
neomexicana, 53:397
neomexicanum, 53:64, 53:70, 53:462
nidulum, 48:495, 48:496, 48:504
occidentale, 52:200
palustre, 48:13
pitcheri, 48:13
texanum, 53:499
vulgare, 52:497
Cissia
labe, 48:505, 48:508, 48:509, 48:516
pseudoconfusa, 48:516
Cissus trifoliata, 52:355
Cistaceae, 48:187
Cistothorus palustris, 48:302
Cistus, 53:367
Citellus, 52:63
Citharexylum brachyanthum, 47:429
Citrus, 49:506, 50:473, 50:476, 50:477, 53:252, 53:518
aurantifolia, 53:16
Cladocera, 53:412–414
Cladonia, 47:587, 47:588, 47:593
Cladophora, 48:29, 52:235
crispata, 49:396, 49:402
Clarification of name usage for the variable skink, *Eumeces multivirgatus epipleurotus*, Ralph W. Axtell and Hobart M. Smith, 49:100
Clark, Gregory H., see Coop, Jonathan D., —
Clark, Howard O., Jr., see Smith, Deborah A., —
Clark, Jay E., Eric C. Hellgren, and Eric E. Jorgensen, Catastrophic decline of a high-density population of hispid cotton rats (*Sigmodon hispidus*) in central Oklahoma, 48:467–471
Clark, Kevin B., Foraging strategy of a California kingsnake in searching for fledglings of the least Bell's vireo, 54:352–353
Clark, Stacy L., and Stephen W. Hallgren, Can oaks be aged from bud scars?, 49:243–246
Clark, William H., see Anderson, Kirk E., —
Clark, William H., see Welsh, Hartwell H., Jr., —
Clarke, H. David, John E. Ebinger, and David S. Seigler, Probable hybridization in the *Acacia constricta* species group (Fabaceae: Mimosideae), 50:69–74
Clarke, H. David, see Ebinger, John E., —
Clarkia
biloba, 51:484–486
xantiana, 53:428
Claytonia perfoliata, 49:191, 53:72
Clearing on habitat and macroinvertebrates of a coastal bottomland stream in Louisiana, effects of a small-scale, Michael D. Kaller and William E. Kelso, 51:143–151
Cleidogona bacillipus, 56:424
Cleidogonidae, 56:424
Clematis
drummondii, 52:355, 56:160
ligusticifolia, 52:355, 56:276
pauciflora, 53:72
Clemente-Sánchez, Fernando, see Villordo-Galván, J. Agustín, —
Clemmys, 55:560
guttata, 48:544, 50:14
marmorata, 47:225–235, 55:561
Cleptelmis, 53:380
Cleridae, 49:259, 53:140
Clethra mexicana, 56:401
Clethrionomys, 49:78, 51:59
gapperi, 51:71
glareolus, 47:319, 52:512
Cletocamptus, 55:529
albuquerquensis, 55:527
dietersi, 55:527, 55:529
Clevelandia ios, 53:339
Climatic warming altered spring flowering date of Sonoran Desert shrubs? has, Janice E. Bowers, 52:347–355
Cline, George R., see Tumlison, Renn, and —
Clinostomidae, 50:253, 52:127
Clinostomum, 47:295, 47:296, 50:251, 50:253–255
complanatum, 47:294, 47:296, 47:297, 52:127
helvans, 50:252
intermediale, 50:252
Clippinger, Norman W., see Meaney, Carron A., —
Clistoronia
maculata, 51:333
maculatus, 54:192
Clitoria, 55:430
ternatea, 51:2
Closterium lunula, 49:402
Clostridium, 56:2, 56:306
Clubiona oteroana, 56:47
Clubionidae, 56:47
Clupea pallasii, 53:338, 53:339
Clupeidae, 52:132, 53:339, 54:387
Clutch and ovum sizes of three species of whipsnakes (*Masticophis*, Colubridae), Jeffrey D. Camper and James R. Dixon, 47:467–471
Cnemidophorous, 48:106
Cnemidophorus, 47:35, 48:220, 50:172, 50:185, 50:259, 51:167, 52:113, 53:176, 54:29, 54:453, 55:301
burti, 48:351, 48:352
communis, 47:205–214, 51:160
cozumela, 55:423
deppei, 47:22
deppii, 55:423
exsanguis, 47:22, 47:211, 48:127, 48:218, 48:219, 48:221
flagellicaudus, 48:350
grahamii, 48:693
gularis, 47:22, 47:104–108, 47:211, 48:127, 53:482–484
guttatus, 47:22
hyperythrus, 47:45–47, 47:55
labialis, 47:46, 47:47, 47:55
laredoensis, 47:21–29
lemniscatus, 47:22, 47:210, 52:38–45
lineatissimus, 47:206, 47:209–211, 51:160
murinus, 54:456
neomexicanus, 47:27, 48:127, 48:128
neotesselatus, 47:27
ocellifer, 47:210

sexlineatus, 47:22, 47:27, 47:105, 47:106, 47:211, 48:127, 48:128, 53:480, 53:482–485, 55:419, 55:423, 55:459
sonorae, 48:218, 48:219, 48:221, 48:350–352
tesselatus, 47:27, 48:126–129, 48:685, 48:692, 51:556, 55:423
tigris, 47:22, 47:46, 47:55, 47:209, 48:127, 48:351, 50:21, 55:423
uniparens, 48:351, 48:352, 51:405
Cnephia
eremites, 56:80
pallipes, 56:80
Cnidoscolus angustidens, 50:146
Coachella Valley fringe-toed lizard (*Uma inornata*) on the edge of extinction at Thousand Palms Preserve in California?, is the, Xiongwen Chen, Cameron W. Barrows, and Bai-Lian Li, 51:28–34
Coadtractus melon, 48:520
Coahuila from a riparian bird community in northern Mexico, new records for, Irene Ruvalcaba-Ortega and José I. González-Rojas, 54:501–509
Coastal wetlands by hispid cotton rats (*Sigmodon hispidus*), use of, Guy N. Cameron and Beth L. Kruchek, 50:397–402
Coates, Peter S., see Halstead, Brian J., —
Cobicula fluminea, 50:244
Coccinellidae, 47:464, 51:25
Coccoloba barbadensis, 51:11, 51:13–15, 51:17, 51:18, 53:10, 55:319
Cocconeis
pediculus, 49:399
placentula, 49:399
rugosa, 49:397, 49:399
Cocos nuccifera, 55:318
Coccothraustes vespertinus, 52:276, 54:289
Cocculus diversifolius, 47:423, 47:424, 47:426, 47:428, 47:430, 50:479, 52:355
Coccyzus americanus, 49:106, 53:468, 55:464
Cochemia poselgeri, 50:146
Cochliomyia hominivorax, 52:574
Cochlognathus, 54:109
Cochlospermun vitifolium, 55:141
Cocos nucifera, 53:10, 54:106
Codatractus
alcaeus, 48:520
carolos, 48:520
yucatanus, 48:520
Codoma, 54:344
ornata, 56:281, 56:284, 56:285
Coelonyx variegatus, 52:51
Coenagrionidae, 47:465, 48:30, 48:446, 48:447, 53:380, 53:381, 54:97, 54:98
Coenargrionidae, 50:242
Coendou mexicanus, 48:571, 48:574, 52:311, 55:139, 55:140
Cofer, Larry M., see Coughlin, Warren D., —
Coffea arabica, 54:410
Cogia calchas, 48:522
Cohen, Adam E., see Dinger, Eric C., —
Colaptes
atricollis, 48:69
auratus, 47:110, 50:347, 52:275, 52:276, 55:24
campestris, 48:69
chrysoides, 48:69, 50:442
melanochloros, 48:69
pitius, 48:66, 48:69
punctigula, 48:69
rupicola, 48:69
Cold water on susceptibility of age-0 flannelmouth sucker to predation by rainbow trout, effects of, David L. Ward and Scott A. Bonar, 48:43–46
Coldenia canescens, 53:71
Cole, Matthew L., David M. Leslie, Jr., and William L. Fisher, Habitat use by shorebirds at a stopover site in the southern Great Plains, 47:372–378
Coleman, Brent L., see Rogers, Duke S., —
Coleogyne, 48:626
ramosissima, 55:443–447
Coleonyx
brevis, 47:105, 52:251–252, 53:483, 55:112, 55:114
switaki, 47:43, 47:44, 47:46, 47:52
variegatus, 47:43, 47:46, 47:47, 47:52, 48:351, 48:352, 48:550, 48:555, 55:114, 55:245, 55:246, 55:252
Coleoptera, 47:169–174, 52:364–370, 54:357–361
Colias
eurytheme, 52:6, 52:13
philodice, 52:13
Colinus, 52:113
virginianus, 47:353, 48:420, 49:472–477, 52:453, 52:455, 52:456, 53:387, 53:468, 53:481, 54:13–18, 54:141, 54:377, 55:462
Collared peccary (*Pecari tajacu*) in Bastrop County, Texas, Kendra K. Bauer, John C. Abbott, and Kate Quigley, 55:138–139
Collared peccary range expansion in northwestern New Mexico, Steven Albert, Cynthia A. Ramotnik, and C. Gregory Schmitt, 49:524–528
Colliguaya odorifera, 56:418
Colobura dirce, 48:514
Cologania, 51:6, 51:7, 55:431
angustifolia, 48:184, 51:9, 55:431
broussonetii, 51:9
obovata, 48:181, 48:184, 48:187
Colorado pikeminnow (*Ptychocheilus lucius*) upstream of critical habitat in the Yampa River, Colorado, Sam T. Finney, 51:262–263
Colorado pikeminnow with a channel catfish lodged in its throat in the San Juan River, Utah, Dale W. Ryden and Jude R. Smith, 47:92–94
Coluber, 52:113
constrictor, 49:531, 49:532, 50:269, 52:264, 52:267, 55:175, 55:459
Colubrid snake *Dendrophidion nuchale* (Peters) from Nicaragua, record of the, Peter J. Stafford, 47:615–616
Colubridae, 47:467–471, 48:550–556, 49:409–412, 49:449–456, 49:457–464, 50:28, 50:29, 50:390–392, 53:261–264, 53:370, 53:371, 54:345–346, 55:252, 55:280–282, 55:584, 56:430–431
Colubrina, 47:602
texana, 47:103, 53:481
Columba fasciata, 52:275, 52:276
Columbidae, 47:553
Columbina
inca, 48:561, 56:20–21
minuta, 54:511
passerina, 49:105, 50:446, 53:468
Comaldessus stygius, 53:78–80
Commelina, 48:181, 48:187
erecta, 49:186
Commelinaceae, 48:187
Commensal foraging by a fin-tailed warbler (*Euthlypis lachrymose*) with a nine-banded armadillo (*Dasypus novemcinctus*) in southwestern Mexico, Richard R. Schaefer and Jesse F. Fagan, 51:560–562
Commicarpus scandens, 52:355
Common loon, *Gavia immer*, for Coahuila, Mexico, and its first report for the Cuatro Ciénegas Basin, second unusual record of, Armando J. Contreras-Balderas and Gorgonio Ruíz-Campos, 52:153–155
Communal nesting in the anoline lizard *Norops limotus* (Polychrotidae) in central Panama, Chad E. Montgomery, Edgardo J. Griffith Rodriquez, Heidi L. Ross, and Karen R. Lips, 56:83–88
Comparative analysis of burrow systems of seven species of pocket gophers (Rodentia: Geomyidae), Kenneth T. Wilkins and Heather R. Roberts, 52:83–88
Comparative digestion of food among wildlife in Texas: implications for competition, Jennifer J. Elston and David G. Hewitt, 55:67–77
Comparative escape behavior of Chihuahuan Desert parthenogenetic and gonochoristic whiptail lizards, Paul Hotchkin and Hector Riveroll, Jr., 50:172–177
Comparative growth and consumption potential of rainbow trout and humpback chub in the Colorado River, Grand Canyon, Arizona, under different temperature scenarios, Craig P. Paukert and James H. Petersen, 52:234–242
Comparative seasonal observations of soil temperature and moisture and

the occurrence of two earthworms inhabiting prairie and deciduous woodland sites, Daniel S. Millican and William I. Lutterschmidt, 52: 468–474
Comparison of effects of humans versus wildlife-detector dogs, Jill S. Heaton, Mary E. Cablk, Kenneth E. Nussear, Todd C. Esque, Philip A. Medica, John C. Sagebiel, and S. Steve Francis, 53:472–479
Comparison of four techniques for aging adult Colorado pikeminnow, *Ptychocheilus lucius*, Lorraine A. Hawkins, Harold M. Tyus, W. L. Minckley, and David L. Schultz, 49:203–208
Compositae, 47:623, 56:329
Compton, Robert I., see Bestgen, Kevin R., —
Comptonia peregrina, 56:55
Concone, Henrique V. B., see Azevedo, Fernando C. C., —
Condalia
brandegeei, 50:147
correllii, 52:355
globosa, 50:146, 52:355
hookeri, 47:103, 47:423, 47:426, 49:34, 49:373, 53:481, 56:160
obovata, 47:71
warnockii, 52:355
Condition, survival, and productivity of elk (*Cervus elaphus*) in the Sacramento Mountains of southern New Mexico, Heather Halbritter and Louis C. Bender, 56:305–314
Conepatus
leuconotus, 47:256, 48:574, 53:87, 56:26
mesoleucus, 47:256, 47:329, 48:574, 52: 402, 53:511
semistriatus, 48:574
Conga chydaea, 48:525
Conium maculatum, 49:190, 49:194
Conn, Jeffrey A., see Porath, Mark T., —
Connell, Mary U., see Estep, M. C., —
Connior, Matthew B., and Thomas S. Risch, Benefits of subcutaneous implantation of radiotransmitters in pocket gophers, 54:214–216
Connior, Matthew B., and Thomas S. Risch, Live trap for pocket gophers, 54:100–103
Conocarpus erecta, 55:319
Conoclinium betonicifolium, 49:177, 49:178, 49:180, 55:193, 55:197, 55:198
Conomyrma insana, 54:213
Conopidae, 55:191
Conroy, Chris J., see Shohfi, Hanna E., —
Conservation genetics of cyprinid fishes (genus *Dionda*) in southwestern North America. II. Expansion of the known range of the Manantial roundnose minnow, *Dionda argentosa*, Evan W. Carson, Ashley H. Hanna, Gary P. Garrett, James R. Gibson, and John R. Gold, 55:576–581
Conservation Reserve Program seeding regime on harvester ants (*Pogonomyrmex*), with implications for the threatened Texas horned lizard (*Phrynosoma cornutum*), effects of, Nancy E. McIntyre, 48:274–277
Conserving species in fragmented habitats: population dynamics of the flat-tailed horned lizard, *Phrynosoma mcallii*, Cameron W. Barrows and Michael F. Allen, 54:307–316
Constitution, Southwestern Association of Naturalists, 49:147–162, 50:107–121
Consul electra, 48:515
Consumption of eggs of the endangered fountain darter (*Etheostoma fonticola*) by native and nonnative snails, C. T. Phillips, M. L. Alexander, and R. Howard, 55:115–117
Consumption of large mammals by *Crocodylus moreletii*: field observations of necrophagy and interspecific kleptoparasitism, Steven G. Platt, Thomas R. Rainwater, Scott Snider, Anthony Garel, Todd A. Anderson, and Scott T. McMurry, 52:310–317
Consumption of native and nonnative fishes by introduced largemouth bass (*Micropterus salmoides*) in the San Juan River, New Mexico, Tyler J. Pilger, Nathan R. Franssen, and Keith B. Gido, 53:105–108
Continued range expansion by bronzed cowbirds in the southwestern United States, Richard M. Kostecke, Kevin Ellison, and Scott G. Summers, 49:487–492
Continuing range expansion of the northern pygmy mouse (*Baiomys taylori*) in northeastern Texas, Nicholas S. Green and Kenneth T. Wilkins, 55:288–291
Contopus
cooperi, 49:32
pertinax, 52:276
sordidulus, 48:385, 49:32
virens, 49:106
Contracaecum, 52:127
spiculigerum, 49:52
Contreras-Arquieta, Salvador, see Contreras-Balderas, Armando J., —
Contreras-B., Armando J., see Espinosa-T., Alejandro, —
Contreras-Balderas, Armando J., and Andrew D. Warren, *Cercyonis pegala texana* (Lepidoptera: Nymphalidae: Satyrinae): new record from the state of Coahuila, Mexico, 51:552–553
Contreras-Balderas, Armando J., and Blanca L. Gaspar-Rodriguez, Red crossbill (*Loxia curvirostra*) in Nuevo León, Mexico, 55:287–288
Contreras-Balderas, Armando J., and Gorgonio Ruiz-Campos, Second unusual record of common loon, *Gavia immer*, for Coahuila, Mexico, and its first report for the Cuatro Ciénegas Basin, 52:153–155
Contreras-Balderas, Armando J., Black-necked stilt (*Himantopus mexicanus*) breeding range extension in Mexico, 50:84–85
Contreras-Balderas, Armando J., David J. Hafner, Juan H. Lopez-Soto, José Ma. Torres-Ayala, and Salvador Contreras-Arquieta, Mammals of the Cuatro Ciénegas Basin, Coahuila, Mexico, 52:400–409
Contreras-Balderas, Armando J., Juan H. López-Soto, José Ma. Torres-Ayala, and Salvador Contreras-Arquieta, Additional records of birds from Cuatro Ciénegas Basin, natural protected area, Coahuila, Mexico, 49:103–109
Contreras-Balderas, Armando J., *Morpho polyphemus* (Lepidoptera: Papilionoidea: Morphinae): a new record from Zacatecas, Mexico, 53:537–538
Contreras-Balderas, Armando J., see Castañeda, Gamaliel, —
Contreras-Balderas, Armando J., see Contreras-Lozano, Jorge A., —
Contreras-Balderas, Armando J., see García-De la Peña, Cristina, —
Contreras-Balderas, Armando J., see Lozano-Vilano, María de Lourdes, —
Contreras-Balderas, Salvador, see Ruiz-Campos, Gorgonio, —
Contreras-Lozano, Jorge A., David Lazcano, and Armando J. Contreras-Balderas, Aggregation of *Sceloporus minor* (Sauria: Phrynosomatidae) from Cerro el Potosí, Nuevo León, Mexico, 56:119–120
Contreras-Ramos, Atilano, see Pavón, Numa P., —
Convolvulaceae, 48:187, 50:380–384, 56: 157
Convolvulus arvensis, 56:159
Convolvus arvensis, 53:202
Convulvulaceae, 56:159
Conway, Courtney J., see Kirkpatrick, Chris, —
Conway, John R., Architecture, population size, myrmecophiles, and mites in an excavated nest of the honeypot ant, *Myrmecocystus mendax* Wheeler, in Arizona, 48:449–450
Conway, Warren C., Loren M. Smith, and James F. Bergan, Avian use of Chinese tallow seeds in coastal Texas, 47:550–556
Conyza
canadensis, 48:12
sophiifolia, 51:458

Conzattia multiflora, 55:318
Cook, Rosamonde R., see Cartron, Jean-Luc E., —
Cook, Tamara J., see Lowery, Marvin B., and —
Cooley, Christopher R., Aaron O. Floyd, Amy Dolinger, and Paul B. Tucker, Demography and diet of the painted turtle (*Chrysemys picta*) at high-elevation sites in southwestern Colorado, 48:47–53
Coonan, Timothy J., Catherin A. Schwemm, Gary W. Roemer, David K. Garcelon, and Linda Munson, Decline of an island fox subspecies to near extinction, 50:32–41
Coop, Jonathan D., Charles D. Hibner, Aaron J. Miller, and Gregory H. Clark, Black bears forage on army cutworm moth aggregations in the Jemez Mountains, New Mexico, 50:278–281
Cooper, Susan M., James C. Cathey, D. Lang Alford, and Shane S. Sieckenius, Influence of rainfall, type of range, and brush management on abundance of northern bobwhites (*Colinus virginianus*) in southern Texas, 54:13–18
Copa-Alvaro, María Eugenia, see Orozco-Lugo, Carmen Lorena, —
Copaeodes minima, 48:525
Copemys, 48:250
Copepoda, 55:525–531
Copestylum
  apiciferum, 56:354–356
  mexicanum, 56:355, 56:356
Cophosaurus texanus, 47:305, 48:351, 48:352, 55:112, 55:114, 55:244–246, 55:248, 55:252, 56:90, 56:91
Coppedge, Bryan R., Larry G. Talent, and David M. Engle, Effects of olfactory attributes and size of egg on rates of predation of artificial ground nests in tallgrass prairie, 52:453–460
Coquilletia insignis, 51:487
Coragyps atratus, 49:103–104, 52:311, 53:508
Coras, 56:47
Corbicula, 50:14
  fluminea, 50:245, 52:424–430
Corbicula fluminea (Bivalvia: Sphaeriacea: Corbiculidae) in Colorado, James R. Cordeiro, Arlene P. Olivero, and John Sovell, 52:424–430
Corbiculidae, 50:245, 52:424–430
Cordeiro, James R., Arlene P. Olivero, and John Sovell, *Corbicula fluminea* (Bivalvia: Sphaeriacea: Corbiculidae) in Colorado, 52:424–430
Cordes, James E., and James M. Walker, Parthenogenetic *Aspidoscelis neomexicana* (Sauria: Teiidae) and syntopic congeners in Presidio County, Texas, 54:226–230
Cordes, James E., see Pérez-Ramos, Edmundo, —
Cordes, James E., see Taylor, Harry L., —
Cordes, James E., see Walker, James M., and —
Cordia
  allidora, 55:141
  boissieri, 56:154–161
Cordillacris occipitalis, 52:557
Cordulegaster, 53:380
Cordulegastridae, 53:380
Cordulidae, 48:446
Corduliidae, 48:447
Cordylanthus nevinii, 53:64, 53:72
Cordylidae, 54:404
Cordylus
  cataphractus, 48:121
  giganteus, 54:404
  polyzonus, 54:404
Coreidae, 55:112, 55:191
Coreocarpus
  arizonicus, 52:622
  parthenioides, 53:70
Coreopsis, 52:522, 52:523
  bigelovii, 48:11
  gigantea, 50:34
  grandiflora, 47:590
Corinna, 56:48
Corinnidae, 54:334, 54:337, 56:47
Corisella, 53:380
Corixidae, 48:31, 50:241, 53:380, 54:170, 54:470, 54:471
Cornelisse, Kimberly L., see Siemers, Jeremy L., —
Cornell, Jack E., Mélida Gutiérrez, D. Alexander Wait, and Héctor O. Rubio-Arias, Ecological characterization of a riparian corridor along the Río Conchos, Chihuahua, Mexico, 53:96–100
Cornus, 54:348, 56:400
  disciflora, 56:401
  drummondii, 49:101, 52:264, 53:216, 54:223
  florida, 51:53
  stolonifera, 50:213
Coronilla, 55:427
  varia, 48:493
Corrodopsylla curvata, 50:90, 50:91
Corticea
  corticea, 48:523
  lysias, 48:523
Corvus
  brachyrhynchos, 50:468, 53:452, 53:453, 53:468, 55:24, 55:26
  corax, 47:619, 50:442, 50:468, 52:277, 53:206, 53:267, 54:249, 54:286, 54:289, 55:24, 56:38
  corone, 47:536
  cryptoleucus, 47:388, 47:473, 49:106, 51:48–51, 54:141
Corydalidae, 48:31, 50:242, 53:208–213, 53:524
Corydalus, 48:31
  cornutus, 53:208–213
  luteus, 50:242
Corynebacterium minutissium, 51:300
Corynoneura, 51:147
Corynorhinus, 55:207
  mexicanus, 48:575, 50:453–460, 53:287, 53:292, 55:352–354
  rafinesquii, 49:61–67, 49:294–298, 54:427
  townsendii, 47:328, 48:575, 49:144, 50:202, 50:203, 50:453, 50:458, 51:54, 51:56, 51:57, 52:402, 52:482, 52:485–489, 52:491, 53:245, 54:169, 55:210, 55:331, 55:332, 55:334, 55:335, 55:352, 55:354
Corypantha robbinsorum, 56:147
Coryphantha
  pallida, 47:162–168
  robertii, 53:425
  robustispina, 50:484
  vivipara, 50:213
Cosmarium
  angulosum, 49:402
  granulatum, 49:402
  obtusatum, 49:402
  undulatum, 49:402
Cosmocerca podicipinus, 47:294, 47:296, 47:297
Cosmocercidae, 50:253
Cosmocercoides, 50:251–253, 50:255
  dukae, 50:254
  variabilis, 50:254
Cosmos, 48:181
  bipinnatus, 48:187
Costa, Ricardo L., see Azevedo, Fernando C. C., —
Cotera, Mauricio, see Scott-Morales, Laura, —
Cotera-Correa, Mauricio, see Rioja-Paradela, Tamara M., —
Cotinis, 50:91
Cotroneo, Rachel A., see Mitrovich, Milan J., and —
Cottidae, 53:339, 54:390, 55:280
Cottus
  asper, 47:195–204
  carolinae, 51:378, 51:390, 54:390
Cotula coronopifolia, 52:200
Coturnix, 47:534, 47:536, 52:455
  coturnix, 52:458
  japonica, 48:460, 48:461, 55:226, 55:593
Cougars in Guadalupe Mountains National Park, Texas: estimates of occurrence and distribution using analysis of DNA, Oranit Gilad, Jan E. Janečka, Fred Armstrong, Michael E. Tewes, and Rodney L. Honeycutt, 56:297–304
Coughlin, Warren D., Anthony A. Echelle, Ronald A. Van Den Bussche, Larry M. Cofer, and William L. Fisher, Genetic structure of spotted bass (*Micropterus punctula-*

tus) in the Red and Arkansas river basins: microsatellite and mitochondrial DNA variation, 48:526–533
Coursetia
caribaea, 51:9
glabella, 48:181
glandulosa, 52:355
microphylla, 52:522, 52:523
Corus corax, 50:278
Cowania mexicana, 53:152, 53:154, 53:156
Cowbird parasitism on the black-capped gnatcatcher in western Mexico, first report of, Jorge H. Vega Rivera, Fernando Alvarado, Talía Valdivia, and John Rappole, 49:277–278
Cowbird parasitism with minimal-effort shooting: a pilot study, reducing, Scott G. Summers, Mike M. Stake, Gilbert H. Eckrich, Richard M. Kostecke, and David A. Cimprich, 51:409–411
Coyner, Brandi S., Thomas E. Lee, Jr., Duke S. Rogers, and Ronald A. Van Den Bussche, Taxonomic status and species limits of *Perognathus* (Rodentia: Heteromyidae) in the southern Great Plains, 55:1–10
Coyotes (*Canis latrans*) in Guatemala, Nicté Ordóñez-Garza, Walter Bulmer, Ralph P. Eckerlin, and John O. Matson, 53:507–509
Crabronidae, 52:564–569, 55:442
Crangonyctidae, 51:147, 51:251, 53:79, 53:81
Crangonyx, 51:147
forbesi, 51:251
pseudogracilis, 53:81
Cranopsis, 48:676
bocourti, 53:116
valliceps, 53:116
Crassula connata, 53:71
Crassulaceae, 52:121, 53:71
Crataegus, 49:529, 51:53, 55:451
macracantha, 51:120
Crateva tapia, 53:10, 53:176
Craticula cuspidata, 49:399
Cratogeomys, 51:273, 52:506
castanops, 48:574, 52:296–301, 52:403, 52:404
castinops, 47:255
fumosus, 48:574, 52:83–88
goldmani, 48:574
gymnurus, 48:574, 52:84, 52:86
merriami, 48:574, 52:83
neglectus, 48:574, 48:577
tylorhinus, 48:574, 52:84, 52:86
zinseri, 48:574
Craugastor augusti, 55:249
Crawford, Priscilla H. C., The Southwestern Association of Naturalists, minutes of the Meeting of the Board of Govenors and Officers, 56th annual meeting, Universidad Autónoma de Nuevo León, Monterrey, Nuevo León, México, Biblioteca Magna, Thursday 23 April 2009, 54:525–533
Crawford, Priscilla H. C., The Southwestern Association of Naturalists, actas de la Reunión del Consejo Directivo y Oficiales, 56ava reunión anual, Universidad Autónoma de Nuevo León, Monterrey, Nuevo León, México, Biblioteca Magna, Jueves 23 de abril 2009, 54:533–542
Crawford, Priscilla H. C., The Southwestern Association of Naturalists, minutes for the Business meeting, 56th annual meeting, Universidad Autónoma de Nuevo León, Monterrey, Nuevo León, México, Friday 24 April 2009, 54:542–547
Crawford, Priscilla H. C., The Southwestern Association of Naturalists, actas de la Reunión Anual de Negocios, 56ava reunión anual, Universidad Autónoma de Nuevo León, Monterrey, Nuevo León, México, Viernes 24 de abril 2009, 54:547–552
Crawford, Priscilla H. C., The Southwestern Association of Naturalists, minutes of the Meeting of the Board of Governors and Officers, Texas Tech University, Packard North, Llano River Field Station, Junction, Texas, Thursday, 22 April 2010, 55:601–605
Crawford, Priscilla H. C., The Southwestern Association of Naturalists, actas de la 57ª Reunión del Consejo Directivo y Oficiales, Texas Tech University, Packard North, Llano River Field Station, Junction, Texas, Jueves, 22 de abril 2010, 55:605–610
Crawford, Priscilla H. C., The Southwestern Association of Naturalists, minutes of the Business Meeting, Texas Tech University, Llano River Field Station, Junction, Texas, Friday-Saturday, 23–24 April 2010, 55:610–615
Crawford, Priscilla H. C., The Southwestern Association of Naturalists, actas de la Reunión de Negocios, Texas Tech University, Llano River Field Station, Junction, Texas, Viernes-Sábado, 23 y 24 de abril 2010, 55:615–621
Crawford, Priscilla H. C., The Southwestern Association of Naturalists, minutes of the Meeting of the Board of Governors and Officers at the 58th annual meeting, University of Texas at Tyler, Tyler, Texas, Thursday, 21 April 2011, 56:438–444
Crawford, Priscilla H. C., The Southwestern Association of Naturalists, actas de la 58ª Reunión del Consejo Directivo y Oficiales, University of Texas at Tyler, Tyler, Texas, Jueves, 21 de abril 2011, 56:444–451
Crawford, Priscilla H. C., The Southwestern Association of Naturalists, minutes of the Business Meeting, 58th annual meeting, University of Texas at Tyler, Tyler, Texas, Friday-Saturday, 22–23 April 2011, 56:451–458
Crawford, Priscilla H. C., The Southwestern Association of Naturalists, actas de la Reunión de Negocios de la 58ª reunión anual, University of Texas at Tyler, Tyler, Texas, Viernes y Sábado, 22 y 23 de abril 2011, 56:458–466
Crax rubra, 54:91, 54:93, 55:399
Crayfishes of Oklahoma revisited: new state records and checklist of species, Christopher A. Taylor, Shane N. Jones, and Elizabeth A. Bergey, 49:250–255
Crematogaster
crinosa, 56:432
obscurata, 56:432
punctulata, 54:213
sotobosque, 56:432–433
torosa, 56:432
Crenichthys baileyi, 54:162
Crepidophryne, 48:676
Crepidotus mollis, 48:662, 48:663, 48:665
Crepis
capillaris, 48:12
paludosa, 48:13
Crews, Sarah C., and Lawrence E. Stevens, Spiders of Ash Meadows National Wildlife Refuge, Nevada, 54:331–340
Cricetidae, 48:270, 50:366, 54:222, 54:231, 54:369, 54:411, 54:412, 54:546, 54:551, 54:553, 55:143, 55:288, 56:224
Criffield, Marc A., Mason V. Reichard, Eric C. Hellgren, David M. Leslie, Jr., and Kimberly Freel, Parasites of swift foxes (*Vulpes velox*) in the Oklahoma Panhandle, 54:492–498
Critical thermal maxima of captive-bred Devils River minnows (*Dionda diabolí*), J. N. Fries and J. R. Gibson, 55:544–550
Crnkovic, Amanda C., Discovery of northern long-eared myotis, *Myotis septentrionalis* (Chiroptera: Vespertilionidae), in Louisiana, 48:715–717
Crnkovic, Amanda, see Hardy, Laurence M., and —
Crocodylidae, 51:232
Crocodylus, 54:75
acutus, 51:226, 51:232–234, 52:315, 54:78, 56:212–215
moreletii, 52:310–317
niloticus, 52:314, 52:315
porosus, 52:314
Crocuta crocuta, 54:79
Crooks, Kevin R., Melissa Grigione, Alison Scoville, and Gerald Scoville, Exploratory use of track and camera surveys of mammalian carnivores in

the Peloncillo and Chiricahua mountains of southeastern Arizona, 53:510–517
Crooks, Kevin R., see George, Shalene L., and —
Croptilon rigidifolium, 49:183, 49:186
Crossings over the Tucson Aqueduct by selected mammals, use of, Ronald J. Popowski and Paul R. Krausman, 47:363–371
Crossosoma bigelovii, 52:355, 53:71
Crossosomataceae, 53:71
Crosswhite, Doyle L., see Williams, Lance R., —
Crotalaria, 51:6, 51:7, 54:442, 55:426, 55:428, 55:430
eriocarpa, 50:146
mollicula, 51:9
pumila, 48:187, 48:487, 51:9
rotundifolia, 51:459
rotundifolia, 51:9, 51:458
Crotalidae, 50:28
Crotalus, 51:46, 52:113
adamanteus, 53:199
atrox, 47:307–310, 47:312–314, 48:106, 48:351, 49:270, 49:272, 49:274, 50:269, 51:41, 51:42, 51:44, 51:45, 53:108–114, 53:187, 53:196–200, 53:234, 54:228, 54:519, 54:520, 55:244–248, 55:253
basiliscus, 50:24–28
cerastes, 47:36, 47:37, 47:308, 55:249
cerberus, 55:244–249, 55:253
horridus, 47:36, 47:37, 49:530, 49:531, 53:196–200, 55:12, 55:14, 55:280
lepidus, 47:36, 48:350–353, 53:196, 53:199, 55:249
mitchellii, 54:518–521
molossus, 48:106, 48:350–352, 50:24–29, 53:110, 53:199, 55:244–247, 55:253
oreganus, 49:413, 53:199, 54:518
pricei, 48:350, 48:352, 55:249
ruber, 53:199
scutulatus, 53:112, 53:199, 54:518, 54:520, 55:253
tigris, 48:106, 53:110, 55:244–248, 55:253
triseriatus, 50:24–29, 52:260, 52:261
unicolor, 55:280
viridis, 47:30–39, 47:308, 48:106, 48:353, 49:412–414, 50:29, 50:209, 53:199, 54:301, 55:12, 55:14, 55:176
willardi, 47:310–311, 48:350–353, 53:196, 53:199, 55:249
Crotaphytidae, 47:41, 47:51, 55:252, 55:278
Crotaphytus, 52:320, 54:29, 55:583
antiquus, 52:47, 55:278–279
collaris, 47:51, 47:299, 48:282–284, 48:351, 48:352, 50:209, 50:269, 52:51, 52:52, 55:245, 55:246, 55:252, 56:374
nebrius, 55:248
reticulatus, 47:103, 48:282–286, 52:47
vestigium, 47:41, 47:46, 47:51
Croton, 47:103, 47:602, 51:579, 53:2, 53:386, 53:481, 55:480, 55:483
californicus, 52:200, 52:355, 53:71, 55:441, 55:442
capitatus, 49:179, 55:186
cortesianus, 55:421
dioicus, 54:447
glandulosus, 49:176–179, 49:183, 49:184, 49:186
magdalenae, 53:71
monanthogynus, 47:589, 53:497, 53:499
pottsii, 55:497
sonorae, 52:355
torreyanus, 56:160
Crotonopsis elliptica, 47:589
Crotophaga sulcirostris, 54:105
Crotophytus collaris, 48:106
Crow, Susan E., and Stewart Ware, Soil type tolerance in rock outcrop plants: species of non-calcareous substrates, 52:120–125
Cruciferae, 48:231
Crusea
brachyphylla, 51:458, 54:442
diversifolia, 51:458
Crustacea, 55:525–531
Cryan, Paul M., see Valdez, Ernest W., and —
Cryptantha
intermedia, 52:200, 53:70
micrantha, 53:70
muricata, 53:70
nevadensis, 53:70
pterocarya, 53:70
Cryptocarya alba, 56:418
Cryptocoryne beckettii, 53:173
Cryptoporus volvatus, 51:427
Cryptostegia grandiflora, 51:505
Cryptotis
alticola, 53:103
goldmani, 48:575
goodwini, 48:575, 48:576
griseaventris, 51:269, 51:271
magna, 48:575
mayensis, 48:571, 48:575, 48:577
mexicana, 48:575, 51:271, 52:329, 52:331
parva, 47:255, 47:322, 47:323, 48:575, 49:533, 51:267–269, 52:407, 52:442, 52:444, 52:445, 53:87, 53:101–103, 54:88, 54:239, 55:52, 55:53, 55:289, 56:243, 56:244, 56:410, 56:412
Crypturellus cinnamomeus, 47:473, 54:92
Crystallaria asprella, 54:391, 55:587, 55:590
Ctenidae, 56:47
Ctenopharyngodon idella, 47:146, 49:89–93
Ctenophorus, 52:51
decresii, 55:105
Ctenopthalmus pseudogyrtes, 50:90, 50:91
Ctenosaura melanosterna, 52:40
Cuculidae, 48:402, 48:406, 48:407
Cucumis, 50:472, 50:473, 50:475
Cucurbita cordata, 50:144
Cucurbitaceae, 50:475, 53:71
Cucurlionidae, 52:320, 52:322
Culaea inconstans, 56:110
Culex, 53:380
Culicidae, 48:288, 50:241, 53:380, 54:170, 55:191, 55:236, 56:79, 56:80
Culicoides, 48:636, 48:637, 50:240, 53:380
Culoptila
cantha, 51:329, 51:332, 51:334, 51:336, 54:192
kimminsi, 51:332, 54:185, 54:193
moselyi, 51:326, 51:332, 54:184, 54:185, 54:188, 54:189, 54:193
thoracica, 51:332, 54:192
Cummer, Michelle R., and Charles W. Painter, Three case studies of the effect of wildfire on the Jemez Mountains salamander (*Plethodon neomexicanus*): microhabitat temperatures, size distributions, and a historical locality perspective, 52:26–37
Cummins, Tiffany, and Norman A. Slade, Summer captures of *Reithrodontomys megalotis* in elevated traps, 52:79–82
Cuniculus paca, 55:399
Cuon alpinus, 54:74, 54:75
Cupressaceae, 48:187, 50:476, 53:70, 56:67
Cupressus, 48:179, 49:124, 51:6, 55:428
arizonica, 48:181–183, 48:185, 48:187, 48:605, 50:502, 51:2, 53:252, 55:348
forbesii, 51:447–454
lusitanica, 48:185
sargentii, 51:452
Cupriavidus necator, 51:304, 51:306
Curaeus curaeus, 56:420
Curculionidae, 48:197, 48:198, 49:259, 50:91, 50:240, 51:557, 53:140, 54:170, 55:112, 55:191, 55:344
Cureton, James C., II, Jason L. Randall, and Raelynn Deaton, Relative size of males and competition for females induces homosexual behavior in the western mosquitofish (*Gambusia affinis*) under laboratory conditions, 55:263–268
Curson, David R., see Goguen, Christopher B., —
Curtis, Jennifer L., see Butler, Christopher J., —
Cuscuta, 52:200
californica, 53:71
salina, 50:135
Cuscutaceae, 53:71
Cuterebra, 55:112
austeni, 52:568
fontinella, 55:363, 55:366
Cuvieronius, 51:227, 51:231, 51:233, 51:234, 54:217
tropicus, 54:219
Cyanocitta
cristata, 53:468
stelleri, 48:386, 52:275, 52:276, 55:24, 55:26
Cyanocompsa parellina, 49:278, 55:390
Cyanocorax yncas, 52:440, 54:503
Cyanolyca pumilo, 53:508
Cyanophrys
fusius, 48:518

herodotus, 48:518
longula, 48:518
Cyathea, 53:518
affinis, 49:123
fulva, 49:123
mexicana, 49:123
Cybister, 50:240
Cyclanthera dissecta, 48:181
Cyclarhis gujanensis, 55:572
Cycleptus, 52:383, 55:284–286
elongatus, 55:82, 55:85, 55:285, 55:286
Cycleptus in the Río Conchos, Chihuahua, Mexico, recent records of, Ma. de Lourdes Lozano-Vilano, 55:284–286
Cycloglypha thrasibulus, 48:523
Cyclopes didactylus, 48:574
Cyclopidae, 55:528
Cyclopoida, 48:341–346
Cyclops, 52:372
scutifer, 48:342
Cylindropuntia, 52:196, 55:315, 55:316
alcahes, 52:200, 53:71
californica, 52:198, 52:200
cholla, 52:200, 53:71
ganderi, 53:64, 53:66, 53:71
imbricata, 56:393–400
leptocaulis, 52:252, 52:253, 56:393–400
molesta, 52:200, 53:71
tesajo, 52:200
Cyllopsis, 48:516
Cymaenes
fraus, 48:524
theogenis, 48:524
trebius, 48:524
Cymatogaster aggregata, 53:339
Cymatopleura elliptica, 49:399
Cymbella, 49:397
alpestris, 49:399
cuspidata, 49:399
cymbiformis, 49:399
inaequalis, 49:399
neocistula, 49:399
pusilla, 49:399
Cynanchum peninsulare, 50:142
Cynanthus latirostris, 47:623–626, 52:302, 52:304
Cynipidae, 55:192
Cynocephalidae, 54:222
Cynodon, 49:352
dactylon, 47:428, 47:434, 51:359, 52:84, 53:73, 53:86, 53:87, 53:386, 53:499, 53:500, 55:37
Cynomops
greenhalli, 48:140, 55:351, 55:354
mexicanus, 54:412, 54:415, 54:417
Cynomys, 50:364, 52:63, 52:541, 54:494
gunnisoni, 49:270, 49:272, 49:273, 49:376, 53:51–60, 53:201–207, 53:522
leucurus, 49:376, 53:201–207
ludovicianus, 47:328, 47:379, 47:382, 47:546, 48:575, 49:376, 51:433, 52:506, 53:52, 53:56, 53:57, 53:201–207, 53:522, 54:19–23, 54:300–306, 55:50–56, 55:167–171
mexicanus, 48:567–569, 48:575, 49:376, 53:91, 53:92, 53:94, 53:201, 53:520–523, 55:428
parvidens, 49:376–383, 53:57, 53:201–207, 53:522
Cynoscion
arenarius, 49:49
nebulosus, 49:49
xanthulus, 54:157
Cyperaceae, 47:464, 48:187, 48:442–444, 49:183, 49:191, 51:458, 54:348, 55:193–198, 55:200, 55:256, 55:258, 56:60, 56:344
Cyperus, 48:181, 53:497–499, 53:500
acuminatus, 55:257
echinatus, 49:186
elegans, 55:257
erythrorhizos, 55:257, 55:261
lupulinus, 56:59
odoratus, 47:428, 53:397
pseudovegetus, 55:257
sesleroides, 51:458, 54:442
sesslerioides, 48:181, 48:182, 48:187
spectabilis, 51:458, 54:442
surinamensis, 55:257
Cypher, Brian L., see Murdoch, James D., —
Cypher, Brian L., see Smith, Deborah A., —
Cyprididae, 51:232
Cypridopsidae, 51:232
Cypridopsis vidua, 51:232
Cyprinella, 54:344
analostana, 55:130, 55:133
callisema, 55:133, 55:134
camura, 54:387
carpio, 49:530
formosa, 54:109, 56:281, 56:284, 56:285
galactura, 55:130, 55:133, 55:134
gibbsi, 55:134
lepida, 55:129–135
lutrensis, 47:150, 47:605–610, 48:667, 49:85, 49:86, 49:437–439, 50:75–77, 50:488, 51:397, 51:398, 52:130–132, 52:383, 52:384, 53:106, 53:126, 53:236, 53:237, 53:493, 53:532, 54:109, 54:385, 54:387, 54:465, 55:78, 55:81, 55:82, 55:130, 55:133, 55:134, 55:153, 55:154, 55:547, 56:111, 56:386
proserpina, 50:75–77, 50:247, 55:579
trichroistia, 55:134
venusta, 47:187, 47:189, 47:191, 50:76, 50:77, 54:387, 54:517, 55:130, 55:154
whipplei, 54:387, 54:517
Cyprinidae, 47:95, 48:666–669, 51:232, 52:132, 52:378–385, 53:106, 53:225, 53:339, 53:400, 54:109, 54:387, 54:388, 55:280, 55:587, 55:588
Cypriniformes, 54:514–518
Cyprinodon, 54:107, 54:111
albivelis, 54:109
atorus, 48:88
bovinus, 54:108, 54:110, 54:163
diabolis, 53:327
elegans, 48:85–88, 53:287, 53:292, 54:108, 54:110
eximius, 54:110
fontinalis, 54:108, 54:109
gibbosus, 54:108
macularius, 47:332, 47:516, 47:645, 47:650, 48:88, 54:108, 54:110, 54:156–165, 56:385–392
nevadensis, 50:313, 53:327, 54:163
pecosensis, 48:88, 50:76, 50:77
pisteri, 54:108, 54:109
rubrofluviatilis, 47:150, 48:88, 49:85–87, 54:163, 54:390, 55:153 154
tularosa, 50:312–317
variegates, 53:234
variegatus, 48:88, 48:451, 48:452, 50:76, 50:77, 50:313, 50:316, 54:108, 56:389
Cyprinodon rubrofluviatilis, Red River pupfish (Teleostei: Cyprinodontidae), established in the Cimarron River in Oklahoma, David L. McNeely, William Caire, Argenia L. N. Doss, Victor M. Harris, and Toure Rider, 49:85–87
Cyprinodontidae, 49:85–87, 52:132, 54:107–111, 54:390
Cyprinus carpio, 48:57, 48:362, 48:667, 49:86, 49:312, 50:76, 50:77, 51:502, 51:503, 52:435–436, 53:106, 53:126, 53:224, 53:225, 53:227–229, 53:236, 53:237, 53:338, 53:339, 54:183, 54:387, 54:465, 55:82, 55:85, 55:152, 55:154, 55:600, 56:281, 56:285
Cyrtaucheniidae, 56:46
Cyrtocarpa edulis, 50:147
Cyrtolaelapidae, 50:90
Cyrtolaelaps, 50:90
Cyrtonaias, 48:334
Cyrtonyx, 52:113
montezumae, 51:579, 52:272, 52:276
Cyrtosomum penneri, 48:211
Cystosoma saundersii, 54:24
Cytisus scoparius, 51:493
Cytophaga, 51:300
Czaplewski, Nicholas J., and William D. Peachey, Late Pleistocene bats from Arkenstone Cave, Arizona, 48:597–609
Czaplewski, Nicholas J., see Mead, Jim I., —

D'Souza, Lana E., and Paul W. Barnes, Woody plant effects on soil seed banks in a central Texas savanna, 53:495–506
Dactylis glomerata, 48:494, 48:504, 55:257
Dactylococcopis rhaphidioides, 49:398
Dactylogyridae, 52:127
Dactylopsylla percernis, 54:495, 54:496
Dahlia coccinea, 56:162–171
Daihiniodes hastiferum, 49:272, 49:273
Dalea, 47:602, 51:1, 51:5, 51:7, 51:8, 52:350, 55:426–428, 55:431
bicolor, 51:9, 52:200, 53:65, 53:66, 53:71
botteri, 51:9

capitata, 51:4, 51:9, 55:429
eriophylla, 51:4, 51:6, 51:9
filiciformis, 51:6, 51:9
filiformis, 48:184
formosa, 49:6, 55:496
grayi, 48:187
greggii, 51:9
gypsophila, 51:4, 51:6, 51:9, 55:429
hospes, 51:9
laniceps, 51:9, 55:430
lasiathera, 51:9
leucostachya, 48:181
luisana, 51:6, 51:9
lutea, 51:9
megalostachya, 50:144, 53:71
melantha, 51:9
mollis, 50:139
nana, 51:9
parryi, 53:71
pogonathera, 51:9
purpurea, 47:590
radicans, 51:4, 51:9, 55:429
saffordi, 51:4, 51:9
scandens, 51:9
spinosa, 47:450, 50:142
uniflora, 51:4, 51:6, 51:10, 55:429
viridiflora, 48:181, 48:187
Daletum spinosae, 50:142
Dama dama, 51:358–367
Damas clavus, 48:524
Danaus
eresimus, 48:516
gilippus, 48:516
plexippus, 48:516, 52:14
Danemann, Gustavo D., see Carmona, Roberto, —
Daniel, David L., see Abbott, Laurie B., —
Daniel, David L., see Kroll, Andrew J., —
Daniels, Mark L., see Korb, Julie E., —
Danthonia
parryi, 52:495
spicata, 50:94
Daphnia, 47:198, 47:201, 52:230, 53:380
galeata, 50:158, 50:160
lumholtzi, 50:158–165
parvula, 50:158, 50:160
Daphniidae, 53:380
Daphnopsis americana, 49:126
Darcythompsonidae, 55:527
Dartez, Schuyler F., see Hampton, Paul M., —
Darwinula, 51:232
Darwinulidae, 51:232
Dash, Shawn T., see Morgan, Cynthia E., —
Dasiliryon wheeleri, 51:433
Dasyhelea, 53:380
Dasylirion, 47:614, 48:598, 51:2, 51:283, 52:110, 53:86, 55:428
leiophyllum, 49:283, 50:95, 53:244, 54:447, 55:496, 55:499
texana, 54:262
texanum, 53:92
wheeleri, 47:440, 47:443, 47:445, 47:446, 48:636, 54:227
Dasymutilla, 55:442
asopus, 51:537
bioculata, 51:538
birkmani, 51:538
calorata, 51:536–538, 51:540
campanula, 51:538, 51:540
caneo, 51:538
chiron, 51:538
creusa, 51:538
cypris, 51:538
digressa, 51:538
dugesii, 51:538
foxi, 51:538
gorgon, 51:538
hector, 51:537
hispidaria, 51:538
klugii, 51:538
leda, 51:538
monticola, 51:538
montivagoides, 51:537, 51:539, 51:540
mutata, 51:538
myrice, 51:538
neomexicana, 51:537, 51:538
nigricauda, 51:537–540
occidentalis, 51:538, 51:540
perilla, 51:538
quadriguttata, 51:538
radkei, 51:538, 51:539
scauvola, 51:538
sicheliana, 51:538
snoworum, 51:538
stevensii, 51:538
texanella, 51:538
vesta, 51:538
vestita, 51:538
waco, 51:537–539
zelaya, 51:538
Dasyochloa
pulchella, 49:6, 49:8, 53:92
pulchellum, 47:441
Dasypeltis, 48:554, 51:45
Dasypodidae, 48:574
Dasyprocta
mexicana, 48:570, 48:574
punctata, 48:574
Dasyproctidae, 48:574
Dasypus novemcinctus, 47:249, 47:255, 47:489–491, 48:574, 49:532, 50:104, 51:560–562, 52:64, 52:329, 52:330, 53:87, 53:102, 53:218, 53:453, 55:395, 56:410–412
Dasyurus hallucatus, 52:264
Datura, 53:73
inoxia, 52:200
Daucus
carota, 49:191, 56:56
montanus, 51:458
Dávalos-Lind, Laura, see López, Carlos, —
Davenport, Stephen R., and W. Jason Remshardt, Range extensions for *Pimephales vigilax* and *Percina macrolepida* in the Rio Grande, New Mexico, 53:125–128
Davenport, Stephen R., see Archdeacon, Thomas P., and —
David, Gabriel, see Chambers, Mary, —
Dávila-Ulloa, Erika G., see Ramírez-Bautista, Aurelio, and —
Davis, Craig A., see Disney, Michael R., —
Davis, John M., see Brown, Christopher A., —
Davis, M. R., see Everitt, J. H., —
Davis, Stacey, see Hoogland, John L., —
DDE-induced eggshell thinning in white-faced ibis: a continuing problem in the western United States, Kirke A. King, Brenda J. Zaun, H. Maaike Schotborgh, and Carla Hurt, 48:356–364
de Gouvenain, Roland C., and Ali M. Ansary, Association between fire return interval and population dynamics in four California populations of Tecate cypress (*Cupressus forbesii*), 51:447–454
de J. Ortiz, Teresita, see Santos-Moreno, Antonio, —
de la Cruz-Agüero, José, see Ruiz-Campos, Gorgonio, —
De La Peña-Domene, Marines, see Orozco-Lugo, Carmen Lorena, —
De León-Ibarra, Alejandra, see Orozco-Lugo, Carmen Lorena, —
Dearborn, Donald C., see Anders, Angela D., and —
Dearing, M. Denise, see Baugh, Alexander T., —
Deaton, Raelynn, Parasitic nematodes decrease fecundity in the western mosquitofish, *Gambusia affinis*, 56:262–265
Deaton, Raelynn, see Cureton, James C., II, —
Debelica, Anica, Amanda K. Matthews, and Loren K. Ammerman, Dietary study of big free-tailed bats (*Nyctinomops macrotis*) in Big Bend National Park, Texas, 51:414–418
DeBoer, Timery S., and David D. Diamond, Predicting presence-absence of the endangered golden-cheeked warbler (*Dendroica chrysoparia*), 51:181–190
Decapoda, 51:94–99, 51:376–381, 51:382–392, 51:392–396
Decline of an island fox subspecies to near extinction, Timothy J. Coonan, Catherin A. Schwemm, Gary W. Roemer, David K. Garcelon, and Linda Munson, 50:32–41
Decline of the meadow jumping mouse (*Zapus hudsonius luteus*) in two mountain ranges in New Mexico, Jennifer K. Frey and Jason L. Malaney, 54:31–44

DeFalco, Lesley A., see Esque, Todd C., —
Defensive blood squirting in *Phrynosoma ditmarsi* and a high rate of human-induced blood squirting in *Phrynosoma asio*, Wendy L. Hodges, 49: 267–270
Deirochelys, 55:560
Dejection and expulsion rates of coyotes (*Canis latrans*) in captivity, Octavio Monroy-Vilchis and Carlos Frieven, 51:272–276
Delaney, David K., see Walde, Andrew D., —
Delaria odorata, 47:230
Delfín-Alfonso, Christian, see Hernández-Huerta, Arturo, —
Delgadillo Rodríguez, José, see Peinado, Manuel, —
Delgadillo Villalobos, Jonás A., Bonnie Reynolds McKinney, Felicianao Heredia Pineda, and Santiago Gibert Isern, Nest record of *Sorex milleri* from Maderas del Carmen, México, 50:94–95
Delgadillo, José, see Peinado, Manuel, —
Delgado S., Alfonso, see Estrada C., Eduardo, —
Delgado, Carlos, see Seminoff, Jeffrey A., —
Delgado-Salinas, Alfonso, see Estrada C., Eduardo, —
Delonix regia, 51:2, 51:493, 51:494
Delphacidae, 48:133, 53:140
Delphinium
nelsonii, 47:9
parishii, 53:72
treleasii, 47:589
wislizenii, 48:181
Demarais, Stephen, see Webb, Stephen L., —
Demarais, Steve, see McDonald, Christopher G., —
DeMaso, Stephen J., see Young, John H., —
Demodex, 54:495–497
Demographics of a ringed salamander (*Ambystoma annulatum*) breeding migration, Jeffrey T. Briggler, James E. Johnson, and Dwayne D. Rambo, 49:209–217
Demographics, den use, movements, and absence of *Leishmania mexicana* in southern plains woodrats (*Neotoma micropus*), Robert Merkelz and Sara F. Kerr, 47:70–77
Demography and diet of the painted turtle (*Chrysemys picta*) at high-elevation sites in southwestern Colorado, Christopher R. Cooley, Aaron O. Floyd, Amy Dolinger, and Paul B. Tucker, 48:47–53
Demography of a semelparous, high-elevation population of *Sceloporus bicanthalis* (Lacertilia: Phrynosomatidae) from the Nevado de Toluca Volcano, Mexico, Felipe Rodríguez-Romero, Geoffrey R. Smith, Fernando Méndez-Sánchez, Oswaldo Hernández-Gallegos, Petra Sánchez Nava, and Fausto R. Méndez de la Cruz, 56:71–77
Dendrobates auratus, 50:493
Dendrobatidae, 50:493
Dendrocoelopsis americana, 51:251–252
Dendrocolaptes sanctithomae, 54:512, 54:513
Dendrocolaptidae, 54:362
Dendrocygna autumnalis, 49:104, 51:370, 53:185–189, 53:230–235, 54:502
Dendroica
chrysoparia, 49:39–47, 51:181–190, 53:445, 53:466
coronata, 47:550, 47:551, 47:553, 49:32, 50:279, 52:276, 54:512, 55:25
dominica, 54:506
graciae, 49:32, 52:276
magnolia, 47:553
nigrescens, 49:32, 54:512
palmarum, 55:572
pensylvanica, 55:572
petechia, 47:627, 48:296, 49:32, 50:446, 52:155, 54:65
pinus, 54:506
striata, 54:510–514
townsendi, 50:442
virens, 54:512
Dendrophidion
nuchale, 47:615–616
percarinatum, 47:616
vinitor, 47:615, 47:616
Density of longhorned beetles (Coleoptera: Cerambycidae) differs at different elevations in Hawaiian montane forest, Steven Goldsmith, 52:364–370
Density on the spatial behavior of female thirteen-lined ground squirrels, *Spermophilus tridecemlineatus*, influence of, Linda D. Luna and Troy A. Baird, 49:350–358
Depredation of a nest of the eastern meadowlark (*Sturnella magna*) by a speckled kingsnake (*Lampropeltis getula holbrooki*), Diane V. Landoll and Michael S. Husak, 56:433–435
Dermacentor
andersoni, 54:496
variabilis, 50:90, 54:493, 54:495–497
Dermanura, 54:410, 54:411
azteca, 48:574, 49:123, 50:97, 52:329, 52:332, 54:412, 54:414
phaeotis, 48:574, 48:583, 50:97, 54:412–414
tolteca, 48:142, 48:143, 48:574, 48:582, 48:583, 49:123, 50:97, 53:518, 54:412, 54:413, 54:415
watsoni, 48:574
Dermatocarpon, 47:587, 47:588
Descurainia
richardsonii, 47:63
sophia, 49:407
Desert bighorn sheep (*Ovis canadensis mexicana*) in eastern Sonora and northwestern Chihuahua, Mexico, recent records of, Karla Pelz-Serrano, Eduardo Ponce-Guevara, Rodrigo Sierra-Corona, Rurik List, and Gerardo Ceballos, 51:430–434
Desert horned lizard (*Phrynosoma platyrhinos*) locomotor performance: the influence of cheatgrass (*Bromus tectorum*), T. A. Scott Newbold, 50:17–23
Desert tortoises (*Gopherus agassizii*) from Pleistocene sediments in Cathedral Cave, White Pine County, Nevada, Christopher N. Jass and Christopher J. Bell, 55:558–563
Desert wildfires on desert tortoise (*Gopherus agassizii*) and other small vertebrates, effects of, Todd C. Esque, Cecil R. Schwalbe, Lesley A. DeFalco, Russell B. Duncan, and Timothy J. Hughes, 48:103–111
Desmanthus, 51:1, 51:7, 53:2, 55:431
glandulosus, 55:430
painteri, 51:6, 51:9
pringlei, 55:429, 55:430
velutinus, 51:4, 51:6, 51:9, 55:497
virgatus, 51:9, 56:160
Desmodium, 47:602, 51:1, 51:6, 51:7, 51:8, 55:426–428, 55:430–432
batocaulon, 48:181
grahamii, 51:10
hartwegianum, 51:10
lindheimeri, 51:10
molliculum, 51:10
neomexicanum, 48:180, 48:187, 51:10
procumbens, 51:10
psilophyllum, 51:10
retinens, 51:10
spirale, 51:10
subrosum, 51:4, 51:10
Desmodus, 48:599
archaeodaptes, 48:600, 48:601
draculae, 48:598, 48:600–602
rotundus, 48:143, 48:574, 48:583, 48:600, 48:601, 48:604, 49:123, 50:97, 51:422–425, 54:412, 54:414, 55:348, 55:354
stocki, 48:597, 48:598, 48:600–602, 48: 604–606
Desmognathus brimleyorum, 47:611–613, 56: 434
Desmond, Martha J., see Ginter, Daniel L., and —
DeStefano, Stephen, see Kirkpatrick, Chris, —
Devall, Margaret S., and Leonard B. Thien, Inland occurrence of the strand plant *Ipomoea pes-caprae* (Convolvulaceae) around Lake Nicaragua, 50:380–384
Development of a predictive model for habitat of the Mexican spotted owl in northern New Mexico, Charles D. Hathcock and Timothy K. Haarmann, 53:34–38

Development of the Devils River minnow, *Dionda diaboli* (Cyprinidae), early, Julie Hulbert, Timothy H. Bonner, Joe N. Fries, Gary P. Garrett, and David R. Pendergrass, 52:378–385
Devers, Patrick K., Kiana Koenen, and Paul R. Krausman, Interspecific interactions between badgers and red-tailed hawks in the Sonoran Desert, southwestern Arizona, 49: 109–111
Devers, Patrick K., see Krausman, Paul R., —
DeVolld, Bei, see Brown, Donald J., —
deVos, James C., Jr., see Jansen, Brian D., —
deVos, James C., Jr., see Kamler, Jan F., —
deVos, James, Jr., see Tatman, Nicole M., —
DeVries, M. Susan, and Robert S. Sikes, Husbandry methods for pocket gophers, 54:363–366
DeYoung, Charles A., see Hellickson, Mickey W., —
Diacyclops, 55:526
Diadasia, 53:424
rinconis, 53:423, 53:426–428
Diadophis punctatus, 48:351, 48:352, 55: 175, 55:252
Diaemus youngi, 48:574, 48:600, 48:601, 50:97
Dialictus, 53:424, 53:426–428
Diamanus montana, 48:721
Diamond, David D., see DeBoer, Timery S., and —
Diamond, Tanya, see Laacke, Robert J., —
Diaphanosoma, 52:230
birgei, 53:412
brachyurum, 53:412, 53:413
fluviatile, 53:412–414
Diaphanosoma fluviatile Hansen 1899 (Cladocera: Sisidae) in two reservoirs in central Texas, occurrence of, Carlos López, Luz Marina Soto, Laura Dávalos-Lind, and Owen Lind, 53:412–414
Diapheromera covilleae, 55:112
Diaptomidae, 55:525–527
Diatoma
anceps, 49:399
vulgaris, 49:397, 49:399
Dibble, Christopher J., see Smith, Geoffrey R., —
Dicanthelium
augustifolia, 55:257
dichotomum, 55:257
Dicanthium aristatum, 55:257
Dicentrarchus labrax, 49:312
Diceroprocta eugraphica, 51:256
Dichanthelium
acuminatum, 49:176–178, 49:180–182
nodatum, 49:186
villosissimum, 56:59
Dichanthium annulatum, 56:349
Dichelostemma
capitatum, 52:200, 53:73
pulchellum, 53:73
Dichothrix orsiniana, 49:397, 49:398
Dick, Carl W., see Abuzeineh, Alisa A., —
Dick, Carl W., Variation in the dental formula of the Ipanema bat, *Pygoderma bilabiatum*, 47:505–508
Dickerman, Robert W., and Andrew B. Johnson, Wing-tail measurements of *Bubo virginianus* from Texas, 53:128–129
Dickerman, Robert W., see Hubbard, John P., and —
Diclidurus albus, 48:574
Dicoria canescens, 51:518, 52:256
Dicotyles tajacu, 48:105, 48:106
Dicrocoeliidae, 49:256–257
Dicrocoelium rileyi, 52:599
Dictyna
abundans, 54:334
agressa, 54:334
borealis, 54:334
calcarata, 54:334, 56:47
personata, 54:334, 56:47, 56:50, 56:52
secuta, 54:334
terrestris, 56:47, 56:52
tucsona, 56:47
Dictynidae, 54:331, 54:332, 54:334, 54: 337, 56:47, 56:51, 56:52
Dictyopharidae, 55:191
Didelphidae, 48:574, 54:412
Didelphis, 52:311
marsupialis, 48:574
virginiana, 47:127–129, 47:248–250, 47: 255, 47:512, 48:571, 48:574, 48:577, 49: 46, 49:533, 50:477, 51:370, 52:402, 52: 405, 52:406, 53:87, 53:214, 53:215, 53: 451–453, 54:239, 55:20, 56:38, 56:433
virginianus, 49:55
Didiera, 55:316
Diet and tree use of Abert's squirrels (*Sciurus aberti*) in a mixed-conifer forest, Andrew J. Edelman and John L. Koprowski, 50:461–465
Diet of barn owls (*Tyto alba*) in northern Belize, Steven G. Platt, Thomas R. Rainwater, Daniel J. Leavitt, and Stanlee M. Miller, 54:104–107
Diet of *Chirostoma lucius* (Pisces: Atherinomorpha): seasonal trophic spectrum and ontogeny of piscivory, Rodrigo Moncayo-Estrada, Carlos Escalera-Gallardo, Carlos López, and Owen T. Lind, 52:229–233
Diet of cougars (*Puma concolor*) following a decline in a population of mule deer (*Odocoileus hemionus*): lack of evidence for switching prey, Jeffrey T. Villepique, Becky M. Pierce, Vernon C. Bleich, and R. Terry Bowyer, 56:187–192
Diet of double-crested cormorants (*Phalacrocorax auritus*) wintering on the central Texas coast, Kim Withers and Tammy S. Brooks, 49:48–53
Diet of *Gyalopion quadrangulare* (Serpentes: Colubridae), preliminary assessment of the, Randall D. Babb, George L. Bradley, Thomas C. Brennan, and Andrew T. Holycross, 50:390–392
Diet of sympatric pattern classes C and E of the parthenogenetic whiptail lizard *Aspidoscelis tesselata* at Sumner Lake, DeBaca County, New Mexico, Mark A. Paulissen, James M. Walker, and Harry L. Taylor, 51:555–560
Diet of the leaf-nosed snakes, *Phyllorhynchus* (Squamata: Colubridae): squamate-egg specialists, Stephanie A. Gardner and Joseph R. Mendelson, III, 48:550–556
Diet of the Mexican marbled toad (*Bufo marmoreus*) in conserved and disturbed tropical dry forest, Ireri Suazo-Ortuño, Javier Alvarado-Díaz, Elizabeth Raya-Lemus, and Miguel Martínez-Ramos, 52:305–309
Diet of the Yarrow's spiny lizard *Sceloporus jarrovii* in the central Chihuahuan Desert, Héctor Gadsden, José L. Estrada-Rodríguez, Diana A. Quezada-Rivera, and Sandra V. Leyva-Pacheco, 56:89–94
Diet of two populations of *Sceloporus grammicus* (Squamata: Phrynosomatidae) from Hidalgo, Mexico, Adrian Leyte-Manrique and Aurelio Ramírez-Bautista, 55:98–103
Diet, growth, body size, and reproductive potential of the Texas river cooter (*Pseudemys texana*) in the South Llano River, Texas, Peter V. Lindeman, 52:586–594
Dietary study of big free-tailed bats (*Nyctinomops macrotis*) in Big Bend National Park, Texas, Anica Debelica, Amanda K. Matthews, and Loren K. Ammerman, 51:414–418
Diets of adults and lambs of desert bighorn sheep during years of varying rainfall in central Arizona, Ted McKinney and Thorry W. Smith, 52:520–527
Diets of bighorn sheep in the Chihuahuan Desert, Texas, Clay E. Brewer and Louis A. Harveson, 52:97–103
Diets of feral emus in the Cross Timbers and Prairies region of Texas, Brandon H. Mills, Bryan D. Vogt, Misty L. Sumner, and Warren B. Ballard, 53:385–388
Diets of newly metamorphosed amphibians in West Texas playas, Loren M. Smith, Matthew J. Gray, and Abiqail Quarles, 49:257–263

Diets of prickly sculpin and juvenile fall-run Chinook salmon in the lower Mokelumne River, California, comparison of, Joseph E. Merz, 47:195–204

Diets of swift foxes (*Vulpes velox*) in continuous and fragmented prairie in northwestern Texas, Jan F. Kamler, Warren B. Ballard, Mark C. Wallace, and Philip S. Gipson, 52:504–510

Diets of three species of knob-scaled lizards (genus *Xenosaurus*) from México, Julio A. Lemos-Espinal, Geoffrey R. Smith, and Royce E. Ballinger, 48:119–122

Diets of two syntopic populations of frogs, *Rana vaillanti* and *Rana brownorum*, from a tropical rain forest in southern Veracruz, México, Aurelio Ramírez-Bautista and Julio A. Lemos-Espinal, 49:316–320

Differences in timing of parturition, birthing sites, and bedding sites of fawns in sympatric populations of deer, David A. Butler, Shawn P. Haskell, Warren B. Ballard, Mark C. Wallace, Carlton M. Britton, and Mary H. Humphrey, 54:261–271

Digestive efficiency of collared peccaries and wild pigs, Jennifer J. Elston, Edward A. Klinksiek, and David G. Hewitt, 50:515–519

Digitaria
arenicola, 49:183–187
californica, 47:283, 47:354, 55:497
cognatum, 55:497

Digitized map of biotic communities for plotting and comparing distributions of North American animals, David E. Brown, Peter J. Unmack, and Thomas C. Brennan, 52:610–616

Diguetia
canities, 56:46, 56:50
imperiosa, 56:46
signata, 56:46, 56:50

Diguetidae, 56:46, 56:52

Dillon, Robert T., Jr., John D. Robinson, Thomas P. Smith, and Amy R. Wethington, No reproductive isolation between freshwater pulmonate snails *Physa virgata* and *P. acuta*, 50:415–422

Diminutive woodrat (*Nelsonia neotomodon*) in Chihuahua, Mexico, Diego F. García-Mendoza and Celia López-González, 50:503–506

Dinger, Eric C., Adam E. Cohen, Dean A. Hendrickson, and Jane C. Marks, Aquatic invertebrates of Cuatro Ciénegas, Coahuila, México: natives and exotics, 50:237–246

Dinger, Eric C., see Vinson, Mark R., and —

Diodia teres, 47:589

Dionda
argentosa, 52:379, 52:383, 54:343, 55:121, 55:576–581, 56:110
diaboli, 49:435–441, 50:246–251, 52:378–385, 54:341–344, 55:544–550, 55:577, 55:579, 56:108–112
episcopa, 50:75–77, 52:379, 52:383, 55:82, 55:83, 55:576–580
melanops, 52:379
nigrotaeniata, 55:577–579
serena, 54:341, 55:577, 55:579, 56:110

Dionda diaboli and report of established populations of exotic fish species in lower San Felipe Creek, Val Verde County, Texas, status of, Hernán López-Fernández and Kirk O. Winemiller, 50:246–251

Dione juno, 48:513

Diospyros, 47:602
texana, 47:71, 47:154, 47:423, 47:426–428, 49:34, 50:472, 53:87, 53:451, 54:447, 54:502, 55:12, 55:69, 55:161, 55:511, 56:327
virginiana, 50:472

Diphascon
bicorne, 55:540
pingue, 55:540, 55:541

Diphylla ecaudata, 48:574, 48:600, 48:601, 50:97

Diphysa microphylla, 55:430

Diplocardia
invecta, 52:468–474
riparia, 52:472
singularis, 52:472

Diplocentridae, 47:410

Diplocentrus, 47:409–419
spitzeri, 50:390–392

Diploglossinae, 49:327–333

Diploglossus, 49:327–333
atitlanensis, 49:328
bivittatus, 49:328
enneagrammus, 49:327, 49:328, 49:330, 49:332
ingridae, 49:328–330, 49:332
legnotus, 49:327, 49:328, 49:330, 49:332
montanus, 49:328
nazellae, 49:328, 49:330, 49:332

Diploneis puella, 49:400

Diplopoda, 54:350–351, 56:422–426

Diplostomidae, 52:127

Dipodidae, 47:630

Dipodomys, 48:106, 48:270, 48:432, 52:51, 52:64, 52:444, 52:506, 53:51, 53:512, 54:88
compactus, 47:246, 47:249, 47:250, 47:255, 48:574
deserti, 47:546, 48:574
elator, 47:546
gravipes, 48:568, 48:570, 48:574
heermani, 47:546
merriami, 47:128, 47:132, 47:276–281, 47:545, 47:561, 47:629, 48:567, 48:574, 48:576, 49:79, 49:80, 52:403, 52:531, 52:537, 52:557, 52:560, 53:87, 54:275, 54:276
microps, 47:546
nelsoni, 48:137, 48:574, 52:403, 52:404
ordii, 47:128, 47:246, 47:255, 47:276–281, 47:329, 47:560, 47:561, 48:411–418, 48:574, 49:272–275, 50:91, 51:88, 51:89, 51:268, 52:291–295, 52:300, 52:403, 52:405, 52:546, 52:552–563, 54:275, 54:276, 56:11
phillipsi, 48:574
simulans, 48:570, 48:574
spectabilis, 47:128, 47:276, 47:545, 47:557, 47:560–563, 48:136, 48:137, 48:569, 48:574, 51:71–78, 52:113, 52:179, 52:182, 52:293, 52:294, 52:404, 52:557, 52:560, 53:52, 53:56, 55:379
stephensi, 47:539–549

Dipoena abdita, 56:46

Dipoglossus legnotus, 52:323, 52:325

Dipsosaurus dorsalis, 47:44, 47:46, 47:52, 55:249

Diptera, 49:83–84, 51:320–325, 56:353–357

Diplylidium canium, 54:496

Dire wolf, *Canis dirus* (Mammalia: Carnivora: Canidae), from the late Pleistocene (Rancholabrean) of east-central Sonora, Mexico, John-Paul M. Hodnett, Jim I. Mead, and A. Baez, 54:74–81

Direct effects of fire on endangered Mount Graham red squirrels, John L. Koprowski, Katherine M. Leonard, Claire A. Zugmeyer, and Julia L. Jolley, 51:59–63

Dirhinus
giffardii, 56:275
perideus, 56:275
schwarzi, 56:275
texanus, 56:275–276

Dirhinus texanus (Hymenoptera: Chalcididae) from Utah, Louis L. Pech, Michael W. Gates, and Tim B. Graham, 56:275–276

Dirofilaria inmitis, 50:38

Discing saltcedar seedlings during riparian restoration efforts, effects of, Loren M. Smith, Matthew D. Sprenger, and John P. Taylor, 47:598–601

Discovery of a new population of Devils River minnow (*Dionda diaboli*), with implications for conservation of the species, Gary P. Garrett, Robert J. Edwards, and Clark Hubbs, 49:435–441

Discovery of northern long-eared myotis, *Myotis septentrionalis* (Chiroptera: Vespertilionidae), in Louisiana, Amanda C. Crnkovic, 48:715–717

Discovery of the Neotropical ant *Crematogaster sotobosque* (Hymenoptera: Formicidae) near Tucson, Arizona, Cynthia E. Morgan, William P. Mackay, and Shawn T. Dash, 56:432–433

Disney, Michael R., Eric C. Hellgren, Craig A. Davis, David M. Leslie, Jr., and David M. Engle, Relative abundance of mesopredators and size of oak patches in the cross-timbers ecoregion, 53:214–223

Dispersal of nonnative fishes and parasites in the intermittent Little Colorado River, Arizona, Dennis M. Stone, David R. Van Haverbeke, David L. Ward, and Teresa A. Hunt, 52:130–137

Distances moved by startled desert mule deer, Paul R. Krausman, Josh Avey, Coleen F. Brown, Patrick K. Devers, John C. Tull, Brian D. Jansen, and James W. Cain, III, 51:436–439

Distichilis
stricta, 49:494
palmeri, 48:472

Distichlis spicata, 47:226, 47:428, 47:533, 48:465, 48:466, 50:134, 50:275, 51:506, 52:76, 52:200, 53:73, 53:328, 54:332, 56:98, 56:276

Disticulus stricta, 54:177

Distochometra bufonis, 50:254, 50:255

Distoichometra bufonis, 50:251, 50:253

Distribution and abundance of the endangered killifish *Fundulus lima*, and its interaction with exotic fishes in oases of central Baja California, Mexico, Gorgonio Ruiz-Campos, Faustino Camarena-Rosales, Salvador Contreras-Balderas, Claudia A. Reyes-Valdez, José de la Cruz-Agüero, and Elias Torres-Balcazar, 51:502–509

Distribution and abundance of the goldstripe darter (*Etheostoma parvipinne*) in Missouri, Matthew R. Winston, 47:187–194

Distribution and abundance of the Rio Grande sucker in the Carson and Santa Fe national forests, New Mexico, Bob Calamusso, John N. Rinne, and Paul R. Turner, 47:182–186

Distribution and abundance of western burrowing owls (*Athene cunicularia hypugaea*) in southeastern California, Robert L. Wilkerson and Rodney B. Siegel, 56:378–384

Distribution and biomass of *Tropocyclops prasinus mexicanus* (Cyclopoida) in a near-thermally constant environment, Montezuma Well, Arizona, Patricia M. Ellsworth and Dean W. Blinn, 48:341–346

Distribution and conservation of lizards in the Vizcaíno Biosphere Reserve, Baja California Sur, México, Patricia Galina-Tessaro, L. Lee Grismer, Bradford D. Hollingsworth, and Alfredo Ortega-Rubio, 47:40–55

Distribution and conservation status of the giant anteater (*Myrmecophaga tridactyla*) in Honduras, Hector Orlando Portillo Reyes, Wilfredo Antonio Matamoros, and Sheri L. Glowinski, 55:118–120

Distribution and habitat of the Arizona gray squirrel (*Sciurus arizonensis*) in New Mexico, Jennifer K. Frey, Michael T. Hill, Bruce L. Christman, Joe C. Truett, and Stephen O. MacDonald, 53:248–255

Distribution and habitat use of the Pacific treefrog (*Pseudacris regilla*) on the lower Colorado River and in Arizona, James C. Rorabaugh, Jeffrey M. Howland, and Randall D. Babb, 49:94–99

Distribution and natural history of Schmidly's deermouse (*Peromyscus schmidlyi*), Horacio Cabrera-Santiago, Sergio Ticul Álvarez-Castañeda, Noé González-Ruiz, and Juan Pablo Gallo-Reynoso, 52:620–623

Distribution and natural history of the hylid frog *Hyla xera* in the Tehuacan-Cuicatlan Valley, Mexico, with a description of the tadpole, Luis Canseco-Márquez, Guadalupe Gutiérrez-Mayén, and Joseph R. Mendelson, III, 48:670–675

Distribution and recovery of vegetational assemblages in Ash Meadows National Wildlife Refuge, Nevada, E. Jamie Trammell, Kate Berry, Scott Bassett, and Donald W. Sada, 53:326–334

Distribution of bigscale logperch, *Percina macrolepida* (Percidae), in the Arkansas River Basin, Thomas M. Buchanan and Michael M. Stevenson, 48:454–460

Distribution of *Hemidactylus frenatus* in Mexico, William L. Farr, 56:265–273

Distribution of Odonata in the Texas Panhandle, with a summary of new state and county records, notes on the, John C. Abbott, Robert A. Behrstock, and Robert R. Larsen, 48:444–448

Distribution of the black-capped vireo at Fort Hood, Texas, David A. Cimprich and Richard M. Kostecke, 51:99–102

Distribution of the eastern fox squirrel (*Sciurus niger*) in southern California, Julie L. King, Min Chung Sue, and Alan E. Muchlinski, 55:42–49

Distribution of the eastern woodrat, *Neotoma floridana*, in Missouri, Eric R. Britzke and Lynn W. Robbins, 47:125–127

Distribution of the silver redhorse, *Moxostoma anisurum* (Cypriniformes: Catostomidae), in Arkansas, Chris T. McAllister, Wayne C. Starnes, Henry W. Robison, Robert E. Jenkins, and Morgan E. Raley, 54:514–518

Distribution of the white-ankled mouse (*Peromyscus pectoralis*) in New Mexico, Keith Geluso, 49:283–288

Distribution, habitat, size, and color pattern of *Cnemidophorus lemniscatus* (Sauria: Teiidae) on Cayo Cochino Pequeño, Honduras, Chad E. Montgomery, Robert N. Reed, Hayley J. Shaw, Scott M. Boback, and James M. Walker, 52:38–45

Distribution status of the white-faced ibis, *Plegadis chihi*, in the Peninsula of Baja California, Mexico, with special reference to the region of La Paz, current, Roberto Carmona, Gorgonia Ruiz-Campos, José Alfredo Castillo-Guerrero, and Margarita Zamora-Orozco, 47:476–482

Distributional and ecological records of the Mexican hairy dwarf porcupine (*Sphiggurus mexicanus*) from Michoacán, Mexico, Tiberio C. Monterrubio-Rico, Juan Manuel Ortega-Rodríguez, Neftalí Mendoza-Cárdenas, Ramón Cancino-Murillo, and Alejandro Pérez-Arteaga, 55:139–142

Distributional records and roosts of southeastern myotis and Rafinesque's big-eared bat in eastern Texas, Katy-Marie Mirowsky, Peggy A. Horner, Ricky W. Maxey, and Steven A. Smith, 49:294–298

Distributional records for fishes from five large rivers in Arkansas, Chris T. McAllister, William G. Layher, Henry W. Robison, and Thomas M. Buchanan, 55:587–591

Ditaxis lanceolata, 52:200, 53:71

Ditchkoff, Stephen S., Steven R. Hoofer, Robert L. Lochmiller, Ronald E. Masters, and Ronald A. Van Den Bussche, *MHC-DRB* evolution provides insight into parasite resistance in white-tailed deer, 50:57–64

Ditepalae, 49:432

Dithyrea wislizenii, 55:478

Diuca diuca, 56:420

Diurnal spacing patterns in kit foxes, a monogamous canid, Katherine Ralls and P. J. White, 48:432–436

Diurnal time budget of burrowing owls in a resident population during the non-breeding season, David H. LaFever, Kristin E. LaFever, Daniel H. Catlin, and Daniel K. Rosenberg, 53:29–33

Divaricatae, 50:292

Diversity and distributional patterns of legumes in northeastern Mexico, Eduardo Estrada C., Alfonso Delgado-Salinas, J. Ángel Villarreal Q.,

Laura Scott M., César Cantú A., and Jaime García P., 55:426–433
Diversity and distributional patterns of legumes in southern Nuevo León, México, Eduardo Estrada C., José A. Villarreal Q., Alfonso Delgado S., Marisela Pando M., Laura Scott M., Enrique Jurado, and Carmen Yen M., 51:1–10
Diversity of arthropods preyed upon by the carnivorous plant *Pinguicula moranensis* (Lentibulariaceae) in a temperate forest of central Mexico, Numa P. Pavón, Atilano Contreras-Ramos, and Yadira Islas-Perusquía, 56:78–82
Dives dives, 48:710, 54:94, 55:573
Dixella, 50:241, 55:236
Dixidae, 50:241, 55:191, 55:236
Dixon, James R., see Bailey, Lindley A., —
Dixon, James R., see Camper, Jeffrey D., and —
Dobbertinia, 53:524
Dodonaea viscosa, 52:355, 53:72
Dolan, C. Josh, see Knowlton, Jessie L., —
Dolan, M. Timothy, see Murray, Lyndon K., —
Dolichonyx oryzivorus, 55:569, 55:573
Dolichopodidae, 54:170, 55:182, 55:191
Dolinger, Amy, see Cooley, Christopher R., —
Dolomedes triton, 47:464
Dominance by desert pupfish (*Cyprinodon macularius*) in experimental ponds within the Salton Sea Basin, unusual, Michael K. Saiki, Barbara A. Martin, and Thomas W. Anderson, 56:385–392
Doradidae, 50:247
Doratopsylla blarinae, 50:90, 50:91
Doroneuria, 48:30
Doronicum pardalianches, 48:13
Dorosoma
cepedianum, 47:142, 47:187, 47:189, 47:191, 48:452, 50:76, 50:77, 53:126, 54:387, 55:81, 55:82, 55:154
petenense, 48:452, 52:132, 53:126, 53:236, 53:237, 53:338, 53:339, 54:387, 55:154
Doss, Argenia L. N., see McNeely, David L., —
Douglas, Michael E., see Reed, Robert N., and —
Douglas, Norman A., *Triptero calyx carneus* (Nyctaginaceae) is self-compatible, 53:403–406
Dowler, Robert C., see McAllister, Chris T., —
Dowler, Robert C., see Neiswenter, Sean A., —
Doxocopa
laure, 48:515
pavon, 48:515
Draba cuneifolia, 53:71
Dracopsis amplexicaulis, 55:256, 55:260
Draeculacephalis, 50:91
Drassodes
gosiutus, 56:48
neglectus, 54:334
saccatus, 56:48
Drassyllus
insularis, 54:334, 56:48
mumai, 56:48
notonus, 56:48
orgilus, 56:48
prosaphes, 56:48
Drees, Bastiaan M., see Pedersen, Ellen K., —
Dreitz, Victoria J., see Mettenbrink, Christian W., —
Drenner, Ray W., see Blackwell, Bradley D., and —
Drezner, Taly Dawn, Saguaro (*Carnegiea gigantea*, Cactaceae) growth rate over its American range and the link to summer precipitation, 50:65–68
Drickamer, Lee C., see Gallie, Jonathan A., and —
Dromaius novaehollandiae, 53:385–388
Drosophila, 47:71, 50:416, 51:491, 52:358
melanogaster, 51:312, 51:320
paulistorum, 51:320
persimilis, 51:320
pseudoobscura, 51:320, 51:325, 52:430–434
robusta, 51:320
willistoni, 51:320–325
Drosophilidae, 51:314, 51:320–325, 55:191
Drost, Charles A., see Rorabaugh, James C., —
Drost, Charles, see Lovich, Jeff, —
Drought-escape behaviors of aquatic insects may be adaptations to highly variable flow regimes characteristic of desert rivers, David A. Lytle, Julian D. Olden, and Laura E. McMullen, 53:399–402
Drummond, Hugh, see Zaldívar-Rae, Jaime, —
Dryadophis melanolomus, 52:38, 52:41
Dryadula phaetusa, 48:513
Dryas iulia, 48:513
Dryinidae, 55:192
Drymarchon, 50:25
corais, 47:103, 47:105, 47:107, 50:24, 50:26–29
Drymaria
effusa, 54:442
laxiflora, 51:458, 51:459
leptophylla, 48:187
malachioides, 51:458, 51:459
pachyphyla, 55:497
Dryocopus
galeatus, 48:69
lineatus, 48:69
pileatus, 48:69
schulzi, 48:69
Dryopidae, 50:240, 51:25, 53:79, 53:399, 53:400, 55:236
DuBey, Robert J., Genetic differentiation of lineages of *Tubifex tubifex* from the San Juan River, New Mexico, 53:268–272
Ducey, Peter K., Jamie Cerqua, Lori-Jeanne West, and Monica Warner, Rare egg capsule production in the invasive terrestrial planarian *Bipalium kewense*, 51:252–255
Dudleya
abramsii, 52:200
arizonica, 53:71
lanceolata, 50:142
pulverulenta, 53:71
traskiae, 52:535
Duerr, Adam E., see Boal, Clint W., —
Dueser, Raymond D., see Martin, Joel D., —
Dugesia, 50:244
Dumetella carolinensis, 47:553, 49:101–103, 51:11, 51:16, 51:17, 51:19
Duncan, Russell B., see Esque, Todd C., —
Duncan, Russell B., see Johnson, R. Roy, —
Duncan, William W., Frederick R. Gehlbach, and George A. Middendorf, III, Nocturnal activity of diurnal lizards (*Sceloporus jarrovi*, *S. virgatus*) eaten by small owls (*Glaucidium gnoma*, *Otus trichopsis*), 48:218–222
Dung piles by the side-blotched lizard (*Uta stansburiana*), use of, T. A. Scott Newbold, 52:616–619
Dunnum, Jonathan L., Jennifer K. Frey, David S. Tinnin, Jorge Salazar-Bravo, and Terry L. Yates, Elevational range extension for the hispid cotton rat, *Sigmodon hispidus* (Rodentia: Muridae), 47:637–639
Durán-Fuentes, Itzel, see García-Vázquez, Uri Omar, —
Durham, Bart W., Gene R. Wilde, and Kevin L. Pope, Temperature-caused fish kill in a flowing Great Plains river, 51:397–401
Durham, Bart W., Timothy H. Bonner, and Gene R. Wilde, Occurrence of *Lernaea cyprinacea* on Arkansas River shiners and peppered chubs in the Canadian River, New Mexico and Texas, 47:95–98
Durish, Nevin D., see Bradley, Robert D., —
Dychoriste linearis, 55:497
Dynamine
dyonis, 48:515
postverta, 48:515
theseus, 48:515
Dyssodia
anthemidifolia, 53:70
papposa, 55:283
pentachaeta, 53:70, 55:421, 55:498
porophylloides, 53:70

Dysticidae, 47:464, 48:101, 49:259, 50: 240, 53:79, 53:379, 53:380
Dythemis fugax, 54:98
Dytiscidae, 54:170, 54:357–361, 55:236

Eadie, John M., see Herring, Garth, —
Eagles-Smith, Collin A., see Herring, Garth, —
Eantis
tamenund, 48:523
thraso, 48:523
Eastern pipistrelle (*Pipistrellus subflavus*) from southern New Mexico, first record of the, Jeremy A. White, Paul R. Moosman, Jr., Charles H. Kilgore, and Troy L. Best, 51:420–422
Eastern red bat (*Lasiurus borealis*) impaled by a loggerhead shrike (*Lanius ludovicianus*), David L. Sarkozi and Daniel M. Brooks, 48:301–303
Eaton-González, Ricardo, see Ruiz-Campos, Gorgonio, —
Ebenopsis, 55:427, 55:428
ebano, 51:1, 51:490–492, 51:494, 51: 495, 51:497–499, 54:320, 55:430, 56: 154–161
ebenopsis, 51:497
Ebinger, John E., David S. Seigler, and H. David Clarke, Notes on the segregates of *Acacia farnesiana* (L.) Willd. (Fabaceae: Mimosoideae) and related species in North America, 47:86–91
Ebinger, John E., see Clarke, H. David, —
Ebinger, John E., see Phillippe, Loy R., —
Ebo, 54:333
dondalei, 56:49
macyi, 56:45, 56:49, 56:52
merkeli, 56:49
mexicanus, 54:335, 56:49
pepinensis, 56:49
texanus, 56:49
Ebrietas anacreon, 48:523
Echeandia flavescens, 48:181
Echelle, Anthony A., see Coughlin, Warren D., —
Echeveria gibbiflora, 47:623–626
Echinacea, 47:590
paradoxa, 47:590
purpurea, 49:84
Echiniscus
cavagnaroi, 55:540
kofordi, 55:540
virginicus, 55:540
Echinocactus
grusonii, 49:14, 56:395
horizonthalonius, 56:333–340
platyacanthus, 49:14, 49:15
texensis, 53:425
Echinocereus
brandegeei, 50:136, 50:144, 50:146
engelmannii, 47:579, 50:132, 50:146, 52:200, 53:71
enneacanthus, 53:425, 55:496
fasciculatus, 50:485
maritimus, 50:142, 50:143
pentalophus, 53:425
reichenbachii, 52:344, 53:425
viridiflorus, 55:496
Echinochloa
crusgalli, 48:236
crus-galli, 55:257
Echinonyssus blarinae, 50:90, 50:91
Echlin, Alison, see Oxley, F. M., —
Echymipera kaluba, 51:71
Eciton, 56:87
Eckerlin, Ralph P., Obituary for Timothy John McCarthy, 56:436–437
Eckerlin, Ralph P., see Ordóñez-Garza, Nicté, —
Eckrich, Gilbert H., see Summers, Scott G., —
Eclipta prostrata, 53:397
Ecological characterization of a riparian corridor along the Río Conchos, Chihuahua, Mexico, Jack E. Cornell, Mélida Gutiérrez, D. Alexander Wait, and Héctor O. Rubio-Arias, 53:96–100
Ecological interactions between Gila monsters (*Heloderma suspectum*) and desert tortoises (*Gopherus agassizii*), C. M. Gienger and C. Richard Tracy, 53:265–268
Ecological interactions between two ecosystem engineers: Gunnison's prairie dog and Botta's pocket gopher, Jonathan A. Gallie and Lee C. Drickamer, 53:51–60
Ecological monitoring of the endangered Huachuca water umbel (*Lilaeopsis schaffneriana* ssp. *recurva*: Apiaceae), Priscilla J. Titus and Jonathan H. Titus, 53:458–465
Ecological relationships of bobcats (*Lynx rufus*) in the Chihuahuan Desert of New Mexico, Robert L. Harrison, 55:374–381
Ecological requirements of the Zapata bladderpod *Physaria thamnophila*, an endangered Tamaulipan thornscrub plant, Norma L. Fowler, Christopher F. Best, Dana M. Price, and Alice L. Hempel, 56:341–352
Ecology of a population of the narrow-headed garter snake (*Thamnophis rufipunctatus*) in New Mexico: catastrophic decline of a river specialist, Toby J. Hibbitts, Charles W. Painter, and Andrew T. Holycross, 54:461–467
Ecology of Georgetown salamanders (*Eurycea naufragia*) within the flow of a spring, Benjamin A. Pierce, James L. Christiansen, Alexis L. Ritzer, and Taylor A. Jones, 55:291–297
Ecology of the endemic Mearns's squirrel (*Tamiasciurus mearnsi*), observations on the, John L. Koprowski, Nicolás Ramos, Bret S. Pasch, and Claire A. Zugmeyer, 51:426–430
Ecology of the Grand Canyon rattlesnake (*Crotalus viridis abyssus*) in the Little Colorado River Canyon, Arizona, Robert N. Reed and Michael E. Douglas, 47:30–39
Ecology of the Mexican alpine blotched garter snake (*Thamnophis scalaris*), Javier Manjarrez, Crystian S. Venegas-Barrera, and Tamara García-Guadarrama, 52:258–262
Ecology of the Mexican red-bellied squirrel (*Sciurus aureogaster*) in Michoacán, Mexico, Nicolás Ramos-Lara and Fernando A. Cervantes, 56:400–403
Ecology of western pond turtles (*Actinemys marmorata*) at sewage-treatment facilities in the San Joaquin Valley, California, David J. Germano, 55: 89–97
Ectocyclops phaleratus, 55:526
Ectoparasites and food habits of Elliot's short-tailed shrew, *Blarina hylophaga*, Christopher M. Ritzi, Brian C. Bartels, and Dale W. Sparks, 50:88–93
Eddy, Melissa R., and Frank W. Judd, Phenology of *Acacia berlandieri*, *A. minuata*, *A. rigidula*, *A. schaffneri*, and *Chloroleucon ebano* in the Lower Rio Grande Valley of Texas during a drought, 48:321–332
Edelman, Andrew J., and John L. Koprowski, Characteristics of Abert's squirrel (*Sciurus aberti*) cavity nests, 51:64–70
Edelman, Andrew J., and John L. Koprowski, Diet and tree use of Abert's squirrels (*Sciurus aberti*) in a mixed-conifer forest, 50:461–465
Edmonds, Samuel T., and Dorie S. Stolley, Population decline of ground-nesting black-bellied whistling ducks (*Dendrocygna autumnalis*) on islands in southern Texas, 53:185–189
Edmonds, Samuel T., see Stolley, Dorie S., —
Education and conservation on the urban-wildland interface: testing the efficacy of informational brochures, Shalene L. George and Kevin R. Crooks, 51:240–250
Edwards, Robert J., see Garrett, Gary P., —
Effectiveness and importance of pollinators to the star cactus (*Astrophytum asterias*), Andrew W. Blair and Paula S. Williamson, 53:423–430
Effectiveness of chemical repellents in deterring red imported fire ants (*Solenopsis invicta*) from Sherman

live traps, Sarah E. Kraig, Steven M. Roels, and Monte L. Thies, 55: 203–206
Effectiveness of vectors of pollen and longevity of capitula for four species of Asteraceae in central Mexico, Dulce M. Figueroa-Castro and Zenón Cano-Santana, 56:162–171
Effects of disturbance by humans on small mammals in a Chihuahuan Desert ecosystem, Clovis A. Stacey and Diane M. Post, 54:272–278
Egbert, Stephen L., see Anderson, Robert P., —
Egg capsule production in the invasive terrestrial planarian *Bipalium kewense*, rare, Peter K. Ducey, Jamie Cerqua, Lori-Jeanne West, and Monica Warner, 51:252–255
Egido-Villarreal, Janitzio, see Gallo-Reynoso, Juan-Pablo, —
Egretta
caerulea, 54:506
thula, 54:287, 54:504
tricolor, 54:506
Ehleringer, James R., see Baugh, Alexander T., —
Ehretia anacua, 47:429, 47:422–427, 47: 430, 49:34, 50:480, 54:91, 54:320
Eichhornia crassipes, 47:487, 50:381, 52: 142, 55:318
Eidmannella pallida, 56:46
Eidson, Jim, see Sinha, Aditi, —
Eifler, Douglas A., and Maria A. Eifler, Characteristics and use of the tail in signaling by the zebra-tailed lizard (*Callisaurus draconoides*), 55:104–109
Eifler, Douglas A., and Maria A. Eifler, Use of habitat by the semiaquatic lizard, *Norops aquaticus*, 55:466–469
Eifler, Maria A., see Eifler, Douglas A., and —
Eilers, Anna L., see McColgin, Maureen E., —
Eimeria
antrozoi, 52:597–599
arizonensis, 52:599
hondurensis, 56:436, 56:437
pilarensis, 47:454
rioarribaensis, 47:454
Einem, Gerald E., see Phillips, Stephen M., and —
Eira barbara, 48:574
Eitniear, Jack. C., see Breeden, Jeff B., —
Elaeagnus
angustifolia, 47:482
angustifolia, 47:462, 49:114
Elanoides forficatus, 55:571
Elanus leucurus, 54:504
Elaphe, 47:467, 55:137
guttata, 47:469, 52:113, 53:444–449
obsoleta, 49:531, 53:445, 53:448, 54: 353, 55:459
obsolete, 50:269
slowinskii, 50:269
Elaphne vulpina, 56:433
Elapidae, 48:705–707, 51:41, 55:253
Elassoma zonatum, 47:187, 47:189, 47:191, 54:390
Elassomatidae, 54:390
Elateridae, 49:259, 55:191
Elatridae, 47:464
Elbella scylla, 48:520
Eleagnus angustifolia, 48:374, 48:377
Electrostrymon sangala, 48:519
Eleocharis, 48:50, 48:442, 48:536, 49:25, 54:104, 54:462
acicularis, 53:397
macrostachya, 53:393, 53:396, 53:397, 53:462
montevidensis, 48:181, 49:219
quadrangulata, 47:487
Eleodes, 55:113
Eleofimbris svensonii (Cyperaceae) from the late Miocene Ogallala group of western Kansas, Joseph R. Thomasson, 48:442–444
Eleofimbris svensonii, 48:442–444
Eleophora schneideri, 48:148
Elephantidae, 51:233, 51:234
Elephas, 49:229
maximus, 47:365
Eleutherodactylus, 49:264
augusti, 48:350, 48:673, 49:442–448
nitidus, 48:673
rhodopsis, 47:293, 47:294, 47:296, 47: 297
terraebolivaris, 47:295
Elevation of a subspecies of *Tibicen* (Hemiptera: Cicadoidea: Cicadidae) to a full species, Allen F. Sanborn and Polly K. Phillips, 56:363–368
Elevational range extension for the hispid cotton rat, *Sigmodon hispidus* (Rodentia: Muridae), Jonathan L. Dunnum, Jennifer K. Frey, David S. Tinnin, Jorge Salazar-Bravo, and Terry L. Yates, 47:637–639
Elgaria
cedrosensis, 47:48
kingii, 48:351, 48:352, 50:497–498, 55: 135, 55:136, 55:245, 55:246, 55:252
multicarinata, 56:370
parva, 47:614–615
paucicarinata, 47:47
usafa, 50:497–498
velazquezi, 47:41, 47:46, 47:48, 47:51
Elgaria parva (Lacertilia: Anguidae) from Nuevo León, México, new record of, Javier Banda-Leal, Robert W. Bryson, Jr., and David Lazcano Villarreal, 47:614–615
Elimia comalensis, 52:475–481, 55:116, 55:117
Elliott, William R., see Graening, G. O., —
Elliott, William R., see Slay, Michael E., —
Ellipsaria lineolata, 53:46
Elliptio, 48:334
dilatata, 48:338, 53:46
popei, 48:334
Ellison, Kevin, see Kostecke, Richard M., —
Ellison, Laura E., A. Lance Everette, and Michael A. Bogan, Examining patterns of bat activity in Bandelier National Monument, New Mexico, by using walking point transects, 50:197–208
Ellsworth, Patricia M., and Dean W. Blinn, Distribution and biomass of *Tropocyclops prasinus mexicanus* (Cyclopoida) in a near-thermally constant environment, Montezuma Well, Arizona, 48:341–346
Elmidae, 48:31, 50:240, 51:25, 51:147, 53:79, 53:379, 53:380, 55:236
Elodea canadensis, 52:202
Elodes, 53:380
Eloedes, 53:203
Elsa Coria-Galindo, Elsa, see Gallo-Reynoso, Juan-Pablo, —
Elston, Jennifer J., and David G. Hewitt, Comparative digestion of food among wildlife in Texas: implications for competition, 55:67–77
Elston, Jennifer J., and David G. Hewitt, Intake of mast by wildlife in Texas and the potential for competition with wild boars, 55:57–66
Elston, Jennifer J., Edward A. Klinksiek, and David G. Hewitt, Digestive efficiency of collared peccaries and wild pigs, 50:515–519
Elymus
elymoides, 48:504
glaucus, 52:495
trachycaulis, 48:493–495, 48:504
virginicus, 53:500
Elyonurus barbiculmis, 48:181
Emballonuridae, 48:574, 48:601, 50:97, 55:356, 55:454
Emberizidae, 47:553
Embiotocidae, 53:339
Emblyna
oasa, 56:47
reticulata, 54:334, 56:47
stulta, 56:47
Embophin contestum, 55:112
Emesis
aurimna, 48:517
emesia, 48:517
lupina, 48:505, 48:508, 48:509, 48:517
mandana, 48:517
tegula, 48:517
tenedia, 48:517
Emmenanthe penduliflora, 53:72
Empididae, 48:31, 50:297, 55:191, 56:79, 56:80
Empidonax
affinis, 52:276
albigularis, 48:709
difficilis, 50:442
fulvifrons, 52:149

hammondii, 50:520
minimus, 49:106, 51:16
occidentalis, 49:32, 52:276
trailli, 51:16
traillii, 47:626–628
virescens, 48:294, 55:464
wrightii, 49:106, 50:442
Emslie, Steven D., Fossil shrews (Insectivora: Soricidae) from the late Pleistocene of Colorado, 47:62–69
Emslie, Steven D., Mark Stiger, and Ellen Wambach, Packrat middens and late Holocene environmental change in southwestern Colorado, 50:209–215
Emydidae, 49:537, 55:137, 55:252, 55:560
Emydoidea, 55:560
blandingii, 50:14
Emyididae, 50:12
Emys orbicularis, 47:234
Enallagma, 53:380
basidens, 48:446, 50:242
carunculatum, 48:446, 48:447
civile, 48:446, 54:98
clausum, 48:445
signatum, 48:446, 48:447
Encelia
asperifolia, 53:65, 53:66, 53:70
californica, 52:200, 53:70
farinosa, 47:32, 47:450–452, 48:203, 48:559, 49:502, 49:503, 50:132, 50:133, 50:139, 50:142–145, 52:200, 52:349, 53:70, 53:109, 53:312, 55:316
laciniata, 50:139
ventorum, 50:134, 50:138, 50:139, 50:141, 50:145
Enceliotum ventori, 50:129, 50:134, 50:138, 50:139
Encelio phenocodontae, 50:129, 50:133, 50:142, 50:144, 50:145, 50:147
Enchistenes hartii, 53:517–520
Enchisthenes hartii, 48:574, 49:122, 49:123, 50:97
Encyonema
brehmii, 49:400
lunatum, 49:397, 49:400
minutum, 49:397, 49:400
norvegica, 49:400
silesiacum, 49:400
triangulum, 49:400
Encyonopsis microcephala, 49:397, 49:400
Encyrtidae, 55:192, 56:276
Endangered Benton cave crayfish, *Cambarus aculabrum* (Decapoda: Cambaridae), status and distribution of the, G. O. Graening, Michael E. Slay, Arthur V. Brown, and Jeffrey B. Koppelman, 51:376–381
Endangered Hell Creek cave crayfish, *Cambarus zophonastes* (Decapoda: Cambaridae), range extension and status update of the, G. O. Graening, Jeffrey B. Koppelman, Brian K. Wagner, Michael E. Slay, and Charles L. Brickey, 51:392–396
Endangered Mount Graham red squirrel (*Tamiasciurus hudsonicus grahamensis*) uses nest following lightning strike, Melissa J. Merrick, R. Nathan Gwinn, Rebecca L. Minor, Rosa R. Jessen, Timothy G. Jessen, Vicki L. Greer, and John L. Koprowski, 55:123–124
Endangered Tehuantepec jackrabbit (*Lepus flavigularis*) from Oaxaca, Mexico, new records of the, Consuelo Lorenzo, Fernando A. Cervantes, Felipe Barragán, and Julieta Vargas, 51:116–119
Endemic and introduced vertebrates in the diet of the barn owl (*Tyto alba*) on two islands in the Gulf of California, Mexico, Enriqueta Velarde, Rafael Avila-Flores, and Rodrigo A. Medellín, 52:284–290
Endemic diving beetle, *Heterosternuta sulphuria* (Coleoptera: Dytiscidae: Hydroporinae), in Arkansas with comments on habitat and conservation, new distribution records of an, Scott D. Longing and Brian E. Haggard, 54:357–361
Endogone, 50:91
Engilis, Andrew, Jr., see Epanchin, Peter N., and —
Engle, David M., see Coppedge, Bryan R., —
Engle, David M., see Disney, Michael R., —
Engraulidae, 53:339
Engraulis mordax, 53:338, 53:339
Enicocephalidae, 55:191
Enneapogon desvauxii, 47:560, 47:561
Enochrus, 50:240, 53:380
Entanglement of a western screech-owl (*Megascops kennicottii*) in Coulter spiderling (*Boerhaavia coulteri*), Geoffrey H. Palmer, R. Nathan Gwinn, and Jessica E. Gwinn, 54:523–524
Enterolobium, 51:8
cyclocarpum, 49:126, 52:394, 55:141, 55:318
Enteromorpha, 51:505, 51:507
Entomofauna of the introduced Chinese tallow tree, Guy N. Cameron and Stephen R. Spencer, 55:179–192
Entophysalis cornuana, 49:398
Entychides arizonicus, 56:46
Environmental contaminants in avian prey of the peregrine falcon in Big Bend National Park, Texas, further assessment of, Miguel A. Mora, Raymond S. Skiles, and Marcos Paredes, 52:54–59
Environmental effects on biomass productivity of wild populations of *Yucca schidigera* in Baja California, Mexico, José de Jesús Castellón-Olivares, Abraham Rublúo-Islas, Jorge Sepúlveda-Betancourt, and Gorgonio Ruiz-Campos, 47:576–584
Eosialis, 53:524
Epanchin, Peter N., and Andrew Engilis, Jr., Mount Lyell shrew (*Sorex lyelli*) in the Sierra Nevada, California, with comments on alpine records of *Sorex*, 54:354–357
Epargyreus
clarus, 52:14
exadeus, 48:520
spina, 48:520
Epeorus, 53:380
Ephedra, 52:99, 52:100, 52:350, 52:522, 52:523
aspera, 50:143, 52:200, 53:70, 55:496
californica, 47:579, 49:503, 50:134, 50:140, 50:142, 52:200, 53:70
nevadensis, 54:376
torreyana, 47:300, 47:304, 49:6, 51:221
trifurca, 48:482, 48:483, 49:6, 53:152, 56:365
viridis, 51:173, 51:176
Ephedraceae, 53:70
Ephedretosum californicae, 50:140, 50:142
Ephemerella, 52:223
Ephemeridae, 50:241
Ephoron, 48:30, 52:225
Ephydra, 56:257
Epilobium
angustifolium, 48:504
canum, 52:200
glaberrimum, 54:356
Epiphyllum anguliger, 49:11, 56:395
Epitedia wenmanni, 50:90
Epitheca costalis, 48:446, 48:447
Epithelantha micromeris, 49:11
Epithemia turgida, 49:400
Eptesicus, 51:52, 51:55
brasiliensis, 48:575
capensis, 51:56
furinalis, 48:575, 50:96–99
fuscus, 47:328, 48:132, 48:575, 48:715, 49:123, 49:295, 49:297, 49:345–347, 50:97, 50:200–203, 51:54, 51:56, 51:419, 51:421, 52:402, 52:482, 52:485–489, 52:491, 52:598, 54:223, 54:421, 54:424–426, 55:210, 55:331, 55:332, 55:334, 55:335, 55:351, 55:353, 55:354
serotinus, 51:56
Equidae, 51:233
Equisetum laevigatum, 48:181
Equus, 47:63, 48:406, 49:229, 49:232, 50:363, 51:231, 51:233, 51:234, 51:236, 54:75, 54:78, 54:217
asinus, 49:502, 52:521, 52:532, 53:312
conversidens, 54:219
Eradication of non-native mammals and the status of insular mammals on the California Channel Islands, USA, and Pacific Baja California Peninsula Islands, Mexico, Jessie L. Knowlton, C. Josh Donlan, Gary W. Roemer, Araceli Samaniego-Herrera, Bradford S. Keitt, Bill Wood,

Alfonso Aguirre-Muñoz, Kate R. Faulkner, and Bernie R. Tershy, 52:528–540
Eradication of spotted jewelfish, *Hemichromis guttatus*, from Poza San José del Anteojo, Cuatro Ciénegas Bolsón, Coahuila, Mexico, María de Lourdes Lozano-Vilano, Armando J. Contreras-Balderas, and María Elena García-Ramírez, 51:553–555
Eragrostis, 48:559, 49:25, 49:176, 49:186, 49:285, 52:522, 52:523, 55:510, 55:511, 55:513–515
curvula, 48:274–275, 54:20
erosa, 48:187
intermedia, 47:354, 47:558, 47:560–562, 53:73, 53:141, 53:497, 53:499, 55:497
lehmanniana, 47:103, 47:283, 47:354, 47:520, 49:290, 51:88, 53:481, 55:493, 55:498, 55:499
pectinacea, 55:498
trichodes, 51:359, 51:526
Eremariontа immaculata, 48:202–207
Eremobatidae, 55:112
Eremocarya micrantha, 53:70
Eremophila alpestris, 47:629, 51:172–180, 51:527, 51:528, 54:375–381
Eremotherium, 54:217
Eretes sticticus, 53:401
Erethizon dorsatum, 47:329, 48:574, 49:78, 51:581, 52:113, 52:403, 52:404, 53:87, 54:481, 56:301
Erethizontidae, 47:329, 48:574, 55:140
Eretmochelys imbricata, 56:427
Ergaticus ruber, 52:277
Eriastrum
diffusum, 48:11, 52:200, 53:72
eremicum, 53:72
Erica arborea, 53:367
Ericaceae, 48:187, 50:475, 50:476, 53:71
Ericameria
brachylepis, 52:200, 53:70
cuneata, 53:70
laricifolia, 47:440, 47:443, 47:445, 47:446
linearifolia, 53:70
nauseosa, 56:98
viscidiflora, 50:213
Erickson, Richard A., and Marshall J. Iliff, Occurrence of the giant swallowtail (*Papilo cresphontes*) in northern Baja California, 49:506–508
Erigeron
foliosus, 52:200
hacer, 48:12
modestus, 55:497
pumila, 48:494, 48:496, 48:504
strigosus, 51:526
sumatrensis, 48:12
Erigone
dentosa, 54:334
whymperi, 56:46
Eriogonum multiflorum, 49:179
Erimystax x-punctatus, 54:387
Erimyzon oblongus, 47:191, 54:343, 54:397
Eriochloa
acuminata, 48:187
punctata, 47:428
Eriodictyon
angustifolium, 52:200, 53:72
californicum, 51:485
Eriodyction angustifolium, 52:198
Eriogonum, 47:354, 49:502, 49:503, 52:99, 52:100, 55:480–483
abertianum, 48:484, 48:487
annuum, 55:478
effusum, 52:542
elongatum, 52:200, 53:64, 53:72
fasciculatum, 47:579, 50:132, 50:189, 52:198, 52:200, 52:355, 53:65–67, 53:72
incanum, 54:356
thurberi, 53:72
wrightii, 52:200, 52:355, 53:72, 55:498
Erioneuron
pilosum, 53:86, 55:498
pulchellum, 47:441, 49:8, 53:73, 53:92, 53:328, 54:227
Eriophyllum
confertiflorum, 52:200
wallacei, 48:11, 52:200
Eristalis tenax, 56:354–356
Eritettix simplex, 52:557
Ernest, S. K. Morgan, see Valone, Thomas J., —
Erodium, 49:306, 51:574
cicutarium, 49:191, 49:502, 49:503, 52:200, 53:64, 53:71, 53:396
Erpetogomphus, 48:30, 53:380
compositus, 50:243
Erpobdella, 49:453
Erpobdellidae, 53:380
Errazurizia
benthamii, 50:133, 50:141, 50:143, 50:144
megacarpa, 50:139, 50:145
Errazurizio benthamii, 50:129, 50:133, 50:140, 50:143
Erucaria microcarpa, 49:11
Ervin, Edward L., see Mullin, Stephen J., —
Eryngium
heterophyllum, 48:180, 48:184
protiflorum, 56:72
Erynnis
pacuvius, 52:14
telemachus, 52:14
Eryphanis aesacus, 48:516
Erysimum, 47:63
Erythea
armata, 52:191–200, 55:581, 55:582
brandegeei, 52:192
Erythemis
simplicicolis, 54:98
simplicicollis, 48:446
vesiculosa, 54:97, 54:98
Erythrina, 51:2, 51:8
flabelliformis, 51:10, 52:355, 55:317
velutina, 47:79
Erythrism in the North American badger, *Taxidea taxus*, Robert J. Laacke, William F. Laudenslayer, Tanya Diamond, Karen Viotto, and Charles A. Long, 51:289–291
Erythrodiplax umbrata, 54:98, 54:99
Escalante, Tania, David Espinosa, and Juan J. Morrone, Using parsimony analysis of endemicity to analyze the distribution of Mexican land mammals, 48:563–578
Escalera-Gallardo, Carlos, see Moncayo-Estrada, Rodrigo, —
Escalona-Segura, Griselda, see Garza-Torres, Héctor A., —
Escapes from hoop nets by red-eared sliders (*Trachemys scripta*), Donald J. Brown, Bei DeVolld, and Michael R. J. Forstner, 56:124–127
Escherichia coli, 51:300, 51:301, 51:395
Eschrichtius robustus, 47:129–132
Eschscholtzia minutiflora, 53:72
Eschscholzia californica, 49:191
Escobar, D. E., see Everitt, J. H., —
Escobedo-Galván, Armando H., see Espinal, Mario, and —
Escobedo-Morales, Luis Arturo, Livia León-Paniagua, Joaquín Arroyo-Cabrales, and Frank Greenaway, Distributional records for mammals from Chiapas, Mexico, 51:269–272
Escontria chiotilla, 50:376
Esenbeckia, 48:506
Esocidae, 52:132, 54:387
Esox
americanus, 47:190, 47:191, 54:387
lucius, 48:224, 51:262, 52:132, 53:237, 53:492, 54:486
Espinal, Mario, and Armando H. Escobedo-Galván, Population status of the American crocodile (*Crocodylus acutus*) in El Cajon Reservoir, Honduras, 56:212–215
Espinosa, David, see Escalante, Tania, —
Espinosa-T., Alejandro, Andrew V. Sandoval, and Armando J. Contreras-B., Historical distribution of desert bighorn sheep (*Ovis canadensis mexicana*) in Coahuila, Mexico, 51:282–288
Esque, Todd C., Cecil R. Schwalbe, Lesley A. DeFalco, Russell B. Duncan, and Timothy J. Hughes, Effects of desert wildfires on desert tortoise (*Gopherus agassizii*) and other small vertebrates, 48:103–111
Esque, Todd C., see Heaton, Jill S., —
Estabrook, Tracy S., see Boal, Clint W., —
Estep, M. C., Mary U. Connell, Richard N. Henson, Zack E. Murrell, and Randall L. Small, Testing a vicariance model to explain haplotype distribution in the psammophilic

scorpion *Paruroctonus utahensis*, 50:150–157
Estes, John, see Newby, Jennifer L., —
Estevez, Brooke D. N., see Schnell, Gary D., —
Estrada C., Eduardo, Alfonso Delgado-Salinas, J. Ángel Villarreal Q., Laura Scott M., César Cantú A., and Jaime García P., Diversity and distributional patterns of legumes in northeastern Mexico, 55:426–433
Estrada C., Eduardo, José A. Villarreal Q., Alfonso Delgado S., Marisela Pando M., Laura Scott M., Enrique Jurado, and Carmen Yen M., Diversity and distributional patterns of legumes in southern Nuevo León, México, 51:1–10
Estrada, Eduardo, see Jurado, Enrique, —
Estrada-Castillón, Eduardo, Enrique Jurado, and Javier Jiménez-Pérez, New locality of *Gleditsia triacanthos* (Caesalpiniaceae) in northeastern Mexico and its phytogeographic interest, 47:602–604
Estrada-Castillón, Eduardo, Enrique Jurado, José J. Navar, Javier Jiménez-Pérez, and Fortunato Garza-Ocañas, Plant associations of Cumbres de Majalca National Park, Chihuahua, Mexico, 48:177–187
Estrada-Castillón, Eduardo, see Rioja-Paradela, Tamara M., —
Estrada-Rodríguez, José L., see Gadsden, Héctor, —
Etheostoma
asprigene, 55:587, 55:590
blennioides, 54:391, 54:517
caeruleum, 51:344
chlorosomum, 47:190, 47:191, 54:391
cragini, 48:89–92, 49:86, 54:391
exile, 53:529–533
flabellare, 54:391
fonticola, 55:115–117
gracile, 47:191
grahami, 50:75–77, 50:247, 55:579
histrio, 54:391
microperca, 48:89–92, 54:397
nigrum, 54:391
pallididorsum, 51:339
parvipinne, 47:187–194
proeliare, 47:191
punctulatum, 54:391
radiosum, 51:339, 54:391, 55:155
spectabile, 47:187, 47:189, 47:191, 54:391, 54:397
stigmaeum, 54:391
whipplei, 54:391
zonale, 54:392, 54:517
Euarestoides acutangulus, 48:7
Eublepharidae, 47:43, 47:52, 55:112
Eucalyptus, 51:574, 56:18
Eucrypta
chrysanthemifolia, 53:72
micrantha, 53:72
Eucyclops, 48:341
agilis, 55:528
bondi, 55:526
chihuahuensis, 55:526
cuatrocienegas, 55:526
pectinifer, 55:526–529
prionophorus, 55:526
pseudoensifer, 55:526
serrulatus, 55:528
Eucylops, 55:525
pseudoensifer, 55:529
Euderma maculatum, 48:575, 50:200–203, 50:402–407, 51:54, 51:56, 52:402, 54:499, 55:210, 55:352, 55:354
Eudocimus ruber, 48:708
Eueides
aliphera, 48:513
isabella, 48:513
Eugenes fulgens, 47:119
Euhoplopsyllus
affinis, 54:496
glacialis, 48:721
Eulaelaps stabularis, 50:89, 50:90
Eulamprus heatwolei, 50:29
Eulinger, Kevin G., and M. Scott Burt, Comparison of captures between Sherman live traps and Museum Special kill traps, 56:241–246
Eulophidae, 53:140
Eulychnia
castanea, 56:395
longispina, 56:395
Eumaeus toxea, 48:518
Eumeces, 54:404, 55:137
callicephalus, 55:249
copei, 50:179, 50:183, 50:184
epipleurotus, 49:100
fasciatus, 49:531, 52:51
gaigeae, 49:100
lagunensis, 47:45–48, 47:55
lynxe, 50:179, 50:183, 50:184
multivirgatus, 49:100
obsoletus, 47:105, 48:351, 48:352, 53:482–485, 55:245, 55:246, 55:252
septentrionalis, 50:269
tetragrammus, 50:269, 50:270, 53:484
Eumops
auripendulus, 48:574, 50:97
bonariensis, 48:574
floridanus, 52:179, 52:183
glaucinus, 48:574, 52:179, 52:183
hansae, 48:574
perotis, 48:138–140, 48:142, 48:143, 48:574, 52:402, 52:405, 52:406, 55:210, 55:351, 55:354
underwoodi, 48:574, 50:97
Eunica
alcmena, 48:514
monima, 48:514
tatila, 48:514
Euparyphus, 53:380
Eupatorium, 48:11, 49:124
cannabinum, 48:13
chinense, 48:12
compositifolium, 49:177, 49:178, 55:197, 55:198
glabratum, 51:455–460, 54:440, 54:442
herbaceum, 52:522, 52:523
maculatum, 48:12
perfoliatum, 48:12
petiolare, 56:162–171
Eupeodes volucris, 56:356
Euphagus cyanocephalus, 49:107
Eupherusa poliocerca, 54:511, 54:513
Euphonia affinis, 54:91, 54:95
Euphorbia, 52:100, 55:316, 55:480, 55:483
antisyphilitica, 54:227
bicolor, 55:186
cordifolia, 49:177–179, 49:182, 49:184, 49:186
corollata, 56:59
eriantha, 50:145
fulva, 49:126
graminea, 54:442
heterophylla, 48:180, 48:187
lomelii, 53:71
magdalenae, 50:143
melanadenia, 53:71
micromera, 48:488
misera, 50:133, 50:139, 50:141–143, 50:145, 53:67, 53:71
schlechtendalli, 53:176
serpyllifolia, 48:487
serrula, 48:484, 48:487
tomentulosa, 52:200, 53:71
xanti, 50:144, 50:147
xantii, 52:200
Euphorbiaceae, 47:550–556, 48:187, 52:195, 53:71, 53:498, 55:180, 55:256, 55:441, 55:442, 56:160
Euphoria, 53:424
Euphrosyne partheniifolia, 54:442
Euphydryas editha, 51:29
Euptilotis neoxenus, 52:272, 52:276
Euptoieta
claudia, 48:513, 52:13
hegesia, 48:513
Eurasian scentless plant bug, *Rhopalus tigrinus* (Hemiptera: Rhopalidae), from New Mexico, Texas, and Utah, first records of a, A. G. Wheeler, Jr., 49:406–408
Eurema
albula, 48:513
arbela, 48:513
daira, 48:506, 48:513
nicippe, 52:13
Eurotia lanata, 55:283
Eurycea
chisholmensis, 55:292
longicauda, 50:386, 50:387
lucifuga, 50:386, 50:387
nana, 52:145–147, 55:294
naufragia, 55:291–297
neotenes, 55:292
sosorum, 53:561, 53:566
spelaea, 51:95
spelaeus, 50:386, 50:387
tonkawae, 55:292–295
tynerensis, 48:93–95

Eurymerodesmidae, 56:424
Eurymerodesmus
mundus, 56:424
newtonus, 56:424
oliphantus, 56:424
Euryopis
mulaiki, 56:46, 56:50, 56:52
scriptipes, 56:46
texana, 56:46
Eurytemora affinis, 55:526, 55:528
Euryuridae, 56:424, 56:425
Euschoengastia diversa, 50:90
Euselasia
aurantiaca, 48:516
chrysippe, 48:516
mystica, 48:516
sergia, 48:516
Eustrongylides ignotus, 56:262–264
Eutamias, 47:35
Euthamia
galetorum, 48:12
leptocephala, 49:182, 49:186
Euthlypis lachrymosa, 51:560–562
Eutrobicula lipovskyana, 54:204
Eutrombicula alfreddugesi, 56:131–133
Eutrombicula alfreddugesi (Acari: Trombiculidae): new host records from four species of lizards in the Sierra de Jimulco, Coahuila, Mexico, Cristina García-De la Peña, 56:131–133
Euxoa
auxiliaries, 50:297
auxiliaris, 50:278–281
Evaluating the efficacy of manipulating cowbird parasitism on host nesting success, Michael L. Morrison and Annalaura Averill-Murray, 47:236–243
Evaluating translocation of the Apache trout (*Oncorhynchus apache*) to non-historical renovated streams, Mark T. Porath, Heidi B. Blasius, Jeffrey A. Conn, Kirk L. Young, and L. Stewart Jacks, 55:229–239
Evaluation of a new technique for determining sex of adult white-winged doves (*Zenaida asiatica*), Timothy B. Fredricks, Alan M. Fedynich, and Steve J. Benn, 55:225–228
Evaluation of methods used to estimate size of a population of desert bighorn sheep (*Ovis canadensis mexicana*) in New Mexico, Travis W. Perry, Thomas Newman, and Katherine M. Thibault, 55:517–524
Evaluation of predator attendance at pitfall traps in Texas, Adam W. Ferguson, Floyd W. Weckerly, John T. Baccus, and Michael R. J. Forstner, 53:450–457
Evax, 53:499
Evenus regalis, 48:518
Everes
amyntula, 52:13
comyntas, 48:518
Everette, A. Lance, see Ellison, Laura E., —
Everitt, J. H., C. Yang, D. E. Escobar, R. I. Lonard, and M. R. Davis, Reflectance characteristics and remote sensing of a riparian zone in South Texas, 47:433–439
Everitt, J. H., C. Yang, R. F. Wilson, M. A. Alaniz, and M. R. Davis, Remote sensing of Macartney rose in the Texas Coastal Prairie, 47:566–575
Evidence of reproduction by exotic grass carp in the Red and Washita rivers, Oklahoma, Chad W. Hargrave and Keith B. Gido, 49:89–93
Evolvulus alsinoides, 48:187, 56:159
Examination of interaction effects of multiple disturbances on an arid plant community, Thomas J. Valone, 48:481–490
Examining patterns of bat activity in Bandelier National Monument, New Mexico, by using walking point transects, Laura E. Ellison, A. Lance Everette, and Michael A. Bogan, 50:197–208
Exploratory use of track and camera surveys of mammalian carnivores in the Peloncillo and Chiricahua mountains of southeastern Arizona, Kevin R. Crooks, Melissa Grigione, Alison Scoville, and Gerald Scoville, 53:510–517
Eysenhardtia, 51:1, 51:5
polystachya, 49:127
spinosa, 51:6, 51:10
texana, 51:6, 51:10, 53:2
Ezcurra, Exequiel, see Mandujano, María C., —

Fabaceae, 47:86–91, 48:187, 49:127, 49:190, 49:191, 50:69–74, 50:475, 51:1, 51:4–9, 51:458, 51:459, 51:487, 52:195, 52:356–363, 53:71, 53:498, 55:193, 55:194, 55:197–200, 55:256
Factors affecting bat house occupancy in Colorado, Ethan P. White, 49:344–349
Factors influencing expansion of the breeding distribution of Bewick's wren into riparian forests of the Rio Grande in central New Mexico, Robert V. Taylor, 48:373–382
Factors influencing seed imbibition of blackbrush (*Coleogyne ramosissima*: Rosaceae), Simon A. Lei, 55:443–447
Fagaceae, 48:187, 51:485, 53:71
Fagan, Jesse F., see Schaefer, Richard R., and —
Fagonia laevis, 50:144, 53:73
Fagus, 55:539
grandifolia, 49:64, 49:296
Falco
femoralis, 47:379–400, 48:397, 49:110
mexicanus, 47:141–142, 48:361, 49:377, 52:291, 52:293, 54:285, 55:569, 55:571
peregrinus, 47:142, 49:108, 50:441, 50:442, 50:446, 52:54–59, 52:272, 54:284–299
rufigularis, 54:93
sparvarius, 54:286
sparverius, 47:142, 51:520, 52:277, 54:86, 54:93, 54:288
Falconidae, 51:233
Falleon, 50:241
Fallicambarus
fodiens, 49:252
hedgpethi, 49:252
Fallugia paradoxa, 47:2, 53:151, 53:152
Falugia paradoxa, 47:132
Farallo, Vincent R., Donald J. Brown, and Michael R. J. Forstner, An improved funnel trap for drift-fence surveys, 55:457–460
Farley, Greg H., see Hickman, Karen R., —
Farley, Greg H., see Timson, Jamie E., and —
Farmer, Chris, see Punzo, Fred, and —
Farr, William L., Distribution of *Hemidactylus frenatus* in Mexico, 56:265–273
Farris, Jerry L., see Maul, Jonathan D., and —
Fatoua villosa, 53:497
Faulkner, Kate R., see Knowlton, Jessie L., —
Faxonella, 55:452
blairi, 49:252
clypeata, 49:252
Feces as an attractant for mammalian carnivores, efficacy of, Mark E. Howard, Gerald L. Zuercher, Philip S. Gipson, and Troy R. Livingston, 47:348–352
Fecundity of San Marcos salamanders in captivity, Paige A. Najvar, Joe N. Fries, and John T. Baccus, 52:145–147
Fedynich, Alan M., see Fredricks, Timothy B., —
Fedynich, Alan M., see Kloss, Christopher L., —
Feeding habits of *Leptonycteris curasoae* in northern Venezuela, Angela M. G. Martino, Jaime O. Aranguren, and Alexis Arends, 47:78–85
Feist, Mary A., see Phillippe, Loy R., —
Felidae, 47:329, 48:574, 51:233, 54:217–222
Felis, 49:232
atrox, 54:217
catus, 52:532, 52:546, 53:87, 53:88, 53:453, 53:455, 55:168, 56:36, 56:189, 56:433
concolor, 47:256, 47:511, 50:103, 51:29
domesticus, 49:46, 49:535
imperialis, 54:217, 54:220
paradalis, 47:256

pardalis, 47:636
yagouaroundi, 47:256
Felix atrox, 54:220
Fendlera rupicola, 51:311
Fenolio, Danté B., G. O. Graening, and Jim F. Stout. Seasonal movement patterns of pickerel frogs (*Rana palustris*) in an Ozark cave and tropic implications supported by stable isotope evidence, 50:385–389
Fenolio, Danté B., see Graening, G. O., —
Feral Africanized honey bees (*Apis mellifera*) in Sonoran Desert habitats of southwestern Arizona, Michael J. Rabe, Steven S. Rosenstock, and David I. Nielsen, 50:307–311
Ferguson, Adam W., Floyd W. Weckerly, John T. Baccus, and Michael R. J. Forstner, Evaluation of predator attendance at pitfall traps in Texas, 53:450–457
Ferguson, Carolyn J., see Strakosh, Suzanne C., and —
Fernández, Jesús A., Fernando A. Cervantes, and María del Carmen Corona Vargas, New distributional records for mammals from Tlaxcala, Mexico, 52:328–333
Ferocactus, 47:451, 48:598, 50:141, 53:424, 56:337
acanthodes, 47:579, 50:133, 50:379, 53:71
chrysacanthus, 50:143
cylindraceus, 50:379
cylindraceus, 47:579, 48:203, 50:484, 53:64, 53:71, 53:427
flavovirens, 49:11, 49:14, 49:15
fordii, 47:579
glaucescens, 49:14
gracilis, 47:579, 50:136, 50:144, 52:196, 52:200, 53:71
hamatacanthus, 52:344
histrix, 49:14
peninsulae, 49:14, 50:484
recurvus, 49:11, 49:14, 49:15
robustus, 49:11, 49:14, 49:15
setispinus, 53:425
townsendianus, 50:132, 50:144, 50:146
wislizeni, 47:449, 47:450, 47:452, 49:14, 49:15, 50:482–487, 53:427
wislizenii, 53:109
Fescue, 49:352
Fesnock, Amy L., Prairie falcon takes white-throated swift in flight, 47:141–142
Festuca, 49:306, 51:109, 52:252, 52:253
arizonica, 52:512, 55:23
arundinacea, 55:290
breviglumis, 51:458
octoflora, 53:73
ovina, 48:493–496, 48:504
rubra, 48:493
thurberi, 52:495
tolucencis, 56:72
Fettig, Stephen M., see Neff, Paula K. Kleintjes, —
Ficken, Millicent Sigler, Parent-offspring conflict in blue-throated hummingbirds, 47:118–121
Ficus, 48:142, 48:580, 48:582–585, 48:587, 50:472, 50:473, 50:475, 52:394, 52:396, 53:518, 55:318, 55:573
colubrinae, 48:581, 48:586
cotinifolia, 54:91, 55:141
palmeri, 50:441
petiolaris, 49:126, 53:72, 55:140, 55:141
yoponensis, 48:581
Fidicina rana, 54:24
Figueroa, Ricardo A., see Santander, Francisco J., —
Figueroa-Castro, Dulce M., and Zenón Cano-Santana, Effectiveness of vectors of pollen and longevity of capitula for four species of Asteraceae in central Mexico, 56:162–171
Filago californica, 53:70
Filistatidae, 54:334, 54:337, 56:45, 56:46
Filistatoides, 56:46
insignis, 56:45
Fimbristylis, 48:442
castanea, 49:180
Fimbrystylis puberula, 55:257
Fine root biomass and production in a semiarid Mexican shrubland, Numa P. Pavón, 52:116–119
Finney, Sam T., Colorado pikeminnow (*Ptychocheilus lucius*) upstream of critical habitat in the Yampa River, Colorado, 51:262–263
Fire and grazing on an arid grassland ecosystem, effects of, Thomas J. Valone, Shawn E. Nordell, and S. K. Morgan Ernest, 47:557–565
Fire history of the Aiken Canyon grassland-woodland ecotone in the southern foothills of the Colorado Front Range, William R. Wieder and Nathan W. Bower, 49:239–243
Fire on endangered Mount Graham red squirrels (*Tamiasciurus hudsonicus grahamensis*): responses of individuals with known fates, effects of, Katherine M. Leonard and John L. Koprowski, 55:217–224
Fire on winter assemblages of birds in ponderosa pine forests of northern Arizona, effects of prescribed, Theresa L. Pope and William M. Block, 55:22–28
Fischer, Justin W., Roger E. Joos, Melissa A. Neubaum, Jimmy D. Taylor, David L. Bergman, Dale L. Nolte, and Antoinette J. Piaggio, Lactating North American beavers (*Castor canadensis*) sharing dens in the southwestern United States, 55:273–277
Fish, Ernest B., see Avey, Josh T., —
Fish, Jennifer M., see Mullin, Stephen J., —
Fisher, Robert D., see Frey, Jennifer K., —
Fisher, Robert N., see Mullin, Stephen J., —
Fisher, William L., see Cole, Matthew L., —
Fisher, William L., see Coughlin, Warren D., —
Fitzgerald, Lee A., see Ryberg, Wade A., —
Fitzgerald, Lee A., see Smolensky, Nicole L., and —
Fitzpatrick, Thomas A., see Mooring, Michael S., —
Flatidae, 55:182, 55:191
Flavobacterium, 51:300
Flesch, Aaron D., Don E. Swann, Dale S. Turner, and Brian F. Powell, Herpetofauna of the Rincon Mountains, Arizona, 55:240–253
Flight speeds of four species of Neotropical bats, Heidi L. Hopkins, Cornelio Sánchez-Hernández, María de Lourdes Romero-Almaraz, L. Michelle Gilley, Gary D. Schnell, and Michael L. Kennedy, 48:711–714
Flood on relative abundance and diversity of small mammals in a regenerating bottomland hardwood forest, effects of a, Michael J. Chamberlain and Bruce D. Leopold, 48:306–309
Flora and vegetation of an isolated mountain range in the desert of Baja California, Stephen H. Bullock, J. Mario Salazar Ceseña, Jon P. Rebman, and Hugo Riemann, 53:61–73
Floral abundance, territoriality, and the importance of *Echeveria gibbiflora* to *Cynanthus latirostris* (Apodiformes: Trochilidae) during winter, Carlos F. Vargas and Victor Parra-Tabla, 47:623–626
Flores, Joel, see Jurado, Enrique, —
Flores-Martínez, Arturo, see Mandujano, María C., —
Flores-Villela, Oscar A., see Roth-Monzón, Andrea J., —
Flourensia, 55:428
cernua, 47:389, 48:1–13, 48:482, 48:646, 49:6, 49:8, 49:25, 51:2, 52:98, 53:92, 54:262, 55:412, 55:493, 55:496, 55:498, 56:45
Flourensia cernua, 54:254
Flowers are produced on stems shorter than one meter in the desert shrub ocotillo (*Fouquieria splendens*), Keith T. Killingbeck, 54:55–57
Floyd, Aaron O., see Cooley, Christopher R., —
Follicular development and ovulation determined by ultrasound imaging in the viviparous lizard *Barisia imbricata* (Reptilia: Anguidae), Martín Martínez-Torres, Raymundo Guz-

mán-Rodríguez, Mario Cárdenas-León, and Noemí Brunner-Reynaldo, 51:401–406
Fontenot, Brian E., see Meik, Jesse M., —
Food habits of a paedomorphic population of the Mexican salamander, *Ambystoma ordinarium* (Caudata: Ambystomatidae), Javier Alvarado-Diaz, Pedro Garcia-Garrido, and Ireri Suazo-Ortuño, 48:100–102
Food habits of *Nyctinomops macrotis* at a maternity roost in New Mexico, as indicated by analysis of guano, Dale W. Sparks and Ernest W. Valdez, 48:132–135
Food habits of the blunt-nosed leopard lizard (*Gambelia sila*), David J. Germano, Paul T. Smith, and Stephen P. Tabor, 52:318–323
Food habits of the hoary bat (*Lasiurus cinereus*) during spring migration through New Mexico, Ernest W. Valdez and Paul M. Cryan, 54:195–200
Foods of age-0 Rio Grande silvery minnows (*Hybognathus amarus*) reared in hatchery ponds, Jacqueline M. Watson, Catherine Sykes, and Timothy H. Bonner, 54:475–479
Foods of the pallid bat, *Antrozous pallidus* (Chiroptera: Vespertilionidae), in the Chihuahuan Desert of western Texas, Paul A. Lenhart, Vicente Mata-Silva, and Jerry D. Johnson, 55:110–115
Foquieria splendens, 55:496, 55:498
Foraging behavior of a great horned owl (*Bubo virginianus*) feeding on field crickets (*Gryllus*), an observation of the, T. Wayne Schwertner, 47:117–118
Foraging ecology of peregrine falcons (*Falco peregrinus*) along the Colorado River, Grand Canyon, Arizona, Lawrence E. Stevens, Bryan T. Brown, and Kirsten Rowell, 54: 284–299
Foraging mode of the reticulate collared lizard, *Crotaphytus reticulatus*, Jerry F. Husak and Emily N. Ackland, 48:282–286
Foraging rates of *Leptonycteris curasoae* vary with characteristics of *Agave palmeri*, Holly K. Ober and Robert J. Steidl, 49:68–74
Foraging strategy of a California kingsnake in searching for fledglings of the least Bell's vireo, Kevin B. Clark, 54:352–353
Forchhammeria pallida, 55:141
Ford, Neil B., François Brischoux, and Debra Lancaster, Reproduction in the western cottonmouth, *Agkistrodon piscivorus leucostoma*, in a floodplain forest, 49:465–471
Ford, Neil B., see Brenes, Roberto, and —
Forelius
foetidus, 51:50
mccooki, 53:426–428
Forestiera, 55:511
Forestiera, 55:428
angustifolia, 47:426, 55:496
neomexicana, 47:598
pubescens, 50:268, 51:101, 51:359
Forestieria shrevei, 52:355
Formanowiz, Daniel R., Jr., see Brown, Christopher A., —
Formica exsectoides, 47:175
Formicidae, 48:101, 48:133, 48:198, 48:419, 49:259, 49:318, 50:91, 50:302–306, 51:24, 51:25, 51:314, 51:516, 51:557, 52:306, 52:307, 52:320, 52:322, 53:426, 54:303, 55:101, 55:112, 55:192, 55:341, 55:344, 55:532–538, 56:78, 56:86, 56:92, 56:432–433
Forrestiera acuminata, 49:529
Forstner, Michael R. J., see Bailey, Lindley A., —
Forstner, Michael R. J., see Bates, Christa L., —
Forstner, Michael R. J., see Bean, Preston T., —
Forstner, Michael R. J., see Brown, Donald J., —
Forstner, Michael R. J., see Farallo, Vincent R., —
Forstner, Michael R. J., see Ferguson, Adam W., —
Forstner, Michael R. J., see Swannack, Todd M., and —
Fortes, Iris, see Munguia, Pablo, —
Fossil shrews (Insectivora: Soricidae) from the late Pleistocene of Colorado, Steven D. Emslie, 47:62–69
Foster, C. Drew, and Stephen J. Mullin, Speed and endurance of *Thamnophis hammondii* are not affected by consuming the toxic frog *Xenopus laevis*, 53:370–373
Foster, Justin A., Michael T. Pittman, and Louis A. Harveson, Nocturnal drinking by mourning doves (*Zenaida macroura*), 49:512–514
Fountainea eurpyle, 48:515
Fouqueria splendens, 51:283
Fouquieriaceae, 48:187
Fouquiera digetii, 47:629
Fouquieria
columnaris, 47:579, 52:194, 52:196, 52: 200, 53:67, 53:71
diguetii, 48:472, 50:135, 50:141, 50: 143–146, 50:441, 55:316
splendens, 47:354, 47:440, 47:443, 47:445, 47:449, 47:450, 47:520, 47:579, 48:3, 48:181, 48:187, 48:636, 48:693, 49:502, 49:503, 52:98, 52:196, 52:200, 52:349, 52:355, 52:601, 53:65, 53:67, 53:71, 53:109, 53:312, 54:55–57, 54:227, 54: 254, 54:447, 55:126, 55:315, 55:316
Fouquieriaceae, 53:71
Fouquierietum diguetii, 50:133, 50:141, 50:144, 50:147
Foutainea glycerium, 48:515
Fowler, Norma L., Christopher F. Best, Dana M. Price, and Alice L. Hempel, Ecological requirements of the Zapata bladderpod *Physaria thamnophila*, an endangered Tamaulipan thornscrub plant, 56:341–352
Fox, Charles W., David M. Gordon, and Pasano Bojang, Genetic and environmental sources of variation in survival on nonnative host species in the generalist seed beetle, *Stator limbatus*, 51:490–501
Fox, Lloyd B., see Gehrt, Stanley D., and —
Fox, Stanley F., see Riedle, J. Daren, —
Foxella
ignota, 48:721, 54:496
Foxes, fleas, and plague in New Mexico, Robert L. Harrison, Michael J. Patrick, and C. Gregory Schmitt, 48:720–722
Fragaria, 50:472, 50:474, 50:475
virginiana, 52:498, 54:348
Fragilaria
acus, 49:396, 49:397, 49:400
capucina, 49:400
crotonensis, 49:400
pinnata, 49:396
vaucheriae, 49:396, 49:397, 49:400
Fragilariforma virescens, 49:400
Francis, S. Steve, see Heaton, Jill S., —
Francisella tularensis, 48:263, 48:266
Franco-Vizcaíno, Ernesto, Ana Cecilia López-Beltrán, and Mario Salazar-Ceseña, Water relations and community composition in three blue fan palm oases across the Californian-Sonoran biome transition, 52: 191–200
Franco-Vizcaíno, Ernesto, see Welsh, Hartwell H., Jr., —
Frankenia
palmeri, 50:133, 50:138–143, 50:145, 53:67
salina, 50:135, 52:200
Frankenietea salinae, 55:319
Frankenietum palmeri, 50:147
Frankenio
palmeri, 50:149
salinae, 50:135, 50:149
Franklin, Carl J., see Meik, Jesse M., —
Franquenia palmeri, 48:472
Franssen, Nathan R., see Pilger, Tyler J., —
Frase, Barbara A., Hematological parameters of high-elevation bushy-tailed woodrats, 47:508–510
Fraser, Ian C., see Mooring, Michael S., —
Fraxinus, 47:602, 50:209, 53:252, 54:202, 55:428, 56:131
americana, 55:256, 55:259

berlanderiana, 54:502
berlandieriana, 47:423, 47:429, 47:430, 49:33, 49:35, 54:68, 54:69, 54:318
pennsylvanica, 47:487, 49:25, 49:62, 49:529, 52:469, 53:216, 55:257
texensis, 51:101
trifoliata, 52:200
velutina, 48:181–183, 48:185, 48:187, 53:328, 54:332, 55:241, 55:375
Fredricks, Timothy B., Alan M. Fedynich, and Steve J. Benn, Evaluation of a new technique for determining sex of adult white-winged doves (*Zenaida asiatica*), 55:225–228
Freel, Kimberly, see Criffield, Marc A., —
Free-tailed bats (Chiroptera: Molossidae) from Durango, Mexico, noteworthy records of, Raúl Muñiz-Martínez, Celia López-González, Joaquín Arroyo-Cabrales, and Manuel Ortiz Gómez, 48:138–144
Frequency of site fidelity by golden-fronted woodpeckers, low, Michael S. Husak and Jerry F. Husak, 47:110–114
Frese, Paul W., Alicia Mathis, and Robert Wilkinson, Population characteristics, growth, and spatial activity of *Siren intermedia* in an intensively managed wetland, 48:534–542
Freshwater Copepoda (Crustacea) from the Chihuahuan Desert with comments on biogeography, Eduardo Suárez-Morales, Martha A. Gutiérrez-Aguirre, and Elizabeth J. Walsh, 55:525–531
Freshwater turtle assemblages in central Oklahoma farm ponds, Paul A. Stone, Sara M. Powers, and Marie E. Babb, 50:166–171
Frey, Jennifer K., and Jason L. Malaney, Decline of the meadow jumping mouse (*Zapus hudsonius luteus*) in two mountain ranges in New Mexico, 54:31–44
Frey, Jennifer K., Michael T. Hill, Bruce L. Christman, Joe C. Truett, and Stephen O. MacDonald, Distribution and habitat of the Arizona gray squirrel (*Sciurus arizonensis*) in New Mexico, 53:248–255
Frey, Jennifer K., Robert D. Fisher, Michael A. Bogan, and Clyde Jones, First record of the Arizona cotton rat (*Sigmodon arizonae*) in New Mexico, 47:491–493
Frey, Jennifer K., see Dunnum, Jonathan L., —
Frey, Jennifer K., see Wampler, Christina R., —
Fries, J. N., and J. R. Gibson, Critical thermal maxima of captive-bred Devils River minnows (*Dionda diaboli*), 55:544–550
Fries, Joe N., see Gibson, James R., —
Fries, Joe N., see Hulbert, Julie, —
Fries, Joe N., see Najvar, Paige A., —
Fries, Joe N., see Phillips, Catherine T., —
Frieven, Carlos, see Monroy-Vilchis, Octavio, and —
Friggens, Michael T., Carnivory on desert cottontails by Texas antelope ground squirrels, 47:132–133
Fringillidae, 47:553
Frisbie, Michael C., see Small, Michael F., —
Frisonla, 48:30
Frontinella communis, 54:333, 54:334
Frugivorous bats in isolated trees and riparian vegetation associated with human-made pastures in a fragmented tropical landscape, Jorge Galindo-González and Vinicio J. Sosa, 48:579–589
Fuentes, Gustavo N., and Robert C. Cashner, Rio Grande cichlid established in the Lake Pontchartrain drainage, Louisiana, 47:456–459
Fulé, Peter Z., see Korb, Julie E., —
Fulgoridae, 54:170
Fulhorst, Charles F., see Bradley, Robert D., —
Fulica americana, 51:103, 51:233, 55:571
Fuller, S. Adam, see Caldwell, Colleen A., —
Fundulidae, 49:87–88, 53:339, 55:587, 55:589
Fundulotrema prolongis, 50:313
Fundulus
catenatus, 54:390, 54:517
dispar, 55:587, 55:589
grandis, 48:451, 48:452
kansae, 51:397, 51:398
lima, 51:502–509, 53:543, 53:551, 53:560, 53:566
notatus, 49:88, 54:390
olivaceus, 47:191, 49:87–88, 54:390, 54:517
parvipinnis, 54:162
zebrinus, 49:85, 49:86, 50:76, 52:130, 52:132, 52:133, 53:126, 54:390, 54:486, 55:153, 55:155
Fundulus olivaceus (Atherinomorpha: Fundulidae) in Kansas, first record of, Nancy I. Holcroft, 49:87–88
Funnel trap for drift-fence surveys, an improved, Vincent R. Farallo, Donald J. Brown, and Michael R. J. Forstner, 55:457–460
Furcifer labordi, 56:75
Fuschia thymifoli, 49:124
Fusconaia flava, 52:138, 53:46

Gabrey, Steven W., Barry C. Wilson, and Alan D. Afton, Success of artificial bird nests in burned Gulf Coast Chenier Plain marshes, 47:532–538
Gadsden, Héctor, and José L. Estrada-Rodríguez, Ecology of the spiny lizard *Sceloporus jarrovii* in the central Chihuahuan Desert, 52:600–608
Gadsden, Héctor, José L. Estrada-Rodríguez, Diana A. Quezada-Rivera, and Sandra V. Leyva-Pacheco, Diet of the Yarrow's spiny lizard *Sceloporus jarrovii* in the central Chihuahuan Desert, 56:89–94
Gadsden, Héctor, see Castañeda, Gamaliel, —
Gadsden, Héctor, see García-De la Peña, Cristina, —
Gadsden-Esparza, Héctor, see García-De la Peña, Cristina, —
Gaillardia
multiceps, 48:12
pinnatifida, 48:12
pulchella, 48:11, 53:138
Galactia
brachystachya, 51:10
canescens, 49:182–184, 49:186
wrightii, 55:430
Galactica canascens, 55:199
Galbraith, Heather S., Daniel E. Spooner, and Caryn C. Vaughn, Status of rare and endangered freshwater mussels in southeastern Oklahoma, 53:45–50
Galentine, Steve P., and Pamela K. Swift, Intraspecific killing among mountain lions (*Puma concolor*), 52:161–164
Galictis vittata, 48:574
Galina-Tessaro, Patricia, L. Lee Grismer, Bradford D. Hollingsworth, and Alfredo Ortega-Rubio, Distribution and conservation of lizards in the Vizcaíno Biosphere Reserve, Baja California Sur, México, 47:40–55
Galindo-González, Jorge, and Vinicio J. Sosa, Frugivorous bats in isolated trees and riparian vegetation associated with human-made pastures in a fragmented tropical landscape, 48:579–589
Galindo-Vallejo, Sabastiana, see Lindig-Cisneros, Roberto, —
Galinsoga parviflora, 48:12
Galium, 52:100, 53:499, 54:348
angustifolium, 52:200
boreale, 52:495
munzii, 48:504
obtusum, 55:256, 55:259
pilosum, 55:256, 55:260
porrigens, 54:328
proliferum, 53:64, 53:72
stellatum, 52:200, 52:355, 53:72
virgatum, 47:590
wrightii, 53:64
Gallagher, James F., see Ruthven, Donald C., III, —

Gallie, Jonathan A., and Lee C. Drickamer, Ecological interactions between two ecosystem engineers: Gunnison's prairie dog and Botta's pocket gopher, 53:51–60
Gallinula chloropus, 55:276
Gallo-Reynoso, Juan Pablo, see Cabrera-Santiago, Horacio, —
Gallo-Reynoso, Juan-Pablo, and Carlos Navarro-Serment, Range extension of margay into northwestern Mexico, 47:635–636
Gallo-Reynoso, Juan-Pablo, Gabriela Suárez-Gracida, Horacio Cabrera-Santiago, Elsa Coria-Galindo, Janitzio Egido-Villarreal, and Leo C. Ortiz, Status of beavers (*Castor canadensis frondator*) in Río Bavispe, Sonora, México, 47:501–504
Gallo-Reynoso, Juan-Pablo, see Navarro-Serment, Carlos J., —
Gallo-Reynoso, Juan-Pablo, Thomas Van Devender, Ana Lilia Reina-Guerrero, Janitzio Egido-Villarreal, and Edward Pfeiler, Probable occurrence of a brown bear (*Ursus arctos*) in Sonora, Mexico, in 1976, 53:256–260
Gallotia galloti, 47:299
Gallus gallus, 52:453, 52:455, 52:456
Galvezia juncea, 53:72
Gamasomorpha, 56:46
Gambelia, 48:283
  copei, 47:42, 47:46, 47:47, 47:51, 48:284
  sila, 52:46–53, 52:318–323
  wislizenii, 47:51, 48:106, 48:284, 52:47, 52:52, 52:251, 52:318, 52:321, 54:228, 55:247, 55:252
Gambusia, 49:549, 50:75, 50:77, 51:260
  affinis, 47:191, 47:196, 48:86, 48:451, 48:452, 48:667, 49:85, 49:86, 49:548, 50:76, 51:398, 52:132, 52:179, 52:182, 53:116, 53:237, 53:400, 53:561, 53:566, 54:156, 54:157, 54:385, 54:390, 54:461, 54:463, 54:465, 54:466, 54:517, 55:78, 55:81–83, 55:152, 55:153, 55:155, 55:263–268, 56:262–265, 56:385, 56:386, 56:389
  geiseri, 50:76
  holbrooki, 54:162
  hurtadoi, 55:265
  marshi, 51:554
  nobilis, 48:86
  speciosa, 49:437, 49:438, 50:76
Gametogenetic cycle, reproductive anatomy, and larval morphology of *Popenaias popeii* (Unionoida) from the Black River, New Mexico, Douglas G. Smith, Brian K. Lang, and Mark E. Gordon, 48:333–340
Gammaridae, 53:380
Gammarus, 50:387, 52:235, 53:380
Ganey, Joseph L., see Block, William M., —
Ganey, Joseph L., Thermal regimes of Mexican spotted owl nest stands, 49:478–486
Ganey, Joseph L., William M. Block, James P. Ward, Jr., and Brenda E. Strohmeyer, Home range, habitat use, survival, and fecundity of Mexican spotted owls in the Sacramento Mountains, New Mexico, 50:323–333
Gannon, William L., see Sherwin, Richard E., and —
Ganyra josephina, 48:513
Garber, Gail L., see Cartron, Jean-Luc E., —
Garcelon, David K., see Coonan, Timothy J., —
García Orozco, Sergio, see Santos-Moreno, Antonio, —
García P., Jaime, see Estrada C., Eduardo, —
García, Andrés, see Cervantes, Fernando A., —
García, Jaime F., see Jurado, Enrique, —
García-Collazo, Rodolfo, see Ramírez-Bautista, Aurelio, —
García-De la Peña, Cristina, *Eutrombicula alfreddugesi* (Acari: Trombiculidae): new host records from four species of lizards in the Sierra de Jimulco, Coahuila, Mexico, 56:131–133
García-De la Peña, Cristina, Gamaliel Castañeda, Héctor Gadsden, and Armando J. Contreras-Balderas, Niche segregation within a dune lizard community in Coahuila, Mexico, 52:251–257
García-De la Peña, Cristina, Ricardo Paredes-León, Barry O'Connor, Héctor Gadsden-Esparza, and Cameron W. Barrows, *Acomatacarus arizonensis* (Acari: Leeuwenhoekiidae): new records from three species of lizards in the Mexican Chihuahuan Desert, 55:278–279
García-De la Peña, Cristina, see Castañeda, Gamaliel, —
García-Estrada, Carlos, see Romero-Almaraz, María de Lourdes, —
Garcia-Garrido, Pedro, see Alvarado-Diaz, Javier, —
García-Guadarrama, Tamara, see Manjarrez, Javier, —
García-Mendoza, Diego F., and Celia López-González, Diminutive woodrat (*Nelsonia neotomodon*) in Chihuahua, Mexico, 50:503–506
García-Mendoza, Diego F., see Torres-Morales, Laura, —
García-Ramírez, María Elena, see Lozano-Vilano, María de Lourdes, —
García-Vázquez, Uri Omar, Itzel Durán-Fuentes, Adrián Nieto-Montes de Oca, and Hobart M. Smith, *Rhadinaea myersi* (Squamata: Colubridae) in Guerrero and Oaxaca, Mexico, 54:345–346
García-Vázquez, Uri Omar, see Güizado-Rodríguez, Anahí, —
Gardner, Stephanie A., and Joseph R. Mendelson, III, Diet of the leaf-nosed snakes, *Phyllorhynchus* (Squamata: Colubridae): squamate-egg specialists, 48:550–556
Garel, Anthony, see Platt, Steven G., —
Garey, Laura K., see Newby, Jennifer L., —
Garrett, Gary P., Robert J. Edwards, and Clark Hubbs, Discovery of a new population of Devils River minnow (*Dionda diaboli*), with implications for conservation of the species, 49:435–441
Garrett, Gary P., see Carson, Evan W., —
Garrett, Gary P., see Hulbert, Julie, —
Garrya
  flavescens, 53:151, 53:152
  grisea, 53:64, 53:71
  ovata, 48:181, 48:187
  veatchii, 52:200
  wrightii, 47:445
Garryaceae, 48:187, 53:71
Garza-Ocañas, Fortunato, see Estrada-Castillón, Eduardo, —
Garza-Torres, Héctor A., J. Rafael Herrera-Herrera, Griselda Escalona-Segura, Jorge A. Vargas-Contreras, and Adolfo G. Navarro S., New bird records from Tamaulipas, Mexico, 48:707–710
Gaspar-Rodriguez, Blanca L., see Contreras-Balderas, Armando J., and —
Gasterosteidae, 53:339
Gasterosteus aculeatus, 53:339, 56:110, 56:264
Gastrointestinal helminths of seven species of sceloporine lizards from Mexico, Stephen R. Goldberg, Charles R. Bursey, and José L. Camarillo-Rangel, 48:208–217
Gastrophryne
  carolinensis, 49:531, 53:116
  olivacea, 47:104–107, 50:269, 53:116, 53:482–485
  olivaceus, 55:459
Gastropoda, 48:14–22, 48:202–207, 52:475–481
Gates, Michael W., see Pech, Louis L., —
Gavia
  immer, 51:103, 52:57, 52:153–155
  pacifica, 52:154
Gecarcinus lateralis, 51:13, 51:17, 51:18
Geckobiella, 56:372
Gehlbach, Frederick R., Body size variation and evolutionary ecology of eastern and western screech-owls, 48:70–80
Gehlbach, Frederick R., see Duncan, William W., —

Gehrt, Stanley D., and Lloyd B. Fox, Spatial patterns and dynamic interactions among raccoons in eastern Kansas, 49:116–221
Gekkonidae, 47:44, 47:52, 55:252, 55:280
Geluso, Keith, and Jeffrey N. Mink, Use of bridges by bats (Mammalia: Chiroptera) in the Rio Grande Valley, New Mexico, 54:421–429
Geluso, Keith, Distribution of the white-ankled mouse (*Peromyscus pectoralis*) in New Mexico, 49:283–288
Geluso, Keith, Justin D. Hoffman, Vikki A. Ashe, Jeremy A. White, and Michael A. Bogan, Westward expansion of the tawny-bellied cotton rat (*Sigmodon fulviventer*) in west-central New Mexico, 50:273–277
Geluso, Keith, Records of mammals from Harding County, New Mexico, 47:325–329
Geluso, Keith, Westward expansion of the eastern fox squirrel (*Sciurus niger*) in northeastern New Mexico and southeastern Colorado, 49:111–116
Geluso, Keith, Winter activity of bats over water and along flyways in New Mexico, 52:482–492
Geluso, Keith, Winter activity of Brazilian free-tailed bats (*Tadarida brasiliensis*) at Carlsbad Cavern, New Mexico, 53:243–247
Geluso, Kenneth N., see Best, Troy L., and —
Genealogical diversity suggests multiple introductions of white suckers (*Catostomus commersonii*) into the Rio Grande, New Mexico, Megan V. McPhee and Thomas F. Turner, 54:485–492
Genetic and environmental sources of variation in survival on nonnative host species in the generalist seed beetle, *Stator limbatus*, Charles W. Fox, David M. Gordon, and Pasano Bojang, 51:490–501
Genetic basis for antler and pedicle malformations in reintroduced elk in northern Arizona?, is there a, Jason F. Hicks and Janet L. Rachlow, 51:276–282
Genetic differentiation of lineages of *Tubifex tubifex* from the San Juan River, New Mexico, Robert J. DuBey, 53:268–272
Genetic diversity of the Caddo madtom, *Noturus taylori*, with comments on factors that promote genetic divergence in fishes endemic to the Ouachita Highlands, Thomas F. Turner and Henry W. Robison, 51:338–345
Genetic diversity within the Llano pocket gopher, *Geomys texensis*, L. Rex McAliley and Philip D. Sudman, 50:334–341
Genetic structure of American mink (*Mustela vison*) populations, Richard T. Stevens, Michael L. Kennedy, and Victor R. Kelley, 50:350–355
Genetic structure of endangered Stephens' kangaroo rat populations in southern California, Leroy R. McClenaghan, Jr. and Harold D. Truesdale, 47:539–549
Genetic structure of spotted bass (*Micropterus punctulatus*) in the Red and Arkansas river basins: microsatellite and mitochondrial DNA variation, Warren D. Coughlin, Anthony A. Echelle, Ronald A. Van Den Bussche, Larry M. Cofer, and William L. Fisher, 48:526–533
Genistidium dumosum, 51:4, 51:10
Genoways, Hugh H., see González-Ruíz, Noé, and —
Gentianella amarella, 48:181
Genyonemus lineatus, 53:341
Geocarpon minimum, 47:589
Geochelone
  carbonaria, 55:560
  chilensis, 55:560
  crassiscutata, 55:560
  denticulata, 55:560
  elehantopus, 51:405
  elephantopus, 55:560
  equicomes, 55:560
  gigantea, 54:347, 55:560
  incisa, 55:560
  mlynarskii, 55:560
  pardalis, 54:347, 55:560
  platynota, 55:560
  radiata, 55:560
  sulcata, 55:560
  turgida, 55:560
  wilsoni, 55:560
  yniphora, 55:560
Geococcyx, 48:116
  californianus, 47:107, 48:290, 48:402–410, 51:41–47, 51:370, 51:562–564, 52:255, 52:276, 53:453, 53:456, 53:468, 53:512
  conklingi, 48:403–405
  velox, 48:402
Geographic distribution, taxonomy, and conservation status of Nelson's woodrat (*Neotoma nelsoni*) in Mexico, Noé González-Ruíz, José Ramírez-Pulido, and Hugh H. Genoways, 51:112–116
Geographic variation in the black bear (*Ursus americanus*) in the eastern United States and Canada, Michael L. Kennedy, Phyllis K. Kennedy, Michael A. Bogan, and Juliann L. Waits, 47:257–266
Geolycosa
  rafaelana, 54:335, 56:47, 56:51, 56:50
  raphaelana, 56:52
Geometridae, 54:195, 54:197, 54:198
Geomyidae, 47:328, 48:270, 48:574, 49:273, 51:233, 52:83–88
Geomylichus texana, 50:90, 50:91
Geomys, 47:251, 53:52, 54:102, 54:304
  arenarius, 48:574, 50:336
  attwateri, 47:255, 52:83
  breviceps, 47:255, 50:334, 50:393–397, 52:83–88, 54:363–366
  bursarius, 49:272, 49:273, 50:334, 50:336, 50:339, 50:393–397, 52:83–88, 52:296–301, 52:444, 53:51, 54:100, 54:214–216
  knoxjonesi, 50:336
  personatus, 47:249, 47:250, 47:255, 48:574, 50:339, 52:83–88
  pinetis, 52:83
  pinetus, 50:339
  texensis, 50:334–341, 52:83–88
  tropicalis, 48:574, 50:339
George, Shalene L., and Kevin R. Crooks, Education and conservation on the urban-wildland interface: testing the efficacy of informational brochures, 51:240–250
Geothlypis trichas, 47:237, 48:301, 49:32, 50:231, 54:507
Geotrupidae, 55:112
Geraea
  canescens, 48:11
  viscida, 52:200, 53:70
Geraniaceae, 49:191, 51:458, 53:71
Geranium
  caespitosum, 53:202
  latum, 51:458
  molle, 49:191
  wislizenii, 48:181
Germano, David J., and Daniel F. Williams, Ontogenetic and seasonal changes in coloration of the blunt-nosed leopard lizard (*Gambelia sila*), 52:46–53
Germano, David J., and Paul T. Smith, Molecular evidence for parthenogenesis in the Sierra garter snake, *Thamnophis couchii* (Colubridae), 55:280–282
Germano, David J., Ecology of western pond turtles (*Actinemys marmorata*) at sewage-treatment facilities in the San Joaquin Valley, California, 55:85–97
Germano, David J., Paul T. Smith, and Stephen P. Tabor, Food habits of the blunt-nosed leopard lizard (*Gambelia sila*), 52:318–323
Germination of native and exotic plant seeds dispersed by coyotes (*Canis latrans*) in southern California, Robin P. Silverstein, 50:472–478
Germination of seeds in the endangered *Abronia macrocarpa*, Jacqueline J. Goodson and Paula S. Williamson, 56:141–146
Gerrhonotus
  infernalis, 47:614, 48:214, 56:131, 56:132
  liocephalus, 48:214

lugoi, 47:614
ophius, 50:254
Gerridae, 47:464, 50:241, 55:236
Gervais, Jennifer A., and Daniel H. Catlin, Temporal patterns of DDE in burrowing owl eggs from the Imperial Valley, California, 49:509–512
Gesta invisus, 48:523
Getz, Lowell L., Circadian activity rhythm and potential predation risk of the prairie vole, *Microtus ochrogaster*, 54:146–150
Giant anteaters (*Myrmecophaga tridactyla*) killed by hunters with dogs in the Bosawas Biosphere Reserve, Nicaragua, Jeremy M. Koster, 53:414–416
Giant swallowtail (*Papilo cresphontes*) in northern Baja California, occurrence of the, Richard A. Erickson and Marshall J. Iliff, 49:506–508
Gibberellic acid on germination of seeds of five species of cacti from the Chihuahuan Desert, northern Mexico, effect of, Mariana Rojas-Aréchiga, Karla Ma. Aguilar, Jordan Golubov, and María C. Mandujano, 56:393–400
Gibbons, Richard E., and Kim Withers, Habitat preferences of surface-diving waterbirds and American white pelicans wintering in Redfish Bay, Texas, 51:103–107
Gibson, J. R., see Fries, J. N., and —
Gibson, J. Randy, see Phillips, Catherine T., —
Gibson, James R., Scott J. Harden, and Joe N. Fries, Survey and distribution of invertebrates from selected springs of the Edwards Aquifer in Comal and Hays counties, Texas, 53:74–84
Gibson, James R., see Carson, Evan W., —
Gibson, James R., see Phillips, Catherine T., —
Gido, Keith B., see Hargrave, Chad W., and —
Gido, Keith B., see Marsh-Matthews, Edie, —
Gido, Keith B., see Pilger, Tyler J., —
Gido, Keith B., see Pratt, Kerri E., —
Gido, Keith B., see Ramirez, Raul, —
Gienger, C. M., and C. Richard Tracy, Ecological interactions between Gila monsters (*Heloderma suspectum*) and desert tortoises (*Gopherus agassizii*), 53:265–268
Gigantolaelaps, 48:450
Gila, 54:341, 54:343
cypha, 48:43, 49:314, 52:130, 52:132, 52:234–242, 53:488, 53:490
elegans, 49:314, 51:22, 51:259, 53:488–494, 55:547
intermedia, 48:667, 51:260, 55:547
minacae, 56:281, 56:284, 56:285
nigrescens, 54:109
pandora, 49:311–315, 54:490, 55:81, 55:82
purpurea, 55:229
robusta, 48:667, 49:314, 51:22–27, 52:132, 52:135, 53:106, 53:488, 53:490, 53:531
Gilad, Oranit, Jan E. Janečka, Fred Armstrong, Michael E. Tewes, and Rodney L. Honeycutt, Cougars in Guadalupe Mountains National Park, Texas: estimates of occurrence and distribution using analysis of DNA, 56:297–304
Gilia, 47:602
australis, 53:72
austinoccidentalis, 53:72
mexicana, 53:72
ochroleuca, 53:64, 53:72
stellata, 53:72
Gillam, Erin H., John K. Westbrook, Paul G. Schleider, and Gary F. McCracken, Virtual bats and real insects: effects of echolocation on pheromone-tracking behavior of male corn earworm moths, *Helicoverpa zea*, 56:103–107
Gillespie, Hayley, see Goldsmith, Steven, —
Gilley, L. Michelle, see Hopkins, Heidi L., —
Gillichthys mirabilis, 53:338, 53:339, 54:156, 54:157
Gilman, Casey A., Eric C. Toolson, and Blair O. Wolf, Effects of temperature on behavior of *Trimerotropis pallidipennis* (Orthoptera, Acrididae), 53:162–168
Gil-Solórzano, Dulce, Sabina Lara-Cabrera, and Roberto Lindig-Cisneros, Effects of organic matter added to sand deposits of volcanic origin on recruitment of seedlings, 54:439–445
Ginnett, Tim F., see Osborn, Robert G., —
Ginter, Daniel L., and Martha J. Desmond, Avian mortality during fall 2001 migration at communication towers along the Rio Grande corridor in southern New Mexico, 49:414–417
Ginter, Daniel L., and Martha J. Desmond, Correction for: avian mortality during fall 2001 migration at communication towers along the Rio Grande corridor in southern New Mexico, 50:520
Gionfriddo, James P., see Schorr, Robert A., —
Giordano, Anthony J., see McBride, Rocky T., and —
Giovanni, Matthew D., see Boal, Clint W., and —
Gipson, Philip S., and Jan F. Kamler, Bobcat killed by a coyote, 47:511–513
Gipson, Philip S., see Howard, Mark E., —
Gipson, Philip S., see Kamler, Jan F., —
Gipson, Philip S., see Krausman, Paul R., —
Girard, Michele, see Lovich, Jeff, —
Girón, Luis E., James G. Owen, and Melissa E. Rodríguez, Van Gelder's bat (*bauerus dubiaquercus*) from El Salvador, Central America, 55:585–587
Glandularia, 47:602
bipinnatifida, 55:493, 55:498
Glaucidium
brasilianum, 48:221, 48:389–401, 52:93, 54:318
californicum, 48:221
gnoma, 48:218–222, 52:277, 55:24
sanchezi, 47:471, 47:473, 47:474
Glaucomys, 56:403
sabrinus, 51:66, 52:157–161, 53:21–28, 53:346, 53:347, 53:349–351
volans, 47:255, 48:575
Glaucopsyche lygdamus, 52:13
Glaudas, Xavier, Rain-harvesting by the southwestern speckled rattlesnake (*Crotalus mitchellii pyrrhus*), 54:518–521
Glebula rotundata, 48:338
Gleditsia, 51:8
aquatica, 47:602
triacanthos, 47:602–604, 55:430
tricanthos, 49:529
Gleditsia triacanthos (Caesalpiniaceae) in northeastern Mexico and its phytogeographic interest, new locality of, Eduardo Estrada-Castillón, Enrique Jurado, and Javier Jiménez-Pérez, 47:602–604
Gloeocapsa
compacta, 49:398
livida, 49:398
Gloeothece linearis, 49:398
Glossina, 48:639
morsitans, 56:275
Glossinidae, 56:275
Glossiphniidae, 50:244
Glossoma, 51:334
ventrale, 51:326
Glossophaga, 48:143, 54:413
commissarisi, 48:574, 50:97, 54:412, 54:414, 55:349, 55:354, 55:456
leachii, 48:574, 50:97
longirostris, 47:82
morenoi, 48:574
soricina, 48:574, 48:583, 50:97, 51:293, 51:441, 51:586, 52:178, 52:182, 52:186, 54:412, 54:414, 55:349, 55:354
Glossosoma, 53:381
ventrale, 51:332, 54:185
Glossosomatidae, 51:332, 53:381, 54:185, 54:188, 54:189, 55:236
Glossotherium, 49:231
Glowinski, Sheri L., see Portillo Reyes, Hector Orlando, —

Glutophrissa drusilla, 48:513
Glyceria striata, 50:213
Glycine, 55:427
max, 51:2, 51:4, 51:10, 56:330
Glycyphagidae, 50:90
Glycyphagus hypudaei, 50:90, 50:91
Glyphonycteris, 51:271
Glyptasida sardida, 55:112
Glyptemys
insculpta, 50:14, 55:137, 55:560
muhlenbergii, 55:137, 55:560
Glypthelmins facioi, 47:294, 47:296, 47:297
Glyptodontidae, 51:233
Glyptotherium, 51:233, 51:234, 51:236, 54:217, 54:219
Gnapahlium bicolor, 53:70
Gnaphalium
americanum, 51:458
leptophyllum, 51:458, 54:442
microcephalum, 53:70
palustre, 52:200, 53:70
Gnaphosa
fontinalis, 56:48
hirsutipes, 56:48, 56:51
saxosa, 56:48
utahana, 54:334, 56:48
Gnaphosidae, 54:331–334, 54:337, 56:45, 56:48, 56:51, 56:52
Gnathostomatidae, 52:127
Gobiesocidae, 55:599–600
Gobiesox
fluviatilis, 55:599–600
juniperoserrai, 55:599
mexicanus, 55:599
Gobiidae, 53:339
Gobiomorus dormitor, 52:372
Gobiusculus flavescens, 56:110
Gochnatia hypoleuca, 48:2, 48:11
Godínez-Alvarez, Héctor, Leticia Ríos-Casanova, and Fabiola Pérez, Characteristics of seedling establishment of *Stenocereus stellatus* (Cactaceae) in the Tehuacán Valley, Mexico, 50:375–380
Goguen, Christopher B., David R. Curson, and Nancy E. Mathews, Effects of parasitism by brown-headed cowbirds (*Molothrus ater*) on reproductive success of three frequent hosts in New Mexico, 54:58–67
Goheen, Jacob R., Glennis A. Kaufman, and Donald W. Kaufman, Effect of body size on reproductive characteristics of the northern grasshopper mouse in north-central Kansas, 48:427–431
Gold, John R., see Carson, Evan W., —
Goldberg, Caren S., and Cecil R. Schwalbe, Considerations for monitoring a rare anuran (*Eleutherodactylus augusti*), 49:442–448
Goldberg, Stephen R., Charles R. Bursey, and Charles W. Painter, Helminths of the western diamondback rattlesnake, *Crotalus atrox*, from Southeast New Mexico rattlesnake roundups, 47:307–310
Goldberg, Stephen R., Charles R. Bursey, and José L. Camarillo-Rangel, Gastrointestinal helminths of seven species of sceloporine lizards from Mexico, 48:208–217
Goldberg, Stephen R., Charles R. Bursey, Guillermo Salgado-Maldonado, Rafael Báez, and Cristina Cañeda, Helminth parasites of six species of anurans from Los Tuxtlas and Catemaco Lake, Veracruz, Mexico, 47:293–299
Goldberg, Stephen R., Notes on reproduction in the southwestern cat-eyed snake, *Leptodeira maculata*, and western cat-eyed snake, *Leptodeira punctata* (Serpentes: Colubridae), from Mexico, 49:409–412
Goldberg, Stephen R., see Bursey, Charles R., and —
Goldsmith, Steven, Density of long-horned beetles (Coleoptera: Cerambycidae) differs at different elevations in Hawaiian montane forest, 52:364–370
Goldsmith, Steven, Hayley Gillespie, and Cole Weatherby, Restoration of Hawaiian montane wet forest: endemic longhorned beetles (Cerambycidae: *Plagithmysus*) in koa (Fabaceae: *Acacia koa*) plantations and in intact forest, 52:356–363
Goldsmith, Steven, see Hill, Peggy, and —
Golightly, Richard T., see Miller, Michael R., —
Golubov, Jordan, see Mandujano, María C., —
Golubov, Jordan, see Rojas-Aréchiga, Mariana, —
Gomphidae, 48:30, 48:446, 48:447, 50:243, 51:24, 51:25, 53:379, 53:380, 53:399, 53:400
Gomphonema
acuminatum, 49:400
angustatum, 49:396, 49:400
consector, 49:400
gracile, 49:400
intricatum, 49:396, 49:400
olivaceoides, 49:400
olivaceum, 49:396–397
parvulum, 49:400
truncatum, 49:400
Gomphotheriidae, 51:233, 51:234
Gomphurus externus, 48:446
Gomphus, 48:30, 53:380
externus, 48:446, 48:447
Gongylonema, 48:213
Goniobasis, 52:475
Gonsolin, Earl, see Leidy, Robert A., —
González, Humberto, see Jurado, Enrique, —
González, Malinda W., see Rogers, Duke S., —
Gonzalez, Rebecca A., see Osborn, Robert G., —
Gonzalez-Cozatl, Francisco X. Gonzalez-Cozatl, see Sanchez, Irma Urbina, —
González-Guzmán, Salvador, see Ruiz-Campos, Gorgonio, —
González-Pérez, Graciela, see Santos-Moreno, Antonio, —
González-Pérez, Sara Beatriz, see Sánchez-Hernández, Cornelio, —
González-Rojas, José I., see Ruvalcaba-Ortega, Irene, and —
González-Romero, Alberto, see Ramírez-Bautista, Aurelio, and —
González-Ruiz, Noé, José Ramírez-Pulido, and Hugh H. Genoways, Geographic distribution, taxonomy, and conservation status of Nelson's woodrat (*Neotoma nelsoni*) in Mexico, 51:112–116
González-Ruiz, Noé, José Ramírez-Pulido, and Sergio Ticul Álvarez-Castañeda, New records of rodents from Colima, México, 49:519–521
González-Ruiz, Noé, see Cabrera-Santiago, Horacio, —
Goodea, 52:230
atripinnis, 53:227, 53:228
Goodeidae, 52:125–130, 52:232, 53:225
Gooding Gypsy, and James R. Langford, Characteristics of tree roosts of Rafinesque's big-eared bat and southeastern bat in northeastern Louisiana, 49:61–67
Goodson, Jacqueline J., and Paula S. Williamson, Germination of seeds in the endangered *Abronia macrocarpa*, 56:141–146
Goossens, Brigitte, see Hoogland, John L., —
Gophen, Moshe, see Lienesch, Philip W., and —
Gopherus
agassizii, 48:103–111, 48:350, 49:446, 52:147–149, 53:265–268, 53:312, 53:472–479, 54:375–381, 55:245, 55:246, 55:248, 55:252, 55:558–563
berlandieri, 47:103, 49:548, 51:581–582, 55:421, 55:560
canyonensis, 55:560
donlaloi, 55:560
flavomarginatus, 55:560
polyphemus, 48:107, 53:473, 54:377, 55:560
praecedens, 55:560
Gordon, David M., see Fox, Charles W., —
Gordon, Mark E., see Smith, Douglas G., —
Gorgoderina
attenuata, 47:294, 47:296, 47:297
megalorchis, 50:255

Gorgythion
begga, 48:522
vox, 48:522
Gossypium, 56:9
hirsutum, 50:3, 54:20, 56:326
thurberi, 52:355
Gottesman, Amy B., Paul R. Krausman, Michael L. Morrison, and Yar Petryszyn, Movements and home range of brush mice, 49:289–294
Gould, William R., see Caldwell, Colleen A., —
Gould, William R., see Sipos, Michael P., —
Graening, G. O., Danté B. Fenolio, Horton H. Hobbs, III, Shane Jones, Michael E. Slay, Shelley R. McGinnis, and Jim F. Stout, Range extension and status update for the Oklahoma cave crayfish, *Cambarus tartarus* (Decapoda: Cambaridae), 51:94–99
Graening, G. O., Horton H. Hobbs, III, Michael E. Slay, William R. Elliott, and Arthur V. Brown, Status update for bristly cave crayfish, *Cambarus setosus* (Decapoda: Cambaridae), and range extension into Arkansas, 51:382–392
Graening, G. O., Jeffrey B. Koppelman, Brian K. Wagner, Michael E. Slay, and Charles L. Brickey, Range extension and status update of the endangered Hell Creek cave crayfish, *Cambarus zophonastes* (Decapoda: Cambaridae), 51:392–396
Graening, G. O., Michael E. Slay, Arthur V. Brown, and Jeffrey B. Koppelman, Status and distribution of the endangered Benton cave crayfish, *Cambarus aculabrum* (Decapoda: Cambaridae), 51:376–381
Graening, G. O., see Fenolio, Danté B., —
Graham, Tim B., see Pech, Louis L., —
Grais stigmaticus, 48:523
Gramineae, 54:348
Graminivory by *Dipodomys ordii* and *Dipodomys merriami* on four species of perennial grasses, Michael P. Sipos, Mark C. Andersen, Walter G. Whitford, and William R. Gould, 47:276–281
Grammonota, 56:46
Granatellus venustus, 49:278, 55:390
Grand Canyon rattlesnake preys on juvenile spotted sandpipers, Dale W. Stahlecker, 49:412–414
Grant, William E., see Pedersen, Ellen K., —
Graptemys, 52:609, 55:560
caglei, 52:590
ernsti, 50:12
flavimaculata, 50:12, 55:137
geographica, 50:12
nigrinoda, 50:12, 50:15
ouachitensis, 50:12, 50:166, 50:169
pseudogeographica, 49:530, 49:531, 50:12, 52:590, 55:135, 55:137
versa, 50:12–16, 52:589–591
Gray bat (*Myotis grisescens*) in northeastern Mississippi, rediscovery of the, Alison R. Sherman and Chester O. Martin, 51:418–420
Gray whales (*Eschrichtius robustus*) in the northeastern Gulf of California, México, a group of, Eric Mellink and Adriana Orozco-Meyer, 47:129–132
Gray, Matthew J., see Smith, Loren M., —
Grayia spinosa, 50:189
Green, Larry A., see Kamler, Jan F., —
Green, Nicholas S., and Kenneth T. Wilkins, Continuing range expansion of the northern pygmy mouse (*Baiomys taylori*) in northeastern Texas, 55:288–291
Greenaway, Frank, see Escobedo-Morales, Luis Arturo, —
Greenbaum, Eli, John L. Carr, and Ana Almendáriz, Taxonomic status of *Tantilla equatoriana* Wilson and Mena 1980 (Serpentes: Colubridae), 49:457–464
Greer, Vicki L., see Hutton, Kelly A., —
Greer, Vicki L., see Merrick, Melissa J., —
Greer, Vicki L., see Schauffert, Carol A., —
Greer, Vicki L., see Young, Paul J., —
Grelle, Andrea M., see Newby, Jennifer L., —
Gridi-Papp, Cristina O., see Gridi-Papp, Marcos, and —
Gridi-Papp, Marcos, and Cristina O. Gridi-Papp, Abnormal digits in Strecker's chorus frogs (*Pseudacris streckeri*, Hylidae) from central Texas, 50:490–494
Griffis-Kyle, Kerry L., Sean Kyle, and Jeremy Jungels, Use of breeding sites by arid-land toads in rangelands: landscape-level factors, 56:251–255
Griffith Rodriquez, Edgardo J., see Montgomery, Chad E., —
Grigione, Melissa, see Crooks, Kevin R., —
Grimmia, 47:587, 47:588
Grindelia fraxino-pratensis, 53:327
Grinder, Martha I., see Krausman, Paul R., —
Grismer, L. Lee, see Galina-Tessaro, Patricia, —
Grossularia quercetorum, 53:71
Grossulariaceae, 53:71
Grouping patterns and selection of forage by the scimitar-horned oryx (*Oryx dammah*) in the Llano Uplift region of Texas, Sarah E. Robinson and Floyd W. Weckerly, 55:510–516
Growth and mortality in the endangered Nichol's turk's head cactus *Echinocactus horizonthalonius* var. *nicholii* (Cactaceae) in southeastern Arizona, 1995–2008, Margrit E. McIntosh, Amy E. Boyd, Philip D. Jenkins, and Lucinda A. McDade, 56:333–340
Growth characteristics of Mexican oregano (*Lippia berlandieri* Schauer) under salt stress, Ricardo Mata-González and Rubén Meléndez-González, 50:1–6
Grubb, Teryl G., Wintering bald eagle trends in northern Arizona, 1975–2000, 48:223–230
Grubbs, Shannon E., and Paul R. Krausman, Use of urban landscape by coyotes, 54:1–12
Grus canadensis, 49:105
Gryllacrididae, 54:303
Gryllidae, 48:133, 49:259, 49:517, 50:91, 51:557, 53:386, 55:112, 55:192, 55:341, 55:344
Gryllotalpa vineae, 54:24
Gryllus, 47:117–118, 55:112
Guaiacum
angustifolium, 52:342, 56:161
sanctum, 48:506
Guajacum angustifolium, 49:34
Guatemalan beaded lizard (*Heloderma horridum charlesbogerti*) on the Pacific versant of Guatemala, Roderico Anzueto V. and Jonathan A. Campbell, 55:453–454
Guazuma ulmifolia, 49:126, 53:10, 53:518, 54:410
Guerrero, José A., see Schnell, Gary D., —
Guillenia lasiophylla, 53:71
Guillette, Louis J., Jr., see Ramírez-Bautista, Aurelio, —
Guiraca caerulea, 47:237, 47:287, 49:32
Guitierrezia microcephala, 49:503
Gûizado-Rodríguez, Anahí, Uri Omar García-Vázquez, and Israel Solano-Zavaleta, Thermoregulation by a population of *Sceloporus palaciosi* from Sierra del Ajusco, Distrito Federal, Mexico, 56:120–124
Gulo gulo, 50:354
Gumaga, 53:381
griseola, 51:329, 51:334, 54:184, 54:187, 54:189, 54:190
Guthery, Fred S., see Harveson, Louis A., —
Gutiérrez, Mélida, see Cornell, Jack E., —
Gutiérrez-Aguirre, Martha A., see Suárez-Morales, Eduardo, —
Gutierrezia, 53:148, 53:151, 55:480–483, 56:50
bracteata, 53:70
californica, 53:70

microcephala, 49:502
sarothrae, 47:284, 47:354, 47:389, 47:440, 47:443–446, 47:557, 47:558, 47:560–562, 48:262, 48:482, 48:483, 48:504, 49:6, 49:285, 50:3, 52:4, 52:198, 52:200, 52:211, 52:542, 53:152, 55:283, 55:478, 55:496, 56:181
texana, 53:497
Gutiérrez-Mayén, Guadalupe, see Canseco-Márquez, Luis, —
Guttilla, Darcee A., see Stapp, Paul, and —
Guzman, Gilbert, see Young, John H., —
Guzmán, Judith, see Salceda, Víctor M., —
Guzmán-Dávalos, Laura, see Munguia, Pablo, —
Guzmán-Rodríguez, Raymundo, see Martínez-Torres, Martín, —
Gwinn, Jessica E., see Palmer, Geoffrey H., —
Gwinn, R. Nathan, see Merrick, Melissa J., —
Gwinn, R. Nathan, see Palmer, Geoffrey H., —
Gyalopion quadrangulare, 50:390–392, 55:249
Gymnarrhena micrantha, 48:11
Gymnocalycium ourselianum, 49:14
Gymnocladus, 51:8
Gymnolaelaps, 48:449, 48:450
Gymnopodium floribundum, 51:463, 51:465
Gymnorhinus cyanocephalus, 54:289, 55:24, 55:26
Gymnosperma glutinosum, 48:11, 48:180, 55:496, 55:498
Gyretes, 50:240
Gyrillidae, 52:319
Gyrinidae, 50:240, 54:470, 54:471
Gyrinophilus palleucus, 50:388
Gyrodactylidae, 50:312–317
Gyrodactylus, 50:312–317
cyprinodontis, 50:312, 50:313, 50:315, 50:316
hargisi, 50:312, 50:313, 50:315, 50:316
mobilensis, 50:313
nevadensis, 50:313, 50:315, 50:316
saratogensis, 50:313, 50:315, 50:316
Gyrodactylus (Monogenoidea, Gyrodactylidae) from the White Sands pupfish, *Cyprinodon tularosa*, in New Mexico, new species of, Delane C. Kritsky and Craig A. Stockwell, 50:312–317
Gyrosigma acuminatum, 49:400

Haarmann, Timothy K., see Hathcock, Charles D., and —
Habitat by the semiaquatic lizard, *Norops aquaticus*, use of, Douglas A. Eifler and Maria A. Eifler, 55:466–469
Habitat characteristics of *Asmunella* (Gastropoda: Pulmonata: Polygyridae) at White Sands Missile Range and Fort Bliss, New Mexico, Andrew J. Kroll, Ken Boykin, Mark C. Andersen, Bruce C. Thompson, and David L. Daniel, 48:14–22
Habitat characteristics of winter roost sites of wild turkeys in Trans-Pecos, Texas, Kory B. Perlichek, Louis A. Harveson, Bonnie J. Warnock, and Billy Tarrant, 54:446–452
Habitat during drought by the common muskrat (*Ondatra zibethicus*) in southwestern Oklahoma, use of, Brandon McDonald, 55:35–41
Habitat fragmentation on movement of small mammals along a Kansas highway, effects of, Matthew E. Hopton and Jerry R. Choate, 47:319–325
Habitat model of urban-nesting Cooper's hawks (*Accipiter cooperii*) in southern Arizona, Melody S. Ward and R. William Mannan, 56:17–23
Habitat partitioning by sympatric ocelots and bobcats: implications for recovery of ocelots in southern Texas, Jon S. Horne, Aaron M. Haines, Michael E. Tewes, and Linda L. Laack, 54:119–126
Habitat preference of the endemic tawny deermouse (*Peromyscus perfulvus*), a species of conservation concern, Gary D. Schnell, Michael L. Kennedy, Cornelio Sánchez-Hernández, María de Lourdes Romero-Almaraz, Brooke D. N. Estevez, José A. Guerrero, Troy L. Best, Michael C. Wooten, and Robert D. Owen, 53:9–20
Habitat preferences of migrant and wintering northern harriers in northwestern Texas, Carroll D. Littlefield and Douglas H. Johnson, 50:448–452
Habitat preferences of surface-diving waterbirds and American white pelicans wintering in Redfish Bay, Texas, Richard E. Gibbons and Kim Withers, 51:103–107
Habitat relationships between sympatric mule deer and white-tailed deer in Texas, Josh T. Avey, Warren B. Ballard, Mark C. Wallace, Mary H. Humphrey, Paul R. Krausman, Fielding Harwell, and Ernest B. Fish, 48:644–653
Habitat selection by sympatric brood parasites in southeastern Arizona: the influence of landscape, vegetation, and species richness, Jameson F. Chace, 49:24–32
Habitat use and abundance trends of rodents in southeastern Arizona, Michael L. Morrison, Amy J. Kuenzi, Coleen F. Brown, and Don E. Swann, 47:519–526
Habitat use and nest site selection by nesting lesser prairie-chickens in southeastern New Mexico, Kristine Johnson, B. Hamilton Smith, Giancarlo Sadoti, Teri B. Neville, and Paul Neville, 49:334–343
Habitat use and seasonal activity patterns of the Great Plains ratsnake (*Elaphe guttata emoryi*) in central Texas, Jinelle H. Sperry and Christopher A. Taylor, 53:444–449
Habitat use by desert mule deer in a semidesert grassland, Kiana K. G. Koenen and Paul R. Krausman, 47:353–362
Habitat use by nonbreeding wood ducks in the Coastal Plain and Rice Prairie region of Texas, James T. Anderson and Thomas C. Tacha, 47:486–489
Habitat use by shorebirds at a stopover site in the southern Great Plains, Matthew L. Cole, David M. Leslie, Jr., and William L. Fisher, 47:372–378
Habitat use of a fragmented landscape by females in a small population of desert mule deer, John C. Tull and Paul R. Krausman, 52:104–109
Habitats and conservation of molt-migrant birds in southeastern Arizona, Mary Chambers, Gabriel David, Courtenay Ray, Ben Leitner, and Peter Pyle, 56:204–211
Habitats embraced by the geographical ranges of mammals in Texas, on the number of, James G. Owen, 47:56–61
Habromys
chinanteco, 48:574
lepturus, 48:574
lophurus, 48:574
simulatus, 48:574, 51:115
Habronattus, 54:332
amicus, 54:335
californicus, 56:49
clypeatus, 56:49, 56:52
coecatus, 56:49
conjunctus, 54:335, 56:49, 56:50, 56:51
fallax, 56:49
formosus, 54:335
geronimoi, 56:49
hirsutus, 54:335, 56:49
icenoglei, 56:45, 56:49, 56:50
signatus, 54:335
tarsalis, 54:335
tranquillus, 54:335, 56:49
tuberculatus, 56:49
ustulatus, 56:49, 56:50
virgulatus, 56:49
Haden, Carol Manganaro, see McDonald, H. Gregory, —
Haden, G. Allen, Joseph P. Shannon, Kevin P. Wilson, and Dean W. Blinn, Benthic community structure of the Green and Colorado rivers through Canyonlands National Park, Utah, USA, 48:23–35

Hadziidae, 53:79
Haematoloechus
complexus, 50:251–253, 50:255
medioplexus, 47:294, 47:296, 47:297
Haematopus palliatus, 55:594
Haematoxylon campechianum, 48:310
Haematoxylum
brasiletto, 55:316, 55:317
campechianum, 48:506
Haemogamasus liponyssoides, 50:90, 50:91
Haemonchus contortus, 50:59–61
Haemoproteus, 48:288
meleagridis, 48:287
Haertle, Nicholas, see Hampton, Paul M., —
Hafner, David J., and Dale W. Stahlecker, Distribution of Merriam's shrew (*Sorex merriami*) and the dwarf shrew (*Sorex nanus*), and new records for New Mexico, 47: 134–137
Hafner, David J., see Contreras-Balderas, Armando J., —
Hager, Stephen B., Quantification of body coloration for the lesser earless lizard, *Holbrookia maculata*: evidence for interpopulational differences, 47:299–307
Haggard, Brian E., see Longing, Scott D., and —
Haideoporus texanus, 53:78–80
Haight, Lois T., see Johnson, R. Roy, —
Haines, Aaron M., see Horne, Jon S., —
Haines, Aaron M., see Young, John H., —
Haire, Sandra L., and Kevin McGarigal, Inhabitants of landscape scars: succession of woody plants after large, severe forest fires in Arizona and New Mexico, 53:146–161
Halbritter, Heather, and Louis C. Bender, Condition, survival, and productivity of elk (*Cervus elaphus*) in the Sacramento Mountains of southern New Mexico, 56:305–314
Halbritter, Heather, and Louis C. Bender, Quality of habitat occupied by elk (*Cervus elaphus*) in the southern Sacramento Mountains, New Mexico, 56:1–8
Haliaeetus
leucocephalus, 48:223–230, 52:293, 52: 535, 54:288, 54:290, 55:24
vocifer, 52:315
Halictidae, 53:426
Halipegus occidualis, 50:251–253, 50:255
Haliplidae, 50:240
Haliplus, 50:240
Hallford, Dennis M., see Caldwell, Colleen A., —
Hallgren, Stephen W., see Clark, Stacy L., and —
Halodule, 49:49
Halstead, Brian J., Glenn D. Wylie, Michael L. Casazza, and Peter S. Coates, Temporal and maternal effects on reproductive ecology of the giant gartersnake (*Thamnophis gigas*), 56:29–34
Hamadryas
amphinome, 48:514
februa, 48:514
feronia, 48:514
guatemalena, 48:514
julitta, 48:514
Hamataliwa grisea, 56:47, 56:52
Hampton, Paul M., Nicholas Haertle, Schuyler F. Dartez, and Carolina Monteiro, Prey of the broad-banded watersnake (*Nerodia fasciata*) and the diamondback watersnake (*Nerodia rhombifer*), 54:521–523
Hampton, Paul M., Prey items of the western ribbon snake, *Thamnophis proximus*, 53:115–118
Hanna, Ashley H., see Carson, Evan W., —
Hansen, Leslie A., Nancy E. Mathews, Bruce A. Vander Lee, and R. Scott Lutz, Population characteristics, survival rates, and causes of mortality of striped skunks (*Mephitis mephitis*) on the southern High Plains, Texas, 49:54–60
Hansen, Leslie, see Biggs, James, —
Hanson, J. Delton, see Bradley, Robert D., —
Haplodrassus
chamberlini, 56:48
eunis, 54:333, 54:334
Haplopappus
cuneata, 53:70
gracilis, 48:11
linearifolia, 53:70
macronema, 48:504
propinquus, 53:70
sonorensis, 50:138, 50:139, 50:145
spinulosus, 53:70
tenuisectus, 48:482
Haplopapus tenuisectus, 48:559
Haplophyton cimicidum, 52:355
Harden, Scott J., see Gibson, James R., —
Hardy, Laurence M., and Amanda Crnkovic, Richard Kirk Speairs, Jr., 1920–2004, 51:583–584
Hardy, Laurence M., Genus *Syrrhophus* (Anura: Leptodactylidae) in Louisiana, 49:263–266
Hargrave, Chad W., and Christopher M. Taylor, Spatial and temporal variation in fishes of the upper Red River drainage (Oklahoma-Texas), 55:149–159
Hargrave, Chad W., and James E. Johnson, Status of Arkansas darter, *Etheostoma cragini*, and least darter, *E. microperca*, in Arkansas, 48:89–92
Hargrave, Chad W., and Keith B. Gido, Evidence of reproduction by exotic grass carp in the Red and Washita rivers, Oklahoma, 49:89–93
Hargrave, Chad W., see Pratt, Kerri E., —
Harless, Meagan L., see Walde, Andrew D., —
Harris, Arthur H., Additions to the archaeological fauna of the former Chinatown section of El Paso, Texas, 49:534–538
Harris, Arthur H., and Jonena Hearst, Yellow-nosed cotton rat (*Sigmodon ochrognathus*), a long-time inhabitant of Trans-Pecos Texas and New Mexico, 260–262
Harris, Arthur H., see Lear, Lauri L., and —
Harris, John H., and Philip Leitner, Long-distance movements of juvenile Mohave ground squirrels, *Spermophilus mohavensis*, 50:188–196
Harris, Lisa K., see Landon, Deborah M., —
Harris, Victor M., see McNeely, David L., —
Harrisia
fragrans, 56:147
martinii, 49:11
Harrison, Robert L., Ecological relationships of bobcats (*Lynx rufus*) in the Chihuahuan Desert of New Mexico, 55:374–381
Harrison, Robert L., Michael J. Patrick, and C. Gregory Schmitt, Foxes, fleas, and plague in New Mexico, 48:720–722
Harrison, Robert L., see Kamler, Jan F., —
Harrison, Robert L., Swift fox demography, movements, denning, and diet in New Mexico, 48:261–273
Harvardia, 51:497
Harveson, Louis A., Fred S. Guthery, and Eric C. Hellgren, Invertebrate consumption by breeding northern bobwhites and its relation to production, 49:472–477
Harveson, Louis A., see Adkins, Roger N., and —
Harveson, Louis A., see Foster, Justin A., —
Harveson, Louis A., see Perlichek, Kory B., —
Harvester ant, *Pogonomyrmex occidentalis*, shape its mound to catch the morning sun?, does the, William L. Romey, 47:175–181
Harwell, Fielding, see Avey, Josh T., —
Harwell, Fieldling, see Brunjes, Kristina J., —
Haskell, Shawn P., see Butler, David A., —

Haskell, Shawn P., see Tatman, Nicole M., —
Hasken, Julie, see Newby, Jennifer L., —
Hatch, Michael D., see Hubbard, John P., and —
Hathcock, Charles D., and Timothy K. Haarmann, Development of a predictive model for habitat of the Mexican spotted owl in northern New Mexico, 53:34–38
Hathcock, Christopher R., and Timothy Brush, Breeding abundance and nest-site distribution of the Altamira oriole at Santa Ana National Wildlife Refuge, Texas, 49:33–38
Haukos, David A., see Anderson, James T., and —
Haukos, David A., see Smythe, Lindsay A., and —
Havardia, 51:7, 55:427, 55:428
pallens, 51:1, 51:9, 56:160
Haverson, Louis A., see Adams, R. Bill, —
Haverson, Louis A., see Brewer, Clay E., and —
Hawkins, Lorraine A., Harold M. Tyus, W. L. Minckley, and David L. Schultz, Comparison of four techniques for aging adult Colorado pikeminnow, *Ptychocheilus lucius*, 49:203–208
Hawksworth, David L., see Kelly, Jeffrey F., —
Hayes, David M., see Minton, Russell L., —
Hayes, Mark A., Kirk W. Navo, Lea' R. Bonewell, Cyndi J. Mosch, and Rick A. Adams, Allen's big-eared bat (*Idionycteris phyllotis*) documented in Colorado based on recordings of its distinctive echolocation call, 54:499–501
Haynie, Michelle L., see Bradley, Robert D., —
Hays, Kimberly A., and Karen McBee, Ontogenetic melanism in three populations of red-eared slider turtles (*Trachemys scripta*) in Oklahoma, 54:82–85
Heaney, Lawrence R., see Rickart, Eric A., —
Heaney, Martin R., see Schwertner, T. Wayne, —
Hearst, Jonena, see Harris, Arthur H., and —
Heath, James E., see Sanborn, Allen F., —
Heath, Maxine S., see Sanborn, Allen F., —
Heaton, Jill S., Mary E. Cablk, Kenneth E. Nussear, Todd C. Esque, Philip A. Medica, John C. Sagebiel, and S. Steve Francis, Comparison of effects of humans versus wildlife-detector dogs, 53:472–479
Hebetancylus, 50:244
Hebridae, 50:242
Heck, Berlin, see Butler, Christopher J., —
Hedeoma, 47:602
nanum, 53:64, 53:72
Hedyotis, 47:602
nigricans, 47:589
Hedypnois cretica, 48:11
Heffelfinger, James R., see Jansen, Brian D., —
Helianthella quinquenervis, 52:495
Helianthemum, 56:59
glomeratum, 48:181
Helianthus, 50:476, 55:480, 55:483
annus, 56:159
annuus, 53:202, 53:386, 53:393, 53:395–398, 53:460–462
divaricatus, 56:56, 56:59
niveus, 50:142
Helias cama, 48:523
Helichrysum
bracteatum, 48:11
cassinianum, 48:12
Helichus
immsi, 53:401
suturalis, 50:240
Heliconius, 51:134
charitonia, 48:513
erato, 48:513
Helicopsche, 50:243
Helicopsyche
borealis, 51:329, 51:332, 54:184, 54:185, 54:188, 54:189, 54:191
mexicana, 51:332, 54:184, 54:185, 54:188, 54:189
mexicanus, 54:191
Helicopsychidae, 50:243, 51:332, 54:184, 54:185, 54:188, 54:189
Helicoverpa zea, 56:103–107
Helietta, 55:428, 56:155
parvifolia, 54:454
Heliopetes
alana, 48:523
arsalte, 48:523
macaira, 48:523
Heliopsis parvifolia, 53:64, 53:70
Heliotropium
curassavicum, 52:200, 53:70
currassavicum, 56:159
tenellum, 47:589
Helipterum
charlesaye, 48:11
craspedioides, 48:11
floribundum, 48:11
tietkensii, 48:11
Helisoma, 53:386
anceps, 47:465, 55:115–117
Hellgren, Eric C., see Clark, Jay E., —
Hellgren, Eric C., see Criffield, Marc A., —
Hellgren, Eric C., see Disney, Michael R., —
Hellgren, Eric C., see Harveson, Louis A., —
Hellickson, Mickey W., Tyler A. Campbell, Karl V. Miller, R. Larry Marchinton, and Charles A. DeYoung, Seasonal ranges and site fidelity of adult male white-tailed deer (*Odocoileus virginianus*) in southern Texas, 53:1–8
Helminth parasite communities of *Characodon audax* and *C. lateralis* (Pisces: Goodeidae), endemic freshwater fishes from Durango, Mexico, Andrés Martínez-Aquino, Guillermo Salgado-Maldonado, Rogelio Aquilar-Aquilar, Guillermina Cabañas-Carranza, and Carlos Mendoza-Palmero, 52:125–130
Helminth parasites of four species of anurans from Nuevo León, Mexico, Virginia Leon-Règagnon, Elizabeth A. Martínez-Salazar, David Lazcano-Villareal, and Rogelio Rosas-Valdez, 50:251–258
Helminth parasites of six species of anurans from Los Tuxtlas and Catemaco Lake, Veracruz, Mexico, Stephen R. Goldberg, Charles R. Bursey, Guillermo Salgado-Maldonado, Rafael Báez, and Cristina Cañeda, 47:293–299
Helminths of the western diamondback rattlesnake, *Crotalus atrox*, from Southeast New Mexico rattlesnake roundups, Stephen R. Goldberg, Charles R. Bursey, and Charles W. Painter, 47:307–310
Helmitheros
vermivorous, 48:294
vermivorus, 48:297–299
Helobdella, 50:244
Helochares, 50:240
Heloderma
horridum, 50:24–31, 55:453–454
suspectum, 48:106, 48:351, 50:25, 53:265–268, 53:512, 55:246, 55:252
Helodermatidae, 50:25, 55:252
Helophorus linearis, 52:223
Helvella
crispa, 48:662, 48:663
macropus, 48:662, 48:663, 48:665
Hemaris diffinis, 50:299
Hematological parameters of high-elevation bushy-tailed woodrats, Barbara A. Frase, 47:508–510
Hemerobiidae, 48:133, 54:171, 54:197, 55:192
Hemerodromia, 48:31
Hemiargus
ceraunus, 48:518
isola, 52:13
Hemiauchenia, 51:233
Hemichromis guttatus, 51:553–555
Hemidactylus
brooki, 56:266
frenatus, 56:265–273

mabouia, 52:579
mabuia, 56:266, 56:268, 56:269
turcicus, 50:435–439, 52:578–585, 55:247, 55:252, 56:266, 56:269
Hemignathus munroi, 52:356, 52:358, 52:361
Hemipepsis ustulata, 52:568, 53:190–195, 54:291
Hemiptera, 49:406–408, 51:255–257, 51:481–489, 54:24–30, 56:363–368
Hemiscolopendra marginata, 54:351
Hemiuridae, 50:253
Hempel, Alice L., see Fowler, Norma L., —
Henderson, Andrew R., see Phillips, Catherine T., —
Hendrickson, Dean A., see Dinger, Eric C., —
Hendrickson, Dean A., see Varela-Romero, Alejandro, —
Henke, Scott E., Baseline survey of Texas horned lizards, *Phrynosoma cornutum*, in Texas, 48:278–282
Henson, Dallas D., see Bradley, Robert D., —
Henson, Richard N., see Estep, M. C., —
Heptagenia, 48:30, 52:223
Heptageniidae, 48:30, 51:147, 53:380, 55:236
Heraclides
cresphontes, 48:512
thoas, 48:512
Herbaceous cover and biomass of *Carex planostachys* in *Juniperus ashei* woodlands of central Texas, E. R. Wayne and O. W. Van Auken, 55:434–441
Herbaspirillum, 51:306
Herichthys cyanoguttatus, 53:116
Herissantia crispa, 53:72
Hermeuptychia hermes, 48:516
Hernández, Ariana, see Orozco-Lugo, Carmen Lorena, —
Hernández, Lucina, see Portales, Gloria L., —
Hernandez, Nancy A., see Pitts, Richard M., —
Hernández-Gallegos, Oswaldo, see Rodríguez-Romero, Felipe, —
Hernández-Huerta, Arturo, Christian Delfín-Alfonso, and Oscar Muñoz, Range extension of the opossum (*Didelphis virginiana*) in the Chihuahuan Desert of México, 47:127–129
Hernández-Ibarra, Xóchitl, and Aurelio Ramírez-Bautista, Reproductive characteristics of the roundtail horned lizard, *Phrynosoma modestum* (Phrynosomatidae), from the Chihuahuan Desert of México, 47:138–141
Hernández-Ibarra, Xóchitl, see Ramírez-Bautista, Aurelio, —
Hernández-Pérez, Omar, see León-Galván, Miguel A., —
Herotilapia multispinosa, 52:371
Herpailurus yagouaroundi, 48:136, 48:137, 48:574, 53:534
Herpetofauna associated with palm oases across the Californian-Sonoran transition in northern Baja California, Mexico, Hartwell H. Welsh, Jr., William H. Clark, Ernesto Franco-Vizcaíno, and Jorge H. Valdéz-Villavicencio, 55:581–585
Herpetofauna of the Rincon Mountains, Arizona, Aaron D. Flesch, Don E. Swann, Dale S. Turner, and Brian F. Powell, 55:240–253
Herpetofaunal inventory of Fort Wolters in north-central Texas, Wade A. Ryberg and Lee A. Fitzgerald, 50:267–272
Herpetotheres cachinnans, 47:473
Herpyllus
bubulcus, 56:48, 56:50
ecclesiasticus, 56:48
hesperolus, 56:48
propinquus, 56:48
schwartzi, 56:48
Herrera, Pablo, see Peak, Rebecca G., —
Herrera-Flores, Alejandro, see Sánchez-Gonzáles, Sergio, —
Herrera-Herrera, J. Rafael, see Garza-Torres, Héctor A., —
Herring, Garth, Joshua T. Ackerman, John Y. Takekawa, Collin A. Eagles-Smith, and John M. Eadie, Identifying nest predators of American avocets (*Recurvirostra americana*) and black-necked stilts (*Himantopus mexicanus*) in San Francisco Bay, California, 56:35–43
Heske, Edward J., see Van Deelen, Timothy R., —
Hesperiidae, 48:506, 48:508, 48:509, 48:520, 51:314, 52:14
Hesperioidea, 48:505–525
Hesperoagrion heterodoxum, 50:242
Hesperocorixa, 48:31
Hesperocosa unica, 56:47, 56:52
Hesperoperla, 53:380
Hesperophylax
magnus, 51:333, 54:186, 54:192
occidentalis, 51:329, 51:333, 51:334
Hesperostipa comata, 48:262, 51:120
Hesperotestudo, 55:560
Hesperoyucca
peninsularis, 53:64, 53:73
whipplei, 53:64
Hespheraloe, 55:428
Hetaerina
americana, 48:446, 50:242, 53:400
titia, 50:242
Heterakidae, 52:243, 52:248
Heterelmis, 50:240
comalensis, 53:74, 53:76–79, 53:83
Heterobranchus longifilis, 51:260
Heterodon, 55:175
nasicus, 47:105, 47:107, 48:350, 53:483, 53:484, 55:249
Heteromeles arbutifolia, 47:230, 49:306, 50:472–475, 50:477, 51:574, 52:200, 53:72, 53:358
Heteromyidae, 47:328, 47:629, 48:270, 48:574, 51:79–86, 54:87, 54:412, 54:413, 55:1–10
Heteromys, 54:411
desmarestianus, 48:568, 48:574, 48:577
gaumeri, 48:311, 48:571, 48:574
pictus, 54:412, 54:413, 54:415
spectabilis, 54:409, 54:412, 54:413, 54:416, 54:417
Heteronemiidae, 55:112
Heteronotia, 56:185
Heteropoda venatoria, 56:49
Heteropogon, 51:283
contortus, 47:128, 48:181, 48:182, 48:187, 54:447
Heterosternuta
ouachita, 54:358, 54:359
phoebeae, 54:358–360
pulcher, 54:360
pulchra, 54:359
sulphuria, 54:357–361
wickhami, 54:359, 54:360
Heterotheca
latifolia, 48:11
subaxillaris, 49:182–187
Heterotrophic limestone-adherent biofilm isolates from the Edwards Aquifer, Texas, Christa L. Bates, Michael R. J. Forstner, Mary B. Barnes, Marvin Whiteley, and Robert J. C. McLean, 51:299–309
Hewitt, David G., see Campbell, Tyler A., and —
Hewitt, David G., see Elston, Jennifer J., —
Hewitt, David G., see Webb, Stephen L., —
Hexacylloepus scabrosus, 50:240
Hexagenia, 50:241
Hexametra boddaertii, 47:307–309
Hexatoma, 50:241
Hibbitts, Toby J., Charles W. Painter, and Andrew T. Holycross, Ecology of a population of the narrow-headed garter snake (*Thamnophis rufipunctatus*) in New Mexico: catastrophic decline of a river specialist, 54:461–467
Hibbitts, Toby J., see Ryberg, Wade A., —
Hibiscus, 49:62
cardiophyllus, 56:160
coulteri, 52:355, 55:497
denudatus, 50:136, 50:144, 50:146, 52:355, 53:72, 55:497
pernambucensis, 55:319
Hibner, Charles D., see Coop, Jonathan D., —
Hice, Christine L., and David J. Schmidly, The mammals of coastal Texas: a comparison between main-

land and barrier island faunas, 47:244–256
Hickman, Graham C., see Williford, Damon L., —
Hickman, Karen R., Greg H. Farley, Rob Channell, and Jan E. Steier, Effects of Old World bluestem (*Bothriochloa ischaemum*) on food availability and avian community composition within the mixed-grass prairie, 51:524–530
Hicks, Jason F., and Janet L. Rachlow, Is there a genetic basis for antler and pedicle malformations in reintroduced elk in northern Arizona?, 51:276–282
Hiemifruticeta, 55:316
Hiemisilva, 55:316
Higginbotham, Jana L., see Brant, Joel G., —
Hilaria
belangeri, 48:187, 53:497, 53:500, 53:503
jamesi, 52:555
jamesii, 48:626, 52:556, 53:163, 55:375
mutica, 47:166, 47:276, 48:3, 49:323, 49:361, 50:94, 51:221, 54:26, 54:227, 54:447, 56:45
rigida, 50:144
Hill, Michael T., see Frey, Jennifer K., —
Hill, Peggy, and Steven Goldsmith, Albert Patrick Blair, 1913–2004, 50:282–283
Hilltopping behavior of two species of *Astata* (Hymenoptera: Crabronidae) in central Arizona, John Alcock, 52:564–569
Hilltopping by *Palpada mexicana* (Diptera: Syrphidae), John Alcock, 56:353–357
Himantopus mexicanus, 49:105, 50:84–85, 54:129, 56:35–43
Hinton, Juliana G., Harry A. Meyer, and Aaron W. Sweeney, Seasonal and spatial variation in diversity and abundance of tardigrades in leaf litter from Louisiana and Florida, 55:539–543
Hiodon alosoides, 55:154
Hippodonata capitata, 49:400
Hippomane mancinella, 55:319
Hippomelas cuelata, 55:112
Hirschfeldia, 49:407
Hirundinidae, 50:244, 54:286, 54:289, 54:290
Hirundo rustica, 51:204, 51:528, 54:209
Histeridae, 49:259
Historical distribution of desert bighorn sheep (*Ovis canadensis mexicana*) in Coahuila, Mexico, Alejandro Espinosa-T., Andrew V. Sandoval, and Armando J. Contreras-B., 51:282–288
Historis
acheronta, 48:514
odius, 48:514
Hoagland, Bruce W., see Vaughn, Caryn C., —
Hoagstrom, Christopher W., W. Jason Remshardt, Jude R. Smith, and James E. Brooks, Changing fish faunas in two reaches of the Rio Grande in the Albuquerque Basin, 55:78–88
Hobbs, Horton H., III, see Graening, G. O., —
Hobbseus, 55:452
Hobert, Justin P., Chad E. Montgomery, and Stephen P. Mackessy, Natural history of the massasauga, *Sistrurus catenatus edwardsii*, in southeastern Colorado, 49:321–326
Hodges, Wendy L., Defensive blood squirting in *Phrynosoma ditmarsi* and a high rate of human-induced blood squirting in *Phrynosoma asio*, 49:267–270
Hodnett, John-Paul M., Jim I. Mead, and A. Baez, Dire wolf, *Canis dirus* (Mammalia; Carnivora; Canidae), from the late Pleistocene (Rancholabrean) of east-central Sonora, Mexico, 54:74–81
Hodomys alleni, 48:574
Hoeffer, Gabriel, see Seminoff, Jeffrey A., —
Hoffman, Justin D., Jerry R. Choate, and Rob Channell, Effects of land use and soil texture on distributions of pocket gophers in Kansas, 52:296–301
Hoffman, Justin D., see Geluso, Keith, —
Hoffmann, Robert S., see Rickart, Eric A., —
Hoffmannseggia, 51:5, 55:429
Hoffmanseggia, 51:6
glauca, 51:9
oxycarpa, 51:9
watsonii, 51:9
Hofmeisteria laphamioides, 53:70
Hogna, 51:310, 51:316
antelucana, 56:47
carolinensis, 56:47, 56:51
coloradensis, 56:47, 56:52
helluo, 54:335, 56:47
Holbrookia, 52:52
maculata, 47:299–307, 48:351, 48:352, 52:51, 55:246, 55:252, 56:318, 56:321
propinqua, 47:304, 47:305, 52:51, 55:421
Holcomb, Samuel R., and John L. Carr, Infestation of a naturally incubated nest of the alligator snapping turtle (*Macrochelys temminckii*) by the phorid fly *Megaselia scalaris*, 56:427–429
Holcroft, Nancy I., First record of *Fundulus olivaceus* (Atherinomorpha: Fundulidae) in Kansas, 49:87–88
Hollenshead, Marci, see Mead, Jim I., —
Hollingsworth, Bradford D., see Galina-Tessaro, Patricia, —
Holm, Peter A., see Turner, Dale S., —
Holmesina, 51:237
Holocene fauna of Big Manhole Cave, Eddy County, New Mexico, Lauri L. Lear and Arthur H. Harris, 52:110–115
Holodiscus dumosus, 47:63, 53:151, 53:152
Holsomback, Tyla, see Abuzeineh, Alisa A., —
Holycross, Andrew T., see Babb, Randall D., —
Holycross, Andrew T., see Hibbitts, Toby J., —
Homalonychidae, 54:334, 54:337
Homalonychus selenopoides, 54:334
Home range and activity of northern flying squirrels (*Glaucomys sabrinus*) in the Sierra Nevada, James A. Wilson, Douglas A. Kelt, and Dirk H. Van Vuren, 53:21–28
Home range of the side-blotched lizard, *Uta stejnegeri*, in Coahuila, Mexico, variation in, Gamaliel Castañeda, Héctor Gadsden, Armando J. Contreras-Balderas, and Cristina García-De la Peña, 52:461–467
Home range, habitat use, and diet of Gould's turkeys, Peloncillo Mountains, New Mexico, Darryl L. York and Sanford D. Schemnitz, 48:231–240
Home range, habitat use, survival, and fecundity of Mexican spotted owls in the Sacramento Mountains, New Mexico, Joseph L. Ganey, William M. Block, James P. Ward, Jr., and Brenda E. Strohmeyer, 50:323–333
Home ranges of sympatric mule deer and white-tailed deer in Texas, Kristina J. Brunjes, Warren B. Ballard, Mary H. Humphrey, Fieldling Harwell, Nancy E. McIntyre, Paul R. Krausman, and Mark C. Wallace, 54:253–260
Home ranges of two populations of urban-nesting white-winged doves (*Zenaida asiatica*) in Texas, Michael F. Small, John T. Baccus, Thomas R. Simpson, and Michael C. Frisbie, 55:29–34
Homoeoneuria, 48:30
Honeycutt, Rodney L., see Gilad, Oranit, —
Honeycutt, Rodney L., see Janečka, Jan E., —
Honeycutt, Rodney L., see Ryberg, Wade A., —
Hoofer, Steven R., see Dittchkoff, Stephen S., —
Hoogland, John L., Stacey Davis, Sarah Benson-Amram, Danielle Labruna, Brigitte Goossens, and Margaret A.

Hoogland, Pyraperm kills fleas and halts plague among Utah prairie dogs, 49:376–383
Hoogland, Margaret A., see Hoogland, John L., —
Hopkins, Heidi L., Cornelio Sánchez-Hernández, María de Lourdes Romero-Almaraz, L. Michelle Gilley, Gary D. Schnell, and Michael L. Kennedy, Flight speeds of four species of Neotropical bats, 48:711–714
Hoplocephalus bungaroides, 55:176
Hoplosyllus anomalus, 49:378
Hopton, Matthew E., and Jerry R. Choate, Effects of habitat fragmentation on movement of small mammals along a Kansas highway, 47: 319–325
Hordeum
murinum, 53:73
pusillum, 53:499, 53:500, 53:503
stebbinsii, 53:73
vulgare, 50:3
Horn, Katherine C., see Johnson, Sally D., —
Horne, Eva A., see Wilgers, Dustin J., and —
Horne, Jon S., Aaron M. Haines, Michael E. Tewes, and Linda L. Laack, Habitat partitioning by sympatric ocelots and bobcats: implications for recovery of ocelots in southern Texas, 54:119–126
Horner, Peggy A., see Mirowsky, Katy-Marie, —
Horsfordia
alata, 52:355
newberryi, 50:133, 52:355
Host and locality records of bat ectoparasites from Arizona and New Mexico, new, Christopher M. Ritzi, Ernest W. Valdez, and Dale W. Sparks, 47:453–456
Hotchkin, Paul, and Hector Riveroll, Jr., Comparative escape behavior of Chihuahuan Desert parthenogenetic and gonochoristic whiptail lizards, 50:172–177
House, William J., Ian M. Nall, and R. Brent Thomas, Interpond movements of western painted turtles (*Chrysemys picta*) in east-central Kansas, 55:403–410
Houstonia acerosa, 55:498
Howard, Mark E., Gerald L. Zuercher, Philip S. Gipson, and Troy R. Livingston, Efficacy of feces as an attractant for mammalian carnivores, 47:348–352
Howard, R., see Phillips, C. T., —
Howells, Robert G., see Randklev, Charles R., —
Howland, Jeffrey M., see Rorabaugh, James C., —
Hu, David H-C., see Richman, David B., —
Hubbard, John P., and Michael D. Hatch, Earliest record of pupfishes (Teleostei: Cyprinodontidae: *Cyprinodon*) in Chihuahua, Mexico, 54:107–111
Hubbard, John P., and Robert W. Dickerman, The Mexican subspecies of Townsend's solitaire in the Animas Mountains: a first for New Mexico and the United States, 47:114–116
Hubbs, Clark, 1921–2008, obituary for, Edie Marsh-Matthews, 53:539–541
Hubbs, Clark, see Garrett, Gary P., —
Hubert, Wayne A., see Quist, Michael C., —
Hubert, Wayne A., see Sweet, Diana E., and —
Hudson, Rick, see Bailey, Lindley A., —
Hughes, John P., see Robel, Robert J., —
Hughes, Timothy J., see Esque, Todd C., —
Hulbert, Julie, Timothy H. Bonner, Joe N. Fries, Gary P. Garrett, and David R. Pendergrass, Early development of the Devils River minnow, *Dionda diaboli* (Cyprinidae), 52:378–385
Hulerchius, 48:31
Hulsea mexicana, 53:70
Humphrey, Mary H., see Avey, Josh T., —
Humphrey, Mary H., see Brunjes, Kristina J., —
Humphrey, Mary H., see Butler, David A., —
Hunt, John L., and Troy L. Best, Vegetative characteristics of active and abandoned leks of lesser prairie-chickens (*Tympanuchus pallidicinctus*) in southeastern New Mexico, 55:477–487
Hunt, Teresa A., see Stone, Dennis M., —
Hura polyandra, 55:141
Hurt, Carla, see King, Kirke A., —
Hurt, Carla, see Zaun, Brenda J., —
Husak, Amanda L., see Husak, Michael S., and —
Husak, Jerry F., and Emily N. Ackland, Foraging mode of the reticulate collared lizard, *Crotaphytus reticulatus*, 48:282–286
Husak, Jerry F., see Husak, Michael S., and —
Husak, Michael S., and Amanda L. Husak, Latitudinal patterns in range sizes of New World woodpeckers, 48:61–69
Husak, Michael S., and Jerry F. Husak, Low frequency of site fidelity by golden-fronted woodpeckers, 47:110–114
Husak, Michael S., Atypical pair-bonding behavior among golden-fronted woodpeckers (*Melanerpes aurifrons*), 50:85–88
Husak, Michael S., see Landoll, Diane V., and —
Husbandry methods for pocket gophers, M. Susan DeVries and Robert S. Sikes, 54:363–366
Hutton, Kelly A., John L. Koprowski, Vicki L. Greer, Marit I. Alanen, Carol A. Schauffert, and Paul J. Young, Use of mixed-conifer and spruce-fir forests by an introduced population of Abert's squirrels (*Sciurus aberti*), 48:257–260
Hutton, Kelly A., see Schauffert, Carol A., —
Huxley, Carmen, see Servín, Jorge, —
Hyaenidae, 54:79
Hyalella, 50:238, 50:243
montezuma, 48:341, 48:344
Hybognathus, 52:383, 54:343
amarus, 53:127, 54:475–479, 55:78, 55:81, 55:82
hankinsoni, 54:478
nuchalis, 54:397, 54:478, 54:517
placitus, 49:85, 49:86, 50:489, 53:127, 54:387, 54:475, 54:478, 54:486, 55: 152–154
Hybopsis
amblops, 54:387
amnis, 54:387, 54:515, 54:517
Hybridization between white-tailed deer and mule deer, implications of, Robert D. Bradley, Fred C. Bryant, Lisa C. Bradley, Michelle L. Haynie, and Robert J. Baker, 48:654–660
Hydradenidae, 50:240
Hydrilla
verticellata, 53:173
verticilata, 47:434
verticillata, 51:348, 52:202, 52:207
Hydrobiidae, 56:216–223
Hydrobiosidae, 50:243, 51:332, 54:185, 54:188
Hydrochaeridae, 51:233
Hydrochaeris, 51:227, 51:233, 51:234, 51: 236, 51:237, 54:75
Hydrochidae, 50:240
Hydrochus, 50:240
Hydrocoleum oligotrichum, 49:398
Hydrocolus, 54:357, 54:359, 54:360
Hydrocotyle
bonariensis, 49:180, 49:186, 50:381, 55: 194
verticillata, 52:200
Hydrodictyon, 52:588
Hydrometra, 50:242
Hydrometridae, 50:242
Hydrophilidae, 48:101, 50:240, 53:380, 53:400, 54:170, 54:468, 54:470, 54: 471, 55:191
Hydrophylidae, 47:464
Hydrophyllaceae, 49:191, 51:485, 53:72
Hydroporinae, 54:357–361
Hydroporus sulphuria, 54:358

Hydropschydiae, 50:243
Hydropsyche, 48:30, 55:553–555
auricolor, 51:326, 51:329, 51:332, 54:184, 54:185, 54:188, 54:189
bidens, 51:335
occidentalis, 51:329, 51:332, 54:184, 54:185, 54:188, 54:189
Hydropsychidae, 47:199, 48:30, 51:147, 51:329, 51:332, 53:381, 54:184, 54:185, 54:188, 54:189, 54:191, 55:553
Hydroptila, 48:30, 50:243
ajax, 51:326, 51:329, 51:332, 51:334, 54:184, 54:186
arctia, 51:326, 51:329, 51:332, 51:334, 54:184, 54:186, 54:188, 54:189, 54:191
hamata, 51:332, 54:184, 54:186, 54:188, 54:189, 54:191, 54:192
icona, 51:329, 51:332, 54:186
rono, 51:329, 51:332, 54:186
Hydroptilidae, 47:199, 48:30, 50:243, 51:326, 51:329, 51:332, 53:381, 54:184, 54:186, 54:188, 54:189, 54:191, 55:237
Hydrotaea irritans, 48:639
Hydrovatus, 50:240
Hygrophila polysperma, 53:173
Hygrophoropsis aurantiaca, 48:662, 48:663
Hygrotus, 53:380
Hyla
arenicolor, 48:351, 48:352, 48:674, 53:400, 55:244–246, 55:248, 55:252
bistincta, 47:459, 48:673
cembra, 47:459–461
chimalapa, 48:670, 48:672
chrysoscelis, 53:115–117
cinerea, 49:530, 49:531, 53:115–117
crucifer, 53:116
microcephala, 47:293, 47:294, 47:296, 47:297
miotympanum, 50:254, 50:255
miotympanun, 48:673
mykter, 47:459–461
picta, 47:293
plicata, 52:258, 53:116
regilla, 47:295
smaragdina, 48:670, 48:671
squirella, 53:116
sumichrasti, 48:670, 48:671, 48:673
versicolor, 49:531, 50:268, 50:269, 53:115–117
wrightorum, 55:249
xera, 48:670–675
Hylephila phyleus, 48:525
Hyles lineata, 47:1, 47:2, 47:10, 50:291, 50:294–299, 53:405, 55:112
Hylidae, 47:294, 50:269, 50:490–494, 51:232, 53:400, 55:252, 55:584
Hylocereus lemaerei, 47:83
Hylocharis xantusii, 50:446
Hylocichla mustelina, 53:215
Hylonycteris underwoodi, 48:574
Hymenochlea monogyra, 52:200
Hymenoclea
pentalepis, 50:134, 50:142
salsoa, 49:503
salsola, 47:450, 49:502, 50:142, 50:189, 53:70, 54:376
Hymenocleao salsolae, 50:142
Hymenolepis
christensoni, 47:454
lasioncteridis, 47:454
Hymenopappus
filifolius, 56:365
scabiosaeus, 56:55
Hymenoptera, 50:302–306, 51:536–541, 52:564–569, 55:441–443, 55:532–538, 56:275–276, 56:432–433
Hymenoxys
cooperi, 48:494, 48:496, 48:504
herbacea, 48:13
Hyoscyamus muticus, 49:11
Hypentelium nigricans, 54:389, 54:517
Hyperbaena ilicifolia, 53:10
Hypericum
adpressum, 56:55
gentianoides, 47:589, 52:120–124
Hypholoma fasciculare, 48:662, 48:663, 48:665
Hypochoeris radicata, 48:13, 49:191
Hypohippus, 48:250
Hypopachus
cuneus, 53:116
variolosus, 53:116
Hypoponera opacior, 49:248
Hypostomus, 50:246–250
Hypsiglena
chlorophaea, 55:172–178
torquata, 47:105–107, 53:483, 53:484, 55:175, 55:252
Hypsiprymnodon moschatus, 51:71
Hypsosinga funebris, 54:334
Hyptis emoryi, 47:450, 50:134, 52:196, 52:200

Ibervillea sonorae, 50:147
Ichneumonidae, 48:132–134, 51:24, 51:25, 54:197, 55:192
Ictaluridae, 51:232, 52:132, 54:389, 56:285–289
Ictalurus, 48:224, 51:554, 54:522, 55:600
furcatus, 53:126, 54:110, 54:389, 55:82, 55:85, 55:154, 56:277, 56:279, 56:281, 56:285
lupus, 49:437, 49:438, 50:75–77, 54:110, 56:285–289
melas, 54:466
natalis, 54:466
pricei, 56:277–285
punctatus, 47:92–94, 48:43, 48:86, 48:667, 49:48, 49:86, 50:76, 50:77, 50:488, 51:398, 52:131, 52:132, 52:230, 52:241, 53:106, 53:126, 53:236, 53:237, 53:493, 54:110, 54:385, 54:389, 54:466, 55:82, 55:152, 55:154, 56:277–279, 56:281, 56:282, 56:285–288
Icteria virens, 47:236–243, 48:296, 49:32, 53:468, 54:507
Icteridae, 47:553, 49:491
Icterus
bullockii, 48:77, 49:32, 56:205
cucullatus, 49:32, 49:34, 50:443, 52:440, 54:95
galbula, 47:550, 47:552, 47:553, 48:77
graduacauda, 49:34, 52:438–441, 54:95, 54:507
gularis, 49:33–38, 52:440, 54:95
parisorum, 49:32, 50:443
Ictinia, 51:233, 51:234
mississippiensis, 54:86, 55:571
Ictiobus, 52:383
bubalus, 54:389, 55:82, 55:85
cyprinellus, 54:389, 55:154
niger, 54:397, 55:85
Identification of cryptic hosts for two inquiline parasites of the seed-harvester ant *Pogonomyrmex* and new localities for *P. anergismus* (Hymenoptera: Formicidae), Kirk E. Anderson, Sebastian L. Zeltzer, Rick P. Overson, and William H. Clark, 55:532–538
Identifying nest predators of American avocets (*Recurvirostra americana*) and black-necked stilts (*Himantopus mexicanus*) in San Francisco Bay, California, Garth Herring, Joshua T. Ackerman, John Y. Takekawa, Collin A. Eagles-Smith, and John M. Eadie, 56:35–43
Idionella sclerata, 56:46, 56:51
Idionycteris phyllotis, 47:453–455, 52:402, 52:482, 52:485–489, 52:491, 54:201–203, 54:499–501, 55:352, 55:354
Idria columnaris, 50:132, 50:149, 53:71
Idrietum columnaris, 50:137, 50:149
Iguanidae, 47:44, 47:52, 54:290, 55:278
Ilex
decidua, 54:223
vomitoria, 51:359, 53:451, 55:180
Iliff, Marshall J., see Erickson, Richard A., and —
Illoldi-Rangel, Patricia, see Botello, Francisco, —
Ilyocyprididae, 51:232
Ilyocypris bradyi, 51:232
Imbert, Hélène, see Mullin, Stephen J., —
Immediate effects of fire on the invasive Argentine ant, *Linepithema humile*, Nathan J. Sanders, 49:246–250
Impacts of hikers on aquatic invertebrates in the North Fork of the Virgin River, Utah, Andrea M. Caires, Mark R. Vinson, and Anne M. D. Brasher, 55:551–557
Impacts of roads and corridors on abundance and movement of small mammals on the Llano Estacado of Texas, M. Todd Kuykendall and Gregory S. Keller, 56:9–16
Indigofera, 51:5, 51:6, 55:427
lindheimeriana, 51:10
miniata, 51:6, 51:10
montana, 48:181
suffruticosa, 51:10
Indosialis, 53:524

Infection of Yarrow's spiny lizards (*Sceloporus jarrovii*) by chiggers and malaria in the Chiricahua Mountains, Arizona, Grégory Bulté, Alana C. Plummer, Anne Thibaudeau, and Gabriel Blouin-Demers, 54:204–207
Infestation of a naturally incubated nest of the alligator snapping turtle (*Macrochelys temminckii*) by the phorid fly *Megaselia scalaris*, Samuel R. Holcomb and John L. Carr, 56:427–429
Inga, 55:428
eriocarpa, 55:141
Ingolfiella, 53:74, 53:78, 53:82
Inhabitants of landscape scars: succession of woody plants after large, severe forest fires in Arizona and New Mexico, Sandra L. Haire and Kevin McGarigal, 53:146–161
Inland occurrence of the strand plant *Ipomoea pes-caprae* (Convolvulaceae) around Lake Nicaragua, Margaret S. Devall and Leonard B. Thien, 50:380–384
Inocybe geophylla, 48:662, 48:663, 48:665
Insara elegans, 55:112
Insect-defense behavior by desert bighorn sheep, Michael S. Mooring, Thomas A. Fitzpatrick, Ian C. Fraser, Jill E. Benjamin, Dominic D. Reisig, and Tara T. Nishihira, 48:635–643
Insectivora, 47:62–69
Intake of mast by wildlife in Texas and the potential for competition with wild boars, Jennifer J. Elston and David G. Hewitt, 55:57–66
Interactions between predators and Mt. Graham red squirrels (*Tamisciurus hudsonicus grahamensis*), Carol A. Schauffert, John L. Koprowski, Vicki L. Greer, Marit I. Alanen, Kelly A. Hutton, and Paul J. Young, 47:498–501
Interpond movements of western painted turtles (*Chrysemys picta*) in east-central Kansas, William J. House, Ian M. Nall, and R. Brent Thomas, 55:403–410
Interspecific depredation of raptors by red-tailed hawks (*Buteo jamaicensis*) on San Clemente Island, California, Matt A. Bahm and Brian L. Sullivan, 54:85–87
Interspecific dominance and burrow use in the two species of the parthenogenetic lizard complex *Cnemidophorus laredoensis* (Teiidae), Mark A. Paulissen, 47:21–29
Interspecific interactions between badgers and red-tailed hawks in the Sonoran Desert, southwestern Arizona, Patrick K. Devers, Kiana Koenen, and Paul R. Krausman, 49:109–111
Intraspecific helping behavior exhibited by hatch-year house wren, Jamie E. Timson and Greg H. Farley, 48:300–301
Intraspecific killing among mountain lions (*Puma concolor*), Steve P. Galentine and Pamela K. Swift, 52:161–164
Inula conyza, 48:13
Invasion by an introduced frog (*Rana berlandieri*): southwestern Arizona, southeastern California, and Río Colorado, México, continued, James C. Rorabaugh, Michael J. Sredl, Verma Miera, and Charles A. Drost, 47:12–20
Inventory of terrestrial mammals at Amistad National Recreation Area, Texas, Matt A. Bahm, James M. Mueller, and Aaron R. Sides, 53:85–90
Invertebrate consumption by breeding northern bobwhites and its relation to production, Louis A. Harveson, Fred S. Guthery, and Eric C. Hellgren, 49:472–477
Ionactis linariifolius, 56:59
Ipomoea, 47:80
arborescens, 55:316
imperati, 49:183, 49:186
pauciflora, 53:518
pes-caprae, 50:380–384, 52:41, 55:421
Ipomopsis
aggregata, 47:2, 47:9
tenuifolia, 52:200, 53:72
tenuituba, 47:9
Iresine heterophylla, 48:181
Iridaceae, 49:190
Iridomyrmex, 49:247
Iris, 47:638, 49:190
Isanthus brachiata, 47:589
Ischnopsyllidae, 54:171
Ischnura, 53:380
barberi, 48:446
damula, 48:446, 48:447
demorsa, 48:446, 48:447, 54:98
denticollis, 48:446, 54:98
hastata, 54:98
posita, 48:446, 48:447
verticalis, 48:446, 48:447
Isern, Santiago Gibert, see Delgadillo Villalobos, Jonás A., —
Islas-Perusquía, Yadira, see Pavón, Numa P., —
Isocoma, 53:2
acradenia, 51:517
drummondii, 52:342–343
menziesii, 50:139
menziesii, 50:34, 50:140, 50:142, 52:198, 52:200
tenuisecta, 47:284, 47:354, 52:104, 52:105
Isogenoides, 48:30
Isonychia, 48:30
Isonychiidae, 48:30
Isoperla, 48:30
Isospora, 54:495, 54:496
Issidae, 55:191
Itaquascon umbellinae, 55:540, 55:541
Ithytrichia
clavata, 54:186, 54:192
mexicana, 51:329, 51:332, 54:186, 54:188, 54:189
Iva
angustifolia, 53:498
annua, 55:256, 55:260
hayessiana, 52:200
Ivanyi, Craig S., see McCrystal, Hugh K., and —
Iverson, J. Peter, see Smith, Geoffrey R., —
Iverson, John B., Reproduction in female razorback musk turtles (*Sternotherus carinatus*: Kinosternidae), 47:215–224
Ivesia muirii, 54:356
Ixobrychus exilis, 48:360
Ixodes
kingi, 54:496
pacificus, 56:369–377
scapularis, 50:59
sculptus, 54:495–497
Ixodidae, 50:90

Jacks, L. Stewart, see Porath, Mark T., —
Jackson, Jacob T., see Bean, Preston T., —
Jacquemontia
abutiloides, 50:147
pringlei, 52:355
Jacquinia pungens, 55:141, 55:317
Jadin, Robert C., Prey items of the Tzotzil montane pitviper (*Cerrophidion tzotzilorum*), 52:437–438
Jaeger, Jef R., see Bradford, David F., —
Jaeger, Robert G., see Anthony, Carl D., —
Jaegeria hirta, 51:458, 54:442
Jaguar (*Panthera onca*) in San Luis Potosí, Mexico, the, J. Agustín Villordo-Galván, Octavio C. Rosas-Rosas, Fernando Clemente-Sánchez, J. Felipe Martínez-Montoya, Luis A. Tarango-Arámbula, Germán Mendoza-Martínez, Manuel D. Sánchez-Hermosillo, and Louis C. Bender, 55:394–402
Jaguar (*Panthera onca*) in Sinaloa, Mexico, occurrence of, Carlos J. Navarro-Serment, Carlos A. López-González, and Juan-Pablo Gallo-Reynoso, 50:102–106
Jaguar (*Panthera onca*) in the state of Mexico, Octavio Monroy-Vilchis, Óscar Sánchez, Ulises Aguilera-Reyes, Pedro Suárez, and Vicente Urios, 53:533–537
James, Douglas A., see Patterson, C. Joan, and —
Janečka, Jan E., Chris W. Walker, Michael E. Tewes, Arturo Caso, Linda

L. Laack, and Rodney L. Honeycutt, Phylogenetic relationships of ocelot (*Leopardus pardalis albescens*) populations from the Tamaulipan biotic province and implications for recovery, 52:89–96
Janečka, Jan E., see Gilad, Oranit, —
Janis, Michael W., see Ruthven, Donald C., III, —
Jansen, Brian D., and Paul R. Krausman, Maxillary canines in bighorn sheep, 51:434–436
Jansen, Brian D., Paul R. Krausman, James R. Heffelfinger, and James C. deVos, Jr., Saguaro spine penetrated bighorn sheep skull, 50:513–515
Jansen, Brian D., Paul R. Krausman, James R. Heffelfinger, and James C. deVos, Jr., Influence of mining on behavior of bighorn sheep, 52:418–423
Jansen, Brian D., Paul R. Krausman, Kirby D. Bristow, James R. Heffelfinger, and James C. deVos, Jr., Surface mining and ecology of desert bighorn sheep, 54:430–438
Jansen, Brian D., see Cain, James W., III, and —
Jansen, Brian D., see Krausman, Paul R., —
Janssen, Herb F., see McDonald, Christopher G., —
Janusia gracilis, 47:445, 49:503, 52:100, 52:355
Japygidae, 51:95
Jass, Christopher N., and Christopher J. Bell, Desert tortoises (*Gopherus agassizii*) from Pleistocene sediments in Cathedral Cave, White Pine County, Nevada, 55:558–563
Jass, Christopher N., Mid to late Holocene mammals from Bighorn Cave, Arizona, 49:75–82
Jatropha
cinerea, 50:135, 50:139, 50:141, 50:143–146, 50:441, 55:105
cuneata, 50:136, 50:141, 50:144, 50:146, 53:109
dioica, 47:166, 52:601, 54:227, 55:278, 55:493, 55:498, 56:90
gossypiifolia, 47:79
Jaumea carnosa, 50:135
Jefea brevifolia, 48:180, 48:187, 55:496
Jenkins, Philip D., see McIntosh, Margrit E., —
Jenkins, Robert E., see McAllister, Chris T., —
Jennings, Randy D., see Bradford, David F., —
Jensen, William E., see Prendergast, Jeffrey A., —
Jessen, Rosa R., see Merrick, Melissa J., —
Jessen, Timothy G., see Merrick, Melissa J., —
Jiménez-Cruz, Elsa, Aurelio Ramírez-Bautista, Jonathon C. Marshall, Miguel Lizana-Avia, and Adrián Nieto-Montes de Oca, Reproductive cycle of *Sceloporus grammicus* (Squamata: Phrynosomatidae) from Teotihuacán, México, 50:178–187
Jiménez-Pérez, Javier, see Estrada-Castillón, Eduardo, —
Johnson, Alan R., see Turner, Sandra J., —
Johnson, Andrew B., see Dickerman, Robert W., and —
Johnson, Douglas H., see Littlefield, Carroll D., and —
Johnson, Eileen, see Lewis, Patrick J., and —
Johnson, Eric R., see Ramirez, Raul, —
Johnson, Heather E., see Cain, James W., III, —
Johnson, James B., Lance D. McBrayer, and Daniel Saenz, Allometry, sexual size dimorphism, and niche partitioning in the Mediterranean gecko (*Hemidactylus turcicus*), 50:435–439
Johnson, James E., see Briggler, Jeffrey T., —
Johnson, James E., see Hargrave, Chad W., and —
Johnson, Jerry D., see Lenhart, Paul A., —
Johnson, Jerry D., see Mata-Silva, Vicente, —
Johnson, Kristine, B. Hamilton Smith, Giancarlo Sadoti, Teri B. Neville, and Paul Neville, Habitat use and nest site selection by nesting lesser prairie-chickens in southeastern New Mexico, 49:334–343
Johnson, Lawrence A., see Bowen, Thomas, —
Johnson, Michael L., see Wilson, James A., —
Johnson, R. Roy, Jean-Luc E. Cartron, Lois T. Haight, Russell B. Duncan, and Kenneth J. Kingsley, Cactus ferruginous pygmy-owl in Arizona, 1872–1971, 48:389–401
Johnson, Sally D., Katherine C. Horn, Amy M. Savage, Steve Windhager, Mark T. Simmons, and Jennifer A. Rudgers, Timing of prescribed burns affects abundance and composition of arthropods in the Texas Hill Country, 53:137–145
Johnston, Carol E., see Phillips, Catherine T., —
Jolley, Julia L., see Koprowski, John L., —
Jolley, Wesley, see Siders, Melissa S., and —
Jones, Clyde, see Brant, Joel G., —
Jones, Clyde, see Carroll, Darin S., —
Jones, Clyde, see Frey, Jennifer K., —
Jones, Shane N., see Taylor, Christopher A., —
Jones, Shane, see Graening, G. O., —
Jones, Taylor A., see Pierce, Benjamin A., —
Jones, Zach F., see Bock, Carl E., —
Joos, Roger E., see Fischer, Justin W., —
Jorgensen, Eric E., see Clark, Jay E., —
Jouvea pilosa, 48:472
Judd, Frank W., see Eddy, Melissa R., and —
Judd, Frank W., see Lonard, Robert I., —
Juditha molpe, 48:518
Juglans
major, 49:25, 53:249, 53:252
nigra, 53:216, 54:223, 56:411
Julidae, 56:423
Juncaceae, 53:73, 55:257
Junco
hyemalis, 50:443, 54:65, 55:22, 55:25, 55:26
phaenotus, 54:251
phaeonotus, 51:412–414, 52:275, 52:276
Juncus, 47:226, 48:536, 49:180, 52:196, 53:328, 55:193–198, 55:200
acutus, 51:505, 52:195, 52:200
balticus, 52:194, 52:195, 52:200
bufonius, 53:73, 53:397
drummondii, 54:356
interior, 53:462, 55:257
roemerianus, 55:199
xiphioides, 52:200
Jungels, Jeremy, see Griffis-Kyle, Kerry L., —
Juniperus, 47:2, 47:134, 47:388, 47:389, 47:472, 47:482, 47:585, 47:602, 48:114, 48:133, 48:179, 48:366, 48:374, 48:384, 48:404, 48:646, 48:723, 49:283, 49:322, 49:524, 50:95, 50:293, 50:323, 50:324, 50:357, 50:370, 51:2, 51:222, 51:289, 52:98, 52:194, 53:148, 53:150, 53:158, 53:244, 53:445, 54:28, 54:58, 54:59, 54:61–63, 54:152, 54:196, 54:201, 54:254, 54:261, 54:482, 55:428, 55:448, 55:494, 56:25, 56:129, 56:232, 56:260, 56:326, 56:366
ashei, 47:153–161, 47:590, 49:39, 51:101, 51:181, 53:386, 53:467, 53:495, 53:496, 54:223, 54:447, 55:12, 55:161, 55:434–441, 56:274, 56:327
californica, 47:578–579, 50:476, 52:196, 52:200, 53:70
coahuilensis, 48:185
communis, 48:492, 48:494–497, 48:499, 48:504, 50:213, 53:152, 56:261
deppeana, 48:181–185, 48:187, 48:231, 48:235, 50:325, 51:311, 51:579, 52:273, 52:279, 53:152, 53:252, 54:447, 55:23, 55:348, 55:430, 56:194
flaccida, 54:454
flacida, 56:131
monosperma, 47:132, 47:158, 47:325, 47:445, 48:177, 48:182–184, 48:187, 48:626, 48:636, 49:240, 49:271, 49:385,

50:199, 51:433, 52:542, 52:622, 53:92, 53:151, 53:152, 53:154, 55:23, 55:375, 56:2, 56:306
monticola, 51:5
osteosperma, 48:626, 50:211, 50:463, 53:152, 54:202, 54:249
pinchotii, 52:110, 54:262, 54:447, 55:496
scopulorum, 47:63, 48:224, 50:213, 52:499, 53:152
virginiana, 47:590, 51:359, 53:215, 55:138, 55:257, 55:332, 55:438, 56:411
Junonia evarete, 48:513
Jurado, Enrique, Jaime F. García, Joel Flores, Eduardo Estrada, and Humberto González, Abundance of seedlings in response to elevation and nurse species in northeastern Mexico, 56:154–161
Jurado, Enrique, see Estrada C., Eduardo, —
Jurado, Enrique, see Estrada-Castillón, Eduardo, —
Justicia
americana, 49:437, 52:587
aurea, 52:304
californica, 52:200, 52:304, 52:355, 53:70
candicans, 52:302–305, 52:355
macrantha, 52:304
mexicana, 52:304
ovata, 55:256, 55:259, 55:260
runyonii, 56:159

Kageyama, Mariko, see Bradley, Robert D., —
Kalicephalus inermis, 47:307–309
Kaller, Michael D., and William E. Kelso, Effects of a small-scale clearing on habitat and macroinvertebrates of a coastal bottomland stream in Louisiana, 51:143–151
Kalmia polifolia, 54:356
Kamler, Jan F., and Warren B. Ballard, Canid diversity in the Texas Panhandle, 51:569–571
Kamler, Jan F., Larry A. Green, and Warren B. Ballard, Recent occurrence of black bears in the southwestern Great Plains, 48:303–306
Kamler, Jan F., Raymond M. Lee, James C. deVos, Jr., Warren B. Ballard, and Heather A. Whitlaw, Mortalities from climbing accidents of translocated bighorn sheep in Arizona, 48:145–147
Kamler, Jan F., see Gipson, Philip S., and —
Kamler, Jan F., see McCaffrey, Rachel E., —
Kamler, Jan F., Warren B. Ballard, Mark C. Wallace, and Philip S. Gipson, Diets of swift foxes (*Vulpes velox*) in continuous and fragmented prairie in northwestern Texas, 52:504–510
Kamler, Jan F., Warren B. Ballard, Robert L. Harrison, and C. Gregory Schmitt, Range expansion of red foxes in northwestern Texas and northeastern New Mexico, 50:100–101
Kansas gap analysis: the importance of validating distributional models before using them, A. Townsend Peterson, 50:230–236
Karges, John P., see Bonner, Timothy H., —
Karwinskia humboldtiana, 50:147, 56:274
Karyotypes of three species of harvest mice (*Reithrodontomys*), Irma Urbina Sanchez, Ma. Angeles Aguilar Santamaria, Elizabeth Arellano, Francisco X. Gonzalez-Cozatl, and Duke S. Rogers, 51:564–568
Kaufman, Dawn M., see Kaufman, Glennis A., —
Kaufman, Donald W., see Goheen, Jacob R., —
Kaufman, Donald W., see Kaufman, Glennis A., —
Kaufman, Glennis A., Dawn M. Kaufman, and Donald W. Kaufman, Treated versus new traps: does chronic application of disinfectant to live traps reduce trappability of rodents?, 56:224–230
Kaufman, Glennis A., see Goheen, Jacob R., —
Kazmaier, Richard T., see Ruthven, Donald C., III, —
Keane, Timothy D., see Robel, Robert J., —
Keckiella antirrhinoides, 53:72
Keeler, Kathleen H., and Brigitte Tenhumberg, Population dynamics of the western prickly pear, *Opuntia macrorhiza* (Cactaceae), 56:147–153
Keitt, Bradford S., see Knowlton, Jessie L., —
Keller, Gregory S., see Kuykendall, M. Todd, and —
Keller, Gregory S., see Ramirez, Jennifer E., and —
Kelley, Anita M., see McDonald, Christopher G., —
Kelley, Victor R., see Stevens, Richard T., —
Kelly, Jeffrey F., David L. Hawksworth, and Raymond A. Meyer, Abundance of non-breeding horned larks and chestnut-collared longspurs on grazed and rested semiarid grassland, 51:172–180
Kelly, Patrick A., see Smith, Deborah A., —
Kellymyia plinthotpyga, 56:275
Kelrick, Michael I., see Newby, Jennifer L., —
Kelso, William E., see Kaller, Michael D., and —
Kelt, Douglas A., see Meyer, Marc D., —
Kelt, Douglas A., see Wilson, James A., —
Kemp, Kenneth E., see Robel, Robert J., —
Kennedy, James H., see Randklev, Charles R., —
Kennedy, Michael L., Phyllis K. Kennedy, Michael A. Bogan, and Juliann L. Waits, Geographic variation in the black bear (*Ursus americanus*) in the eastern United States and Canada, 47:257–266
Kennedy, Michael L., Phyllis K. Kennedy, Michael A. Bogan, and Juliann L. Waits, Taxonomic assessment of the black bear (*Ursus americanus*) in the eastern United States, 47:335–347
Kennedy, Michael L., see Hopkins, Heidi L., —
Kennedy, Michael L., see Sánchez-Hernández, Cornelio, —
Kennedy, Michael L., see Schnell, Gary D., —
Kennedy, Michael L., see Stevens, Richard T., —
Kennedy, Phyllis K., see Kennedy, Michael L., —
Kerr, Sara F., see Merkelz, Robert, and —
Kilgore, Charles H., see White, Jeremy A., —
Killingbeck, Keith T., Flowers are produced on stems shorter than one meter in the desert shrub ocotillo (*Fouquieria splendens*), 54:55–57
King, Clint, see Meik, Jesse M., —
King, Julie L., Min Chung Sue, and Alan E. Muchlinski, Distribution of the eastern fox squirrel (*Sciurus niger*) in southern California, 55:42–49
King, Kirke A., Brenda J. Zaun, H. Maaike Schotborgh, and Carla Hurt, DDE-induced eggshell thinning in white-faced ibis: a continuing problem in the western United States, 48:356–364
King, Kirke A., see Zaun, Brenda J., —
Kingsley, Kenneth J., see Johnson, R. Roy, —
Kinosternidae, 47:215–224, 48:543–549, 55:137, 55:252, 55:560
Kinosternon, 52:609
flavescens, 47:222, 50:166–170
hirtipes, 47:222
sonoriense, 47:222, 48:351, 55:135–138, 55:246, 55:252
Kirkpatrick, Chris, and Courtney J. Conway, Woodrat (*Neotoma*) depredation of a yellow-eyed junco (*Junco phaeonotus*) nest, 51:412–414
Kirkpatrick, Chris, Courtney J. Conway, and Dominic D. LaRoche, Range expansion of the buff-breasted flycatcher (*Empidonax fulvifrons*) into

the Rincon Mountains, Arizona, 52:149–152
Kirkpatrick, Chris, Stephen DeStefano, R. William Mannan, and John Lloyd, Trends in abundance of grassland birds following a spring prescribed burn in southern Arizona, 47:282–292
Klinksiek, Edward A., see Elston, Jennifer J., —
Kloss, Christopher L., Alan M. Fedynich, and Bart M. Ballard, Survey of blood parasites in Ross' and white-fronted geese in southern Texas, 48:286–289
Knisley, C. Barry, see Romey, William L., and —
Knopf, Fritz L., see Mettenbrink, Christian W., —
Knopf, Fritz L., see Schneider, Scott C., —
Knowles, Glen W., see Marsh, Paul C., —
Knowlton, Jessie L., C. Josh Donlan, Gary W. Roemer, Araceli Samaniego-Herrera, Bradford S. Keitt, Bill Wood, Alfonso Aguirre-Muñoz, Kate R. Faulkner, and Bernie R. Tershy, Eradication of non-native mammals and the status of insular mammals on the California Channel Islands, USA, and Pacific Baja California Peninsula Islands, Mexico, 52:528–540
Kobayasia subtilissima, 49:400
Kochia, 47:416
scoparia, 50:451
Koeberlinia, 55:428
spinosa, 52:110
Koeberliniaceae, 55:428
Koeleria macrantha, 56:59
Koenen, Kiana K. G., and Paul R. Krausman, Habitat use by desert mule deer in a semidesert grassland, 47:353–362
Koenen, Kiana K. G., see Landon, Deborah M., —
Koenen, Kiana, see Devers, Patrick K., —
Kolkwitzia amabilis, 56:411
Kopachena, Jeffrey G., see Sinha, Aditi, —
Koppelman, Jeffrey B., see Graening, G. O., —
Koprowski, John L., Katherine M. Leonard, Claire A. Zugmeyer, and Julia L. Jolley, Direct effects of fire on endangered Mount Graham red squirrels, 51:59–63
Koprowski, John L., Nicolás Ramos, Bret S. Pasch, and Claire A. Zugmeyer, Observations on the ecology of the endemic Mearns's squirrel (*Tamiasciurus mearnsi*), 51:426–430
Koprowski, John L., see Edelman, Andrew J., and —
Koprowski, John L., see Hutton, Kelly A., —
Koprowski, John L., see Leonard, Katherine M., and —
Koprowski, John L., see McColgin, Maureen E., —
Koprowski, John L., see Merrick, Melissa J., —
Koprowski, John L., see Pasch, Bret S., and —
Koprowski, John L., see Schauffert, Carol A., —
Koprowski, John L., see Zugmeyer, Claire A., and —
Korb, Julie E., Mark L. Daniels, Daniel C. Laughlin, and Peter Z. Fulé, Understory communities of warm-dry, mixed-conifer forests in southwestern Colorado, 52:493–503
Kosciuch, Karl L., Cheryl G. Ormston, and Keith A. Arnold, Breeding range expansion of cave swallows (*Petrochelidon fulva*) in Texas, 51:203–209
Kostecke, Richard M., Kevin Ellison, and Scott G. Summers, Continued range expansion by bronzed cowbirds in the southwestern United States, 49:487–492
Kostecke, Richard M., Population trends of breeding birds on the Edwards Plateau, Texas: local versus regional patterns, 53:466–471
Kostecke, Richard M., see Cimprich, David A., and —
Kostecke, Richard M., see Quarles, Abigail, —
Kostecke, Richard M., see Summers, Scott G., —
Koster, Jeremy M., Giant anteaters (*Myrmecophaga tridactyla*) killed by hunters with dogs in the Bosawas Biosphere Reserve, Nicaragua, 53:414–416
Kraig, Sarah E., Steven M. Roels, and Monte L. Thies, Effectiveness of chemical repellents in deterring red imported fire ants (*Solenopsis invicta*) from Sherman live traps, 55:203–206
Krameria, 49:503
cytisoides, 52:117
erecta, 52:200, 52:355, 53:72, 55:496
grayi, 52:355, 52:522, 52:523, 55:496, 55:498
lanceolata, 52:99, 52:100
parvifolia, 50:143, 50:147
paucifolia, 50:132, 50:144, 50:147
ramosissima, 53:92
Krameriaceae, 53:72
Kraschenninnikovia, 52:350
lanata, 50:189, 51:173, 51:176, 52:617
Krausman, Paul R., Josh Avey, Coleen F. Brown, Patrick K. Devers, John C. Tull, Brian D. Jansen, and James W. Cain, III, Distances moved by startled desert mule deer, 51:436–439
Krausman, Paul R., Martha I. Grinder, Philip S. Gipson, Gerald L. Zuercher, and George C. Stewart, Molecular identification of coyote feces in an urban environment, 51:122–126
Krausman, Paul R., see Avey, Josh T., —
Krausman, Paul R., see Brunjes, Kristina J., —
Krausman, Paul R., see Bucci, Melanie, —
Krausman, Paul R., see Cain, James W., III, —
Krausman, Paul R., see Devers, Patrick K., —
Krausman, Paul R., see Gottesman, Amy B., —
Krausman, Paul R., see Grubbs, Shannon E., and —
Krausman, Paul R., see Jansen, Brian D., —
Krausman, Paul R., see Koenen, Kiana K. G., and —
Krausman, Paul R., see Landon, Deborah M., —
Krausman, Paul R., see Lawrence, Shannon E., and —
Krausman, Paul R., see Marshal, Jason P., —
Krausman, Paul R., see Merkle, Jerod A., —
Krausman, Paul R., see Popowski, Ronald J., and —
Krausman, Paul R., see Tatman, Nicole M., —
Krausman, Paul R., see Tull, John C., and —
Krausman, Paul R., see Wilson, Ryan R., —
Kricogonia lyside, 48:513
Krigia
cespitosa, 53:499
virginica, 47:587
Kritsky, Delane C., and Craig A. Stockwell, New species of *Gyrodactylus* (Monogenoidea, Gyrodactylidae) from the White Sands pupfish, *Cyprinodon tularosa*, in New Mexico, 50:312–317
Kroll, Andrew J., Ken Boykin, Mark C. Andersen, Bruce C. Thompson, and David L. Daniel, Habitat characteristics of *Asmunella* (Gastropoda: Pulmonata: Polygyridae) at White Sands Missile Range and Fort Bliss, New Mexico, 48:14–22
Kruchek, Beth L., see Cameron, Guy N., —
Krupa, James J., Temporal shift in diet in a population of American bullfrog (*Rana catesbeiana*) in Carlsbad Caverns National Park, 47:461–467

Kuenzi, Amy J., see Morrison, Michael L., —
Kukulcania, 54:334
arizonica, 56:46
hibernalis, 56:46
Kuykendall, M. Todd, and Gregory S. Keller, Impacts of roads and corridors on abundance and movement of small mammals on the Llano Estacado of Texas, 56:9–16
Kyle, Sean, see Griffis-Kyle, Kerry L., —

Laack, Linda L., see Horne, Jon S., —
Laack, Linda L., see Janečka, Jan E., —
Laacke, Robert J., William F. Laudenslayer, Tanya Diamond, Karen Viotto, and Charles A. Long, Erythrism in the North American badger, *Taxidea taxus*, 51:289–291
Labidesthes sicculus (Atherinidae) in Lake Texoma (Oklahoma-Texas), rediscovery of, Kerri E. Pratt, Chad W. Hargrave, and Keith B. Gido, 47: 142–147
Labidesthes sicculus, 47:142–147, 51:398, 51:510–513, 54:390, 54:517
Labruna, Danielle, see Hoogland, John L., —
Laccobius, 50:240
Laccodytes, 55:236
Laccophilus, 53:380
Lacerta agilis, 55:105, 56:373
Lacertidae, 55:280
Lacertilia, 47:614–615, 48:700–705, 50:497–498, 56:71–77
Lachlania, 48:30
Lactarius deliciosus, 48:662, 48:663, 48:665
Lactating North American beavers (*Castor canadensis*) sharing dens in the southwestern United States, Justin W. Fischer, Roger E. Joos, Melissa A. Neubaum, Jimmy D. Taylor, David L. Bergman, Dale L. Nolte, and Antoinette J. Piaggio, 55:273–277
Lactrodectus hesperus, 52:435
Lactuca serriola, 48:11
Lacuna, 50:416
Ladoga camilla, 52:2
Laelapidae, 50:90
LaFever, David H., Kristin E. LaFever, Daniel H. Catlin, and Daniel K. Rosenberg, Diurnal time budget of burrowing owls in a resident population during the non-breeding season, 53:29–33
LaFever, Kristin E., see LaFever, David H., —
Lagodon rhomboides, 49:49
Lagomorpha, 49:359–356
Laguncularia racemosa, 50:135, 55:319
Laguncularia racemosae, 50:135, 50:149
Lagurus, 54:88
Lamiaceae, 48:187, 49:191, 50:1, 53:72, 55:256, 55:258, 56:160
Lampetra tridentata, 47:199
Lampornis clemenciae, 47:118–121
Lampronycteris, 51:271
Lampropeltis, 50:25
alterna, 50:495, 56:430
getula, 50:269, 50:270, 50:495, 50:496, 52:113, 54:352–353, 54:466, 55:244–246, 55:252, 56:433–435
guetulus, 50:29
mexicana, 50:495, 56:430, 56:431
pyromelana, 48:350, 48:351, 55:246, 55: 252
ruthveni, 56:430–431
triangulum, 50:29
zonata, 54:353
Lampropeltis ruthveni (Serpentes: Colubridae) from the state of Hidalgo, Mexico, Andrea J. Roth-Monzón, Andrés Alberto Mendoza-Hernández, and Oscar A. Flores-Villela, 56:430–431
Lampropsilus collucia, 48:519
Lampsilis
cardium, 53:46
satura, 53:46
siliquoidea, 53:46
teres, 53:46
Lampyridae, 55:191
Lancaster, Debra, see Ford, Neil B., —
Land use and soil texture on distributions of pocket gophers in Kansas, effects of, Justin D. Hoffman, Jerry R. Choate, and Rob Channell, 52:296–301
Landau, Fred, see Titus, Jonathan H., and —
Landoll, Diane V., and Michael S. Husak, Depredation of a nest of the eastern meadowlark (*Sturnella magna*) by a speckled kingsnake (*Lampropeltis getula holbrooki*), 56:433–435
Landon, Deborah M., Paul R. Krausman, Kiana K. G. Koenen, and Lisa K. Harris, Pronghorn use of areas with varying sound pressure levels, 48: 725–728
Landscape on behavior of black-tailed prairie dogs (*Cynomys ludovicianus*) in rural and urban habitats, effects of, Jennifer E. Ramirez and Gregory S. Keller, 55:167–171
Lang, Brian K., see Smith, Douglas G., —
Langeronia
jimenezi, 50:251–255
macrocirra, 50:251–255
Langford, James R., see Gooding Gypsy, and —
Laniatores, 55:304, 55:470
Laniidae, 47:628–630
Lanius, 48:115
ludovicianus, 47:286, 47:304, 47:628–630, 48:301–303, 48:557–562, 50:272, 50:273, 50:442, 51:520, 52:255, 52: 294, 52:536
Lansford, Kevin C., see Whelchel, Adam W., and —
Lantana
urticoides, 47:426
velutina, 56:160
Laophontidae, 55:527
Lappula redowski, 53:202
Lapsana communis, 48:12
Lara-Cabrera, Sabina, see Gil-Solórzano, Dulce, —
Lara-Cabrera, Sabina, see Lindig-Cisneros, Roberto, —
Laridae, 54:286, 54:288
Larinia, 56:46
directa, 54:334
LaRoche, Dominic D., see Kirkpatrick, Chris, —
Larrea, 51:283, 54:25, 54:28
divaricata, 48:203, 53:73, 53:191, 54:26, 54:454
tridentata, 47:277, 47:365, 47:389, 47:410, 47:441, 47:450, 47:463, 47:579, 47: 637, 48:3, 48:550, 48:684, 48:693, 49: 1, 49:6, 49:8, 49:25, 49:110, 49:361, 49:502, 49:503, 50:133, 50:135, 50: 137, 50:141–145, 50:147, 51:2, 51:29, 51:173, 51:176, 51:515, 51:552, 52:98, 52:105, 52:200, 52:251–256, 52:348, 52:349, 52:355, 52:419, 52:462, 52: 565, 53:67, 53:73, 53:86, 53:92, 53: 109, 53:312, 53:328, 54:51, 54:227, 54: 254, 54:318, 54:376, 54:422, 54:431, 55:105, 55:126, 55:278, 55:315, 55:316, 55:375, 55:412, 55:428, 55:497, 55:498, 56:44, 56:45, 56:353, 56:383
Larsen, Robert R., see Abbott, John C., —
LaRue, Charles T., see Mikesic, David G., and —
Larus, 47:619, 54:510
argentatus, 49:108
atricilla, 49:103, 49:108, 53:232, 53:233
californicus, 54:288, 56:36
delawarensis, 54:288, 56:40
heermanni, 52:285, 52:286
philidelphia, 54:288
pipixcan, 55:574
Lasioglossum, 53:424
Lasionycteris
curasoae, 51:293, 51:441, 51:586
noctivagans, 47:328, 47:633–635, 48:575, 48:577, 50:200, 50:203, 51:54, 51:56, 52:482, 52:483, 52:485–491, 53:245, 54:421, 54:424–426
Lasiurus
blossevilli, 51:54
blossevillii, 48:575, 50:97, 52:489, 54:412, 54:413, 54:415, 55:210, 55:351, 55: 353, 55:354
borealis, 48:301–303, 48:575, 48:713, 48: 715, 49:295, 49:532, 51:56, 51:419, 51:421, 52:483, 52:489, 53:245, 55: 351
cinereus, 47:328, 47:634, 48:143, 48:575, 50:201–203, 51:54, 51:56, 52:402,

52:482, 52:485, 52:486, 52:488, 52:489, 52:491, 54:195–200, 55:207, 55:351, 55:353, 55:354
ega, 48:575, 50:96–99
intermedius, 48:575, 50:97, 50:98, 54:412, 54:413, 54:415
seminolus, 49:295
xanthinus, 48:575, 49:514–518, 52:402, 55:352, 55:354
Lasius, 47:175
Lasmigona
complanata, 52:138, 53:46
costata, 53:46
Late Pleistocene bats from Arkenstone Cave, Arizona, Nicholas J. Czaplewski and William D. Peachey, 48:597–609
Late Pleistocene fauna from the southern Colorado Plateau, Navajo County, Arizona, Lyndon K. Murray, Christopher J. Bell, M. Timothy Dolan, and Jim I. Mead, 50:363–374
Late Pleistocene mylodont sloth *Paramylodon harlani* (Mammalia: Xenarthra) from Arizona, H. Gregory McDonald, Larry D. Agenbroad, and Carol Manganaro Haden, 49:229–238
Late Pleistocene roadrunner (*Geococcyx*) from Kartchner Caverns State Park, southeastern Arizona, Mary C. Carpenter and Jim I. Mead, 48:402–410
Lates, 54:486
niloticus, 54:157
Late-summer aggregation of the foothill yellow-legged frog (*Rana boylii*) in central California, Robert A. Leidy, Earl Gonsolin, and Garrett A. Leidy, 54:367–368
Lathyrus, 47:63, 51:6, 51:7, 52:497, 55:430, 55:431
alefeldii, 52:200
longipes, 51:10
parvifolius, 51:10
pusillus, 55:256, 55:260
Latitudinal patterns in range sizes of New World woodpeckers, Michael S. Husak and Amanda L. Husak, 48:61–69
Latrodectus hesperus, 56:46, 56:52
Laudenslayer, William F., see Laacke, Robert J., —
Laughlin, Daniel C., see Korb, Julie E., —
Launaea arborescens, 48:11
Laundré, John W., see Portales, Gloria L., —
Lauraceae, 48:580
Lauxaniidae, 55:191
Lavinia exilicauda, 47:196
Lawrence, Shannon E., and Paul R. Krausman, Reactions of the public to urban coyotes (*Canis latrans*), 56:404–409
Layher, William G., see McAllister, Chris T., —
Layia platyglossa, 53:70
Lazcano Villarreal, David, see Banda-Leal, Javier, —
Lazcano, David, see Bryson, Robert W., Jr., and —
Lazcano, David, see Contreras-Lozano, Jorge A., —
Lazcano-Villareal, David, see León-Règagnon, Virginia, —
Lear, Lauri L., and Arthur H. Harris, Holocene fauna of Big Manhole Cave, Eddy County, New Mexico, 52:110–115
Least shrew (*Cryptotis parva*) in Colorado, range expansion of the, Jeremy L. Siemers, Yiju R. Chen, K. Max Canestorp, John R. Sovell, and Kimberly L. Cornelisse, 51:267–269
Leavenworthia, 47:587
uniflora, 47:588
Leavitt, Allison F., see Leavitt, Daniel J., —
Leavitt, Daniel J., Allison F. Leavitt, and Christopher M. Ritzi, Post-grazing changes of vegetation in Big Bend National Park, Texas: a 50-year perspective, 55:493–500
Leavitt, Daniel J., see Platt, Steven G., —
Lecane, 48:342
Lecithodendriidae, 50:253, 52:597–600
Lee, Derek E., see Tietje, William D., —
Lee, Raymond M., see Kamler, Jan F., —
Lee, Raymond M., see Rachlow, Janet L., —
Lee, Thomas E., Jr., see Brannan, Daniel K., —
Lee, Thomas E., Jr., see Brant, Joel G., and —
Lee, Thomas E., Jr., see Coyner, Brandi S., —
Leeuwenhoekiidae, 55:278–279
Leguminosae, 47:79, 47:163, 51:7, 55:317, 55:427
Lei, Simon A., Factors influencing seed imbibition of blackbrush (*Coleogyne ramosissima*: Rosaceae), 55:443–447
Leidy, Garrett A., see Leidy, Robert A., —
Leidy, Robert A., Earl Gonsolin, and Garrett A. Leidy, Late-summer aggregation of the foothill yellow-legged frog (*Rana boylii*) in central California, 54:367–368
Leiostomus xanthurus, 49:49
Leishmania
infantum, 47:70
mexicana, 47:70–77
Leitner, Ben, see Chambers, Mary, —
Leitner, Philip, see Harris, John H., and —
Lemaiocereus thurberi, 50:146
Lemaireocereus thurberi, 50:441, 55:348
Lemaireocerus thurberi, 50:133
Lemmiscus, 49:78, 50:367, 50:368
curtatus, 47:63, 47:136, 50:209, 50:363, 50:364, 50:366, 50:370, 50:371
Lemna, 52:588, 53:73
minor, 53:462
Lemonias agave, 48:518
Lemos-Espinal, Julio A., Geoffrey R. Smith, and Royce E. Ballinger, Diets of three species of knob-scaled lizards (genus *Xenosaurus*) from México, 48:119–122
Lemos-Espinal, Julio A., see Aurelio, Ramírez-Bautista, and —
Lemos-Espinal, Julio A., see Smith, Geoffrey R., —
Lemos-Espinal, Julio A., see Smith, Hobart M., —
Lemos-Espinal, Julio A., see Taylor, Harry L., —
Lemos-Espinal, Julio, see Bryson, Robert W., Jr., —
Lenhart, Paul A., Vicente Mata-Silva, and Jerry D. Johnson, Foods of the pallid bat, *Antrozous pallidus* (Chiroptera: Vespertilionidae), in the Chihuahuan Desert of western Texas, 55:110–115
Lentibulariaceae, 56:78–82
Leonard, Katherine M., and John L. Koprowski, Effects of fire on endangered Mount Graham red squirrels (*Tamiasciurus hudsonicus grahamensis*): responses of individuals with known fates, 55:217–224
Leonard, Katherine M., see Koprowski, John L., —
León-Galván, Miguel A., Ricardo López-Wilchis, Omar Hernández-Pérez, Edith Arenas-Ríos, and Adolfo Rosado, Male reproductive cycle of Mexican big-eared bats, *Corynorhinus mexicanus* (Chiroptera: Vespertilionidae), 50:453–460
León-Paniagua, Livia, see Escobedo-Morales, Luis Arturo, —
León-Règagnon, Virginia, Elizabeth A. Martínez-Salazar, David Lazcano-Villareal, and Rogelio Rosas-Valdez, Helminth parasites of four species of anurans from Nuevo Leon, Mexico, 50:251–258
Leontodon
autumnalis, 48:11, 48:13
hispidus, 48:13
Leopardus
pardalis, 48:136, 48:137, 48:574, 51:433, 52:89–96, 53:534, 54:119–126, 55:395, 55:447–449, 55:567–568
wiedii, 47:635–636, 48:136, 48:137, 48:574, 53:534, 55:395
Leopold, Bruce D., see Chamberlain, Michael J., and —

Lepak, Dominika, see Abbott, Laurie B., —
Lepidium, 53:386
fremontii, 54:376
lasiocarpum, 52:200, 53:71
montanum, 49:407
perfoliatum, 49:407
virginicum, 49:407, 54:442, 54:443
Lepidocolaptes leucogaster, 52:277
Lepidogobius lepidus, 53:341
Lepidomeda vittata, 52:132, 52:135, 54:157
Lepidophyma
chicoasensis, 52:323, 52:325
lowei, 52:323, 52:325
tarascae, 52:323, 52:325
Lepidoptera, 51:552–553, 53:537–538
Lepidostoma, 53:381
apache, 51:333
aporna, 54:186, 54:192
bakeri, 51:333
knulli, 51:329, 51:333, 54:186, 54:188, 54:190
unicolor, 51:329, 51:333
Lepidostomatidae, 51:333, 53:381, 54:186, 54:188, 54:190, 55:237
Lepisosteidae, 49:18–23, 54:387
Lepisosteus
oculatus, 49:18–23, 54:387, 55:85, 55:154
osculatus, 49:437, 49:438
osseus, 49:437, 49:438, 50:76, 50:77, 54:387, 55:82, 55:85, 55:154
platostomus, 54:387, 55:154
Lepomis, 47:456, 49:449, 49:451–453, 53:370, 53:371, 54:522
auritus, 49:437, 49:438, 50:76, 50:77, 56:108, 56:110
cyanellus, 47:191, 49:450, 50:76, 51:398, 52:131, 52:132, 53:107, 53:236, 53:237, 54:390, 54:466, 55:81, 55:82, 55:152, 55:155, 55:405, 56:108, 56:110, 56:281, 56:285
gibbosus, 56:110, 56:111
gulosus, 47:191, 48:452, 49:437, 49:438, 54:390, 55:82, 55:83, 55:155
humilis, 49:86, 54:390, 55:153, 55:155
macrochirus, 47:191, 48:224, 48:452, 49:86, 49:437, 49:438, 49:450, 50:76, 52:132, 53:126, 53:236, 53:237, 54:385, 54:391, 55:81–83, 55:153, 55:155
marginatus, 54:391, 55:587, 55:589, 55:590
megalotis, 47:191, 49:86, 49:437, 49:438, 50:76, 53:116, 54:385, 54:391, 54:517, 55:84, 55:153, 55:155, 56:111
microlophus, 49:437, 49:438, 50:77, 54:391
punctatus, 54:391
Leporidae, 47:328, 48:270, 48:574, 50:365, 51:233, 54:222
Leptocaris stromatolicolus, 55:527
Leptoceridae, 48:30, 51:333, 53:381, 54:186, 54:188, 54:190
Leptochloa
dubia, 48:187, 54:447, 55:498
filiformis, 55:257
mucronata, 55:257
Leptocottus armatus, 53:338, 53:339
Leptoctenus byrrhus, 56:47
Leptodactylidae, 47:294, 49:263–266, 50:493
Leptodactylon pungens, 53:72
Leptodactylus
labialis, 53:116
melanonotus, 47:293, 47:294, 47:296, 47:297, 53:116
Leptodea
fragilis, 53:46, 55:298
leptodon, 53:45, 53:46, 53:48, 53:49
Leptodeira
maculata, 49:409–412
punctata, 49:409–412
Leptodiaptomus
connexus, 55:526
novamexicanus, 55:526, 55:528
siciloides, 55:526, 55:528
stromatolicolus, 55:529
Leptohyes, 50:241
Leptonema, 50:243
Leptonycteris, 48:604
curasoae, 47:78–85, 48:574, 49:68–74, 49:425–434, 50:97, 52:178, 52:182, 52:186, 52:329, 52:331
nivalis, 48:574, 49:426, 49:427, 49:432, 52:402, 53:287, 53:292, 54:412, 54:414, 54:417
yerbabuenae, 55:350, 55:353, 55:354
Leptopceridae, 50:243
Leptophebiidae, 50:241
Leptophlebiidae, 48:30, 51:147
Leptosialis, 53:524
Leptosiphon
floribundus, 53:72
melingii, 53:72
Leptotes
cassius, 48:518
marina, 52:13
Leptothorax nevadensis, 49:248
Leptotila verreauxi, 51:17, 54:506
Leptotrombidium myotis, 47:454
Leptotyphlopidae, 47:465, 55:252
Leptotyphlops
culcis, 47:465
dulcis, 47:105, 47:107, 50:269, 50:270, 53:483, 53:484
humilis, 55:247, 55:252
Leptysma, 50:243
Lepus, 49:79, 49:80, 49:232, 52:113, 52:546, 54:481, 56:301
alleni, 48:574
americanus, 47:64, 47:67, 48:314, 48:474, 48:730, 49:144, 49:164, 51:60, 52:112, 53:350, 54:86
californicus, 47:128, 47:249, 47:250, 47:255, 47:328, 47:558, 48:106, 48:570, 48:574, 49:272, 49:273, 49:359–366, 49:535, 49:537, 51:581, 52:403, 52:506, 52:531, 52:537, 53:87, 53:312, 53:512, 54:86, 54:497, 55:375, 55:379, 56:115–118, 56:189
callotis, 48:574, 51:433
europaeus, 52:535
flavigularis, 48:568, 48:570, 48:574, 51:116–119
timidus, 49:359
townsendii, 47:64
Lerema
accius, 48:524
liris, 48:524
lochius, 48:524
Lernaea cyprinacea, 47:95–98
Lernaea cyprinacea on Arkansas River shiners and peppered chubs in the Canadian River, New Mexico and Texas, occurrence of, Bart W. Durham, Timothy H. Bonner, and Gene R. Wilde, 47:95–98
Lernea, 53:488, 53:491
Lerodea
arabus, 48:525
eufala, 48:525
Leschenaultia adusta, 52:568
Leslie, David M., Jr., see Cole, Matthew L., —
Leslie, David M., Jr., see Criffield, Marc A., —
Leslie, David M., Jr., see Disney, Michael R., —
Leslie, David M., Jr., see Riedle, J. Daren, —
Leslie, David M., Jr., see Whittier, Joanna B., and —
Lespedeza
capitata, 56:59
repens, 55:430
Lesquerella, 53:2
argyraea, 47:103
hitchcockii, 48:504
thamnophila, 56:342
Lestes
alacer, 48:446
australis, 54:98
disjunctus, 48:446
rectangularis, 48:446
Lestidae, 48:446, 53:380, 54:97, 54:98
Lethocerus, 50:241
Leucaena, 51:1, 51:7
greggii, 51:4, 51:6, 51:9
leucocephala, 51:9, 51:493
pulverulenta, 47:423, 47:430, 49:34, 51:6, 51:9, 54:92
Leuchtenbergia principis, 56:395
Leucocytozoon
simondi, 48:286–288
smithi, 48:287
Leucophyllum frutescens, 53:86, 53:87, 54:318, 55:496, 56:343
Leucosticte tephrocotis, 50:278
Leucotrichia, 50:243, 53:381
limpia, 54:184, 54:186, 54:192
pictipes, 51:332
Leuctra, 51:147
Leuctridae, 51:147
Levine, Louis, see Salceda, Víctor M., —
Lewis, Kara, see Verdolin, Jennifer L., —

Lewis, Patrick J., and Eileen Johnson, Biogeography and paleoenvironments of late-Pleistocene muskrats on the southern plains, 47:121–125
Leyte-Manrique, Adrian, and Aurelio Ramírez-Bautista, Diet of two populations of *Sceloporus grammicus* (Squamata: Phrynosomatidae) from Hidalgo, Mexico, 55:98–103
Leyva-Pacheco, Sandra V., see Gadsden, Héctor, —
Li, Bai-Lian, see Chen, Xiongwen, —
Liatris aspera, 56:59
Libellula
auripennis, 50:243
luctuosa, 48:446, 54:98
pulchella, 54:98
saturata, 48:446, 54:98
Libellulidae, 48:446, 48:447, 50:243, 54:97, 54:98, 54:470, 54:471
Libytheana carinenta, 48:516
Licania arborea, 49:126, 55:141
Lichonycteris obscura, 48:574, 48:577
Lienesch, Philip W., and Moshe Gophen, Size-selective predation by inland silversides on an exotic cladoceran, *Daphnia lumholtzi*, 50:158–165
Life history and ecology of the wolf spider *Pardosa sierra* Banks (Araneae: Lycosidae) in southeastern Arizona, Fred Punzo and Chris Farmer, 51:310–319
Life history attributes of white sucker (*Catostomus commersoni*) in Lake Taneycomo and associated tributaries in southwestern Missouri, Carl K. Wakefield and Daniel W. Beckman, 50:423–434
Life history characteristics among syntopic assemblages of parthenogenetic species: two color pattern classes of *Aspidoscelis tesselata*, *A. exsanguis*, *A. flagellicauda*, and three color pattern classes of *A. sonorae* (Squamata: Teiidae), comparison of, Harry L. Taylor and Yadira Caraveo, 48:685–692
Life history characteristics support separate origins of D-designation color pattern classes in parthenogenetic *Aspidoscelis tesselata* (Squamata: Teiidae), Harry L. Taylor, James M. Walker, James E. Cordes, and Glenn J. Manning, 50:258–262
Light effect on seed germination of four *Mammillaria* species from the Tehuacán-Cuicatlán Valley, central Mexico, J. Leopoldo Benítez-Rodríguez, Alma Orozco-Segovia, and Mariana Rojas-Aréchiga, 49:11–17
Ligon, Day B., and Jona Reasor, Predation on alligator snapping turtles (*Macrochelys temminckii*) by northern river otters (*Lontra canadensis*), 52:608–610
Ligumia subrostrata, 53:46
Lilaeopsis schaffneriana, 53:393, 53:395–397, 53:458–465
Limenitis weidemeyerii, 52:14
Limnephilidae, 51:24, 51:25, 51:333, 53:379, 53:381, 54:186, 54:188, 54:190
Limnephilus, 51:334, 53:381
apache, 51:333
diversus, 51:333
frijole, 51:333
granti, 51:333
lithus, 51:333, 54:184, 54:186, 54:188, 54:190, 54:192
rothi, 51:333
sperryi, 51:333
tulatus, 51:333
Limniphilus
diversus, 54:192
frijole, 54:192
spinatus, 54:192
Limnodea arkansana, 53:498, 53:499
Limnodromus, 47:376
griseus, 54:128
scolopaceus, 54:128
Limnophila, 50:241
Limnophilidae, 55:237
Limnoscindium pinnatum, 55:256
Limondromus
griseus, 47:374
scolopaceus, 47:374
Limonia, 50:241
Limonio californici, 55:319
Limonium californicum, 50:135
Limosa, 47:376
fedoa, 47:374, 54:129
Linaje, Miguel, see Botello, Francisco, —
Linanthastrum nuttallii, 48:496, 48:504
Linanthus, 52:200
bigelovii, 53:72
floribundus, 53:72
jonesii, 53:72
melingii, 53:72
pungens, 53:64, 53:72
Linaria
canadensis, 53:72
texana, 53:72
Lind, Owen T., see Moncayo-Estrada, Rodrigo, —
Lind, Owen, see López, Carlos, —
Lindeman, Peter V., and Michael A. Barger, Acanthocephalan (*Neoechinorhynchus emydis*) infections in Texas map turtles (*Graptemys versa*), 50:12–16
Lindeman, Peter V., Diet, growth, body size, and reproductive potential of the Texas river cooter (*Pseudemys texana*) in the South Llano River, Texas, 52:586–594
Lindera benzoin, 47:554
Lindig-Cisneros, Roberto, Sabastiana Galindo-Vallejo, and Sabina Lara-Cabrera, Vegetation of tephra deposits 50 years after the end of the eruption of the Paricutín Volcano, Mexico, 51:455–461
Lindig-Cisneros, Roberto, see Gil-Solórzano, Dulce, —
Linepithema humile, 49:246–250, 54:314
Linstowiidae, 52:243
Linum lewisii, 48:494, 48:504
Linyphantes aeronauticus, 54:335
Linyphidae, 53:140
Linyphiidae, 54:331, 54:332, 54:334, 54:337, 56:46, 56:52
Liocranidae, 54:332, 54:335, 54:337, 56:47
Liolaemus, 56:420
multimaculatus, 56:321
Liomys, 54:411
irroratus, 47:246, 47:255, 48:574, 48:577, 49:520, 49:521
pictus, 48:574, 48:577, 49:520, 49:521, 53:102, 53:103
salvini, 48:574
spectabilis, 48:574
Liponyssus crosbyi, 47:455
Liposarcus, 52:142
Lippia
alba, 47:426
berlandieri, 50:1–6
graveolens, 50:1
lanceolata, 55:256
Lips, Karen R., see Montgomery, Chad E., —
Liquidambar, 48:119
macrophylla, 49:123, 53:519
styraciflua, 55:204, 56:411
Liquidamber styraciflua, 48:293, 49:296
Lirceolus
hardeni, 53:74, 53:78–80
pilus, 53:78–80
smithii, 53:74, 53:80
Lirceus hoppinae, 50:388
List, Rurik, see Pelz-Serrano, Karla, —
Listophoridae, 50:90
Lithobates
catesbeiana, 53:116
clamitans, 53:116
sphenocephala, 53:116
Lithocarpus densiflorus, 56:117
Lithospermum, 50:213
Lithraea caustica, 56:418
Lithurge, 53:424
Littlefield, Carroll D., and Douglas H. Johnson, Habitat preferences of migrant and wintering northern harriers in northwestern Texas, 50:448–452
Littorina, 50:416
Live trap for pocket gophers, Matthew B. Connior and Thomas S. Risch, 54:100–103
Livingston, Troy R., see Howard, Mark E., —
Lizana-Avia, Miguel, see Jiménez-Cruz, Elsa, —
Lizard of the genus *Diploglossus* (Anguidae: Diploglossinae) from the Tuxtlan Faunal Region, Veracruz, Mexico, new, John E. Werler and Jonathan A. Campbell, 49:327–333
Lloyd, John, see Kirkpatrick, Chris, —

Loasaceae, 48:187, 53:72
Lobelia laxiflora, 51:458
Lochmiller, Robert L., see Ditchkoff, Stephen S., —
Locklin, Jason L., Texas alderflies (Megaloptera: Sialidae): new records, distributions, and a key to adults in Texas, 53:524–528
Loeflingia squarrosa, 53:71
Logan, Kenneth A., and Bauer, Jim W., —
Lolium perenne, 51:359
Lonard, R. I., see Everitt, J. H., —
Lonard, Robert I., and Frank W. Judd, Riparian vegetation of the Lower Rio Grande, 47:420–432
Lonard, Robert I., Frank W. Judd, Elizabeth H. Smith, and Chenghai Yang, Recovery of vegetation following a wildfire in a barrier island grassland, Padre Island National Seashore, Texas, 49:173–188
Lonchaeidae, 55:182, 55:191
Lonchocarpus, 55:317, 55:432
eriocarinalis, 55:141
yucatanensis, 48:506
Lonchorhina aurita, 48:574, 50:97
Long, Charles A., see Laacke, Robert J., —
Long, David B., see Campbell, Tyler A., and —
Long, Dustin H., see Chipault, Jennifer G., and —
Long-distance movements of juvenile Mohave ground squirrels, *Spermophilus mohavensis*, John H. Harris and Philip Leitner, 50:188–196
Longhoffer, Lisa K., see Bradley, Robert D., —
Longibuca lasiuria, 47:454
Longifoliae, 50:292, 50:293, 50:299, 50:300
Longing, Scott D., and Brian E. Haggard, New distribution records of an endemic diving beetle, *Heterosternuta sulphuria* (Coleoptera: Dytiscidae: Hydroporinae), in Arkansas with comments on habitat and conservation, 54:357–361
Longnecker, Michael T., see Pedersen, Ellen K., —
Long-range sound distribution and the calling song of the cicada *Beameria venosa* (Uhler) (Hemiptera: Cicadidae), Allen F. Sanborn, James E. Heath, and Maxine S. Heath, 54:24–30
Long-term occupancy of home ranges and short-term changes in use of habitat by California towhees (*Pipilo crissalis*), Lauryn Benedict, 54:324–330
Lonicera
interrupta, 54:328
japonica, 47:247
periclymenum, 52:2
subspicata, 52:200, 53:71
Lontra
canadensis, 47:248, 47:249, 47:256, 49:532, 50:351, 52: 608–610
longicaudis, 48:136, 48:137, 48:312–313, 48:574
López de Aquino, Samuel, see Rojas-Soto, Octavio R., —
López, Carlos, Luz Marina Soto, Laura Dávalos-Lind, and Owen Lind, Occurrence of *Diaphanosoma fluviatile* Hansen 1899 (Cladocera: Sisidae) in two reservoirs in central Texas, 53:412–414
López, Carlos, see Moncayo-Estrada, Rodrigo, —
Lopez, Jose Luis, see Seminoff, Jeffrey A., —
López, Paola, see Munguia, Pablo, —
López-Beltrán, Ana Cecilia, see Franco-Vizcaíno, Ernesto, —
López-Fernández, Hernán, and Kirk O. Winemiller, Status of *Dionda diaboli* and report of established populations of exotic fish species in lower San Felipe Creek, Val Verde County, Texas, 50:246–251
López-González, Carlos A., see Navarro-Serment, Carlos J., —
López-González, Celia, see García-Mendoza, Diego F., and —
López-González, Celia, see Muñiz-Martínez, Raúl, —
López-González, Celia, see Torres-Morales, Laura, —
Lopezia racemosa, 51:458
Lopez-Soto, Juan H., see Contreras-Balderas, Armando J., —
López-Vidal, Juan Carlos, see Campos-Rodríguez, José Ismael, and —
López-Wilchis, Ricardo, see León-Galván, Miguel A., —
Lophocereus
schottii, 50:136, 50:141
schottii, 47:579, 50:142–146, 52:200, 53:65, 53:71
Lophophora williamsii, 53:425
Lorenzo, Consuelo, Fernando A. Cervantes, Felipe Barragán, and Julieta Vargas, New records of the endangered Tehuantepec jackrabbit (*Lepus flavigularis*) from Oaxaca, Mexico, 51:116–119
Loricariidae, 50:247, 52:141–144
Loss in mass by hibernating cave myotis, *Myotis velifer* (Chiroptera: Vespertilionidae) in western Oklahoma, William Caire and Lynda Samanie Loucks, 55:323–330
Lotus, 51:8, 55:430
argyraeus, 53:71
hamatus, 52:200, 53:71
oroboides, 53:71
rigidus, 52:200, 52:355, 53:71
saluginosus, 52:200
scoparius, 49:306, 52:200, 53:71
strigosus, 53:71
Loucks, Lynda M. Samanie, and William Caire, Sex ratio variation of *Myotis velifer* (Chiroptera: Vespertilionidae) in Oklahoma, 52:67–74
Loucks, Lynda Samanie, see Caire, William, and —
Love, Joseph W., Age, growth, and reproduction of spotted gar, *Lepisosteus oculatus* (Lepisosteidae), from the Lake Pontchartrain estuary, Louisiana, 49:18–23
Lovich, Jeff, Charles Drost, A. J. Monatesti, Dennis Casper, Dustin A. Wood, and Michele Girard, Reptilian prey of the Sonora mud turtle (*Kinosternon sonoriense*) with comments on saurophagy and ophiophagy in North American turtles, 55:135–138
Lowery, Marvin B., and Tamara J. Cook, Oviposition sites of *Corydalus cornutus* (Megaloptera: Corydalidae) in eastern Texas, 53:208–213
Loxia curvirostra, 52:276, 54:289, 55:25, 55:287–288
Loxocemus bicolor, 50:24–29
Loxogenes macrocirra, 47:294, 47:296, 47:297
Loxosceles, 54:336
apachea, 56:46, 56:52
Lozano-Vilano, Ma. de Lourdes, Recent records of *Cycleptus* in the Río Conchos, Chihuahua, Mexico, 55:284–286
Lozano-Vilano, María de Lourdes, Armando J. Contreras-Balderas, and María Elena García-Ramírez, Eradication of spotted jewelfish, *Hemichromis guttatus*, from Poza San José del Anteojo, Cuatro Ciénegas Bolsón, Coahuila, Mexico, 51:553–555
Lozano-Vilano, María de Lourdes, see Sánchez-González, Sergio, —
Lubow, Bruce C., see Meaney, Carron A., —
Lucania parva, 48:452, 50:76, 53:126, 53:338, 53:339, 55:84
Ludwigia, 50:249, 55:451
glandulosa, 55:256, 55:259
Luja, Víctor H., see Ramírez-Bautista, Aurelio, —
Lukacs, Paul M., see Schorr, Robert A., —
Lumbad, Anthony S., Larisa K. Vredevoe, and Emily N. Taylor, Season and sex of host affect intensities of ectoparasites in western fence lizards (*Sceloporus occidentalis*) on the central coast of California, 56:369–377
Lumbriculidae, 48:101
Lumbricus, 49:450–453, 53:203
Luna, Linda D., and Troy A. Baird, Influence of density on the spatial behavior of female thirteen-lined

ground squirrels, *Spermophilus tridecemlineatus*, 49:350–358
Lund, Bruce, see O'Farrell, Michael J., —
Lundeen, Benjamin J., see Randklev, Charles R., —
Lupinus, 47:63, 48:385, 49:503, 51:1, 51:6–8, 51:487, 52:200, 52:522, 52:523, 55:426–430
albifrons, 50:34
arboreus, 49:189–191
arizonicus, 53:71
bicolor, 53:71
caballoanus, 51:4, 51:10
cacuminis, 51:4, 51:10, 55:431
concinnus, 50:139, 50:145, 53:71
elegans, 51:458, 51:459, 54:441–443
excubitus, 53:71
hintoniorum, 51:4, 51:10
muelleri, 51:4, 51:10
nanus, 49:190, 49:191
platamodes, 51:4, 51:10
potosinus, 51:4, 51:10
stipulatus, 51:4, 51:10
texensis, 55:431
Lutica, 52:436
Lutra lutra, 52:609
Lutrochidae, 50:240
Lutrochus, 50:240
Lutterschmidt, William I., and Dennis K. Wasko, Seasonal activity, relative abundance, and size-class structure of the American alligator (*Alligator mississippiensis*) in a highly disturbed inland lake, 51:346–351
Lutterschmidt, William I., see Millican, Daniel S., and —
Lutz, R. Scott, see Hansen, Leslie A., —
Lutzomyia anthophora, 47:70, 47:74–76
Luxilus
cardinalis, 54:387
chrysocephalus, 47:190, 47:191, 54:388, 54:397, 56:108
Luzula orestera, 54:356
Lycaeides melissa, 52:13
Lycaena arota, 52:13
Lycaenidae, 48:509, 48:516, 50:298, 52:13
Lycietosum brevipedis, 50:138, 50:139
Lycietum brevipedis, 50:129, 50:134, 50:138, 50:140, 50:142
Lycium, 49:503
andersonii, 47:579, 50:132, 50:143–145, 50:147, 52:200, 52:321, 52:355
berlandieri, 47:450, 52:355, 53:92
brevipes, 50:134, 50:138–140, 50:142, 50:145
californicum, 50:136, 50:139, 50:140, 50:142–145, 52:355
carolinianum, 47:428, 52:76
cooperi, 47:450, 50:189
exsertum, 52:355
fremontii, 52:355
macrodon, 52:355
pallidum, 47:598, 49:6, 52:355, 55:283
parishii, 52:355
puberulum, 55:496
torreyi, 52:355
Lycodonomorphus
laevissimus, 53:370
rufulus, 53:370
Lycodontomorphus bicolor, 55:176
Lycopersicon esculentum, 50:472, 50:473, 50:475
Lycorea halia, 48:516
Lycosa, 51:310, 51:316
Lycosidae, 49:264, 51:310–319, 52:223, 53:140, 54:303, 54:331–333, 54:335, 54:337, 55:112, 56:47, 56:51, 56:52
Lycurus
phleoides, 48:177, 48:179–182, 48:184, 48:185, 48:187, 53:92, 55:498
setosus, 48:180, 48:181
Lygaeidae, 48:133, 48:197, 48:198, 49:259, 54:170, 54:197, 55:191, 55:342
Lygosoma laterale, 53:116
Lygus
hesperus, 51:481, 51:482, 51:484–486
lineolaris, 51:487
Lymnaeidae, 53:380, 53:386
Lyngbya
major, 49:398
mesotricha, 49:398
Lynx
pardinus, 51:272, 51:273, 51:275
rufus, 47:128, 47:256, 47:329, 47:348–352, 47:366, 47:499, 47:500, 47:511–513, 48:574, 48:651, 49:46, 49:377, 50:467, 51:119–122, 51:233, 51:234, 51:369, 52:329, 52:330, 52:402, 52:420, 52:521, 52:531, 53:113, 53:216, 53:436, 53:437, 53:452–454, 53:534, 54:1, 54:46, 54:119–126, 54:152, 54:431, 55:374–381, 55:448, 56:189, 56:231, 56:232
Lyons, Rebbecca S., see Webb, Stephen L., —
Lysiloma, 51:8, 51:497, 55:348
candida, 50:133, 50:137, 50:146, 50:147, 50:441
divaricata, 49:126, 50:146, 50:147
divaricatum, 55:316, 55:317
microphyllum, 55:141
watsoni, 52:355
Lysilometum candidae, 50:129, 50:133, 50:137, 50:146, 50:147, 50:149
Lysolometea divaricati, 55:316
Lythraceae, 55:256
Lythrum
californicum, 52:200
salicaria, 51:471–480
Lythrurus
fumeus, 54:397
umbratilis, 47:190, 47:191, 54:388, 56:108, 56:110
Lytle, David A., Julian D. Olden, and Laura E. McMullen, Drought-escape behaviors of aquatic insects may be adaptations to highly variable flow regimes characteristic of desert rivers, 53:399–402
Lytle, David A., Reconstructing long-term flood regimes with rainfall data: effects of flood timing on caddisfly populations, 48:36–42

MacDonald, Stephen O., see Frey, Jennifer K., —
Macdonaldius grassi, 48:212, 48:214
Machaeranthera pinnatifida, 53:70
Machaerocereus gummosus, 50:441, 52:196, 53:71
Macías, Miguel Á., see Peinado, Manuel, —
Mackay, William P., see Morgan, Cynthia E., —
Mackessy, Stephen P., see Hobert, Justin P., —
Mackessy, Stephen P., see Montgomery, Chad E., and —
Macrelmis, 50:240
Macrhybopsis
aestivalis, 50:76, 50:77, 52:383, 54:388, 55:82, 55:85, 55:152, 55:154, 55:588
australis, 54:388
hyostoma, 54:388, 55:587, 55:588
storeriana, 54:388, 55:154
tetranema, 47:95, 47:97
Macrobiotus
echinogenitus, 55:540
harmsworthi, 55:540, 55:541
hibiscus, 55:540
hufelandi, 55:540, 55:541
Macrobrachium, 52:143, 52:144
Macrochelys temminckii, 50:79–84, 51:35–40, 52:608–610, 55:137, 56:427–429
Macroclemys temminckii, 50:14
Macrocotyla
glandulosa, 51:252
lewisi, 51:252
Macrocyclops albidus, 48:341, 55:526
Macromia annulata, 50:243
Macromycete phenological approximations in western Mexican forests, Pablo Munguia, Laura Guzmán-Dávalos, and Olivia Rodríguez, 48:661–665
Macronychus glabratus, 51:147
Macronyssidae, 47:454
Macronyssus crosbyi, 47:454, 47:455
Macrophyllum macrophyllum, 48:574, 48:577, 50:97
Macroptilium
atropurpureum, 51:10
gibbosifolium, 48:181
Macropus rufus, 47:530
Macrotera, 53:424
lobata, 53:423, 53:426–428
Macrotus
californicus, 48:574, 55:350, 55:354
waterhousii, 48:574
Madden, Kristin K., see Cartron, Jean-Luc E., —
Madoqua kirkii, 48:432
Magnastigma elsa, 48:519
Magneuptychia libye, 48:516
Mahania repens, 52:498, 53:151, 53:152, 53:156

Malaclemys, 55:560
Malacothrix
clevelandii, 53:70
glabrata, 53:70
stebbinsii, 53:70
Malaney, Jason L., see Frey, Jennifer K., and —
Maldonado, Guillermo Salgado, see Goldberg, Stephen R., —
Maldonado, Jesús E., see Smith, Deborah A., —
Male reproductive cycle of Mexican big-eared bats, *Corynorhinus mexicanus* (Chiroptera: Vespertilionidae), Miguel A. León-Galván, Ricardo López-Wilchis, Omar Hernández-Pérez, Edith Arenas-Ríos, and Adolfo Rosado, 50:453–460
Malenka, 53:380
Mallos niveus, 56:47
Malosma laurina, 51:574, 52:196, 52:200
Malphigiaceae, 48:187
Malus, 50:476
ioensis, 56:58
Malva parviflora, 52:200, 53:72
Malvaceae, 48:187, 53:72, 56:160, 56:325–332
Malvastrum bicuspidatum, 52:355
Malvaviscus
achanioides, 56:326
arboreus, 56:325–332
concinnus, 56:326
drummondii, 47:426
peduliflora, 56:326
williamsii, 56:326
Mammalia, 49:229–238, 53:101–104, 54:74–81, 54:217–222, 54:421–429
Mammals from Chiapas, Mexico, distributional records for, Luis Arturo Escobedo-Morales, Livia León-Paniagua, Joaquín Arroyo-Cabrales, and Frank Greenaway, 51:269–272
Mammals from Durango, Mexico, new records of, Jorge Servín, Elías Chacón, Nicolás Alonso-Pérez, and Carmen Huxley, 48:136–138
Mammals from Ejido Ranchitos, Colima, Mexico, Cornelio Sánchez-Hernández, Sara Beatriz González-Pérez, Gary D. Schnell, María de Lourdes Romero-Almaraz, Michael L. Kennedy, and Troy L. Best, 54:409–420
Mammals from Harding County, New Mexico, records of, Keith Geluso, 47:325–329
Mammals from Hidalgo and Guerrero, Mexico, new records of, Fernando A. Cervantes, J. Nahú Ramírez-Vite, Salvador Ramírez-Vite, and Claudia Ballesteros, 49:122–124
Mammals from Le Flore County, Oklahoma, Janet K. Braun, Laurie J. Vitt, Janalee P. Caldwell, Michael A. Mares, and Marcia A. Revelez, 56:410–417
Mammals from Tlaxcala, Mexico, new distributional records for, Jesús A. Fernández, Fernando A. Cervantes, and María del Carmen Corona Vargas, 52:328–333
Mammals in mechanically thinned and non-thinned mixed-coniferous forest in the Sacramento Mountains, New Mexico, Christina R. Wampler, Jennifer K. Frey, Dawn M. VanLeeuwen, Jon C. Boren, and Terrell T. Baker, 53:431–443
Mammals of coastal Texas: a comparison between mainland and barrier island faunas, the, Christine L. Hice and David J. Schmidly, 47:244–256
Mammals of the Cuatro Ciénegas Basin, Coahuila, Mexico, Armando J. Contreras-Balderas, David J. Hafner, Juan H. Lopez-Soto, José Ma. Torres-Ayala, and Salvador Contreras-Arquieta, 52:400–409
Mammilaria heyderi, 55:496
Mammillaria, 48:472, 48:598, 49:11–17, 52:419, 53:109, 54:431
albicans, 50:144
capensis, 50:144, 50:146
carnea, 47:162–168, 49:12–15, 56:395
collina, 47:163
dioica, 47:579, 50:144, 52:200, 53:71
durispina, 49:14
fuauxiana, 49:14
grahamii, 50:482–487
haagrana, 47:162–168, 49:12, 49:13, 49:15, 56:395
heyderi, 53:425
hutchinsoniana, 50:144
ingens, 49:14
insularis, 50:144
longimamma, 49:14
magnimamma, 49:14
mystax, 49:12, 49:13, 49:15, 56:395
pectinifera, 47:166
potosina, 49:14
ritteriana, 49:14, 56:395
sphaerica, 53:425
supertexta, 49:12–15, 56:395
zeilmanniana, 49:14
Mammuthus, 49:232, 50:363, 51:231, 51:233, 51:234, 51:236, 54:217
exilis, 48:605, 52:530
Manataria maculata, 48:516
Mandevillea foliosa, 48:181
Manduca, 47:1, 47:2
quinquemaculata, 47:9
quinquimaculata, 55:111, 55:112
sexta, 47:9, 49:193
Mandujano, María C., Arturo Flores-Martínez, Jordan Golubov, and Exequiel Ezcurra, Spatial distribution of three globose cacti in relation to different nurse-plant canopies and bare areas, 47:162–168
Mandujano, María C., see Rojas-Aréchiga, Mariana, —
Mandujano, Salvador, Track count calibration to estimate density of white-tailed deer (*Odocoileus virginianus*) in Mexican dry tropical forest, 50:223–229
Mangifera indica, 55:140
Manilkara
chicle, 48:506
zapota, 48:506, 52:394
Manjarrez, Javier, Crystian S. Venegas-Barrera, and Tamara García-Guadarrama, Ecology of the Mexican alpine blotched garter snake (*Thamnophis scalaris*), 52:258–262
Manley, Donald G., and William R. Radke, Velvet ants (Hymenotera: Mutillidae) of the Bitter Lake National Wildlife Refuge, New Mexico, with descriptions of new species, 51:536–541
Mannan, R. William, see Kirkpatrick, Chris, —
Mannan, R. William, see Ward, Melody S., and —
Manning, Glenn J., see Taylor, Harry L., —
Manning, Richard W., see Rose, Francis L., —
Manríquez-Morán, Norma L., see Zaldívar-Rae, Jaime, —
Mantidae, 51:557, 52:435
Marah macrocarpus, 53:71
Marchinton, R. Larry, see Hellickson, Mickey W., —
Marcum, Paul B., see Phillippe, Loy R., —
Mares, Michael A., see Braun, Janet K., —
Margay into northwestern Mexico, range extension of, Juan-Pablo Gallo-Reynoso and Carlos Navarro-Serment, 47:635–636
Margotrema bravoae, 52:125–128
Marilia
flexuosa, 51:334, 54:186, 54:192
nobsca, 51:334, 54:184, 54:186, 54:192
Marina, 51:8
parryi, 53:71
Marisa cornuarietis, 55:115–117
Marks, Jane C., see Dinger, Eric C., —
Marmosa
canescens, 48:574
mexicana, 48:571, 48:574
Marmosidae, 48:574
Marmota
flaviventris, 47:64, 47:67, 47:509, 47:546, 54:214, 56:189
monax, 47:509
Marpesia
chiron, 48:515
petreus, 48:515
Marpissa, 54:336
lineata, 56:49
pikei, 56:49, 56:52
Marquardt, Shauna R., and Jerry R. Choate, Influence of thermal envi-

ronment on food habits of female cave myotis (*Myotis velifer*), 54:166–175
Marrubium vulgare, 52:200, 54:447
Marsh rice rat (*Oryzomys palustris*) to inundation of habitat, response of the, Alisa A. Abuzeineh, Robert D. Owen, Nancy E. McIntyre, Carl W. Dick, Richard E. Strauss, and Tyla Holsomback, 52:75–78
Marsh, Paul C., Brian E. Bagley, Glen W. Knowles, Gary Schiffmiller, and Patricia A. Sowka, New and rediscovered populations of loach minnow, *Tiaroga cobitis* (Cyprinidae), in Arizona, 48:666–669
Marsh, Rebecca L., see Marsh-Matthews, Edie, —
Marshal, Jason P., Paul R. Krausman, and Vernon C. Bleich, Body condition of mule deer in the Sonoran Desert is related to rainfall, 53:311–318
Marshal, Jason P., Vernon C. Bleich, Nancy G. Andrew, and Paul R. Krausman, Seasonal forage use by desert mule deer in southeastern California, 49:501–505
Marshall, Jonathon C., see Jiménez-Cruz, Elsa, —
Marsh-Mathews, Edie, Obituary for Clark Hubbs 1921–2008, 53:539–541
Marsh-Matthews, Edie, William J. Matthews, Keith B. Gido, and Rebecca L. Marsh, Reproduction by young-of-year red shiner (*Cyprinella lutrensis*) and its implications for invasion success, 47:605–610
Martes americana, 53:347
Martin, Barbara A., and Michael K. Saiki, Trophic relationships of small nonnative fishes in a natural creek and several agricultural drains flowing into the Salton Sea, and their potential effects on the endangered desert pupfish, 54:156–165
Martin, Barbara A., see Saiki, Michael K., —
Martin, Chester O., see Sherman, Alison R., and —
Martin, Daniel J., Gary C. White, and Frances M. Pusateri, Occupancy rates by swift foxes (*Vulpes velox*) in eastern Colorado, 52:541–551
Martin, James B., see Pedersen, Ellen K., —
Martin, Joel D., Raymond D. Dueser, and Nancy D. Moncrief, Method for casting large numbers of clay eggs for use in studies of artificial nests, 55:591–596
Martin, Julien, see Rose, Francis L., —
Martínez, Aixchel Maya, see Pozo, Carmen, —
Martínez, Armando Luis, see Pozo, Carmen, —
Martinez, Michael A., and David L. Rogowski, Use and apparent partitioning of habitat by an imperiled springsnail (Hydrobiidae) and a cosmopolitan pond snail (Physidae), 56:216–223
Martínez-Aquino, Andrés, Guillermo Salgado-Maldonado, Rogelio Aguilar-Aquilar, Guillermina Cabañas-Carranza, and Carlos Mendoza-Palmero, Helminth parasite communities of *Characodon audax* and *C. lateralis* (Pisces: Goodeidae), endemic freshwater fishes from Durango, Mexico, 52:125–130
Martínez-Gallardo, Roberto, see Ruiz-Campos, Gorgonio, —
Martínez-Montoya, J. Felipe, see Villordo-Galván, J. Agustín, —
Martinez-Ramos, Miguel, see Suazo-Ortuño, Ireri, —
Martínez-Salazar, Elizabeth A., see León-Règagnon, Virginia, —
Martínez-Torres, Martín, Raymundo Guzmán-Rodríguez, Mario Cárdenas-León, and Noemí Brunner-Reynaldo, Follicular development and ovulation determined by ultrasound imaging in the viviparous lizard *Barisia imbricata* (Reptilia: Anguidae), 51:401–406
Martino, Angela M. G., Jaime O. Aranguren, and Alexis Arends, Feeding habits of *Leptonycteris curasoae* in northern Venezuela, 47:78–85
Martyniaceae, 53:72
Mascagnia macroptera, 50:133
Mascagnio macropterae, 50:133, 50:137, 50:147, 50:149
Mason, J. Russell, see Sherbrooke, Wade C., and —
Masters, Ronald E., see Ditchkoff, Stephen S., —
Masticophis, 52:113, 55:175
bilineatus, 47:467–471, 48:351, 48:352, 55:244–246, 55:253
flagellum, 48:351, 49:531, 50:269, 53:483, 53:485, 54:353, 55:245, 55:246, 55:253
lateralis, 47:308, 55:583
mentovarius, 50:24, 50:26–29
schotti, 47:467–471
taeniatus, 47:467–471, 49:410
Mastigodiaptomus
albuquerquensis, 55:526–528
nesus, 55:528
Mata-González, Ricardo, and Rubén Meléndez-González, Growth characteristics of Mexican oregano (*Lippia berlandieri* Schauer) under salt stress, 50:1–6
Mata-González, Ricardo, Rex D. Pieper, and Manuel M. Cárdenas, Vegetation patterns as affected by aspect and elevation in small desert mountains, 47:440–448
Matamoros, Wilfredo Antonio, see Portillo Reyes, Hector Orlando, —
Mata-Silva, Vicente, and Aurelio Ramírez-Bautista, Reproductive characteristics of two syntopic, widely foraging lizards, *Aspidoscelis deppii* and *Aspidoscelis guttata* from Oaxaca, México, 50:262–267
Mata-Silva, Vicente, Aurelio Ramírez-Bautista, and Jerry D. Johnson, Reproductive characteristics of two syntopic whiptail lizards, *Aspidoscelis marmorata* and *Aspidoscelis tesselata*, from the northern Chihuahuan Desert, 55:125–129
Mata-Silva, Vicente, see Lenhart, Paul A., —
Matelea, 52:200
arizonica, 52:355
parvifolia, 52:355, 53:70
producta, 52:355
Mathews, Nancy E., see Goguen, Christopher B., —
Mathews, Nancy E., see Hansen, Leslie A., —
Mathis, Alicia, see Frese, Paul W., —
Matlack, Raymond S., and Ryan L. Rehmeier, Status of the western diamondback rattlesnake (*Crotalus atrox*) in Kansas, 47:312–314
Matlack, Raymond S., see Poole, Matthew W., and —
Matricaria matricarioides, 48:12
Matson, John O., see Ordóñez-Garza, Nicté, —
Matthews, A. K., S. A. Neiswenter, and L. K. Ammerman, Trophic ecology of the free-tailed bats *Nyctinomops femorosaccus* and *Tadarida brasiliensis* (Chiroptera: Molossidae) in Big Bend National Park, Texas, 55:340–346
Matthews, Amanda K., see Debelica, Anica, —
Matthews, William J., see Marsh-Matthews, Edie, —
Maul, Jonathan D., and Jerry L. Farris, Unusual occurrence of worm-eating warbler (*Helmintheros vermivorus*) in intensive agricultural landscape in northeastern Arkansas, 48:297–299
Mauremys caspica, 55:93
Maxey, Ricky W., see Mirowsky, Katy-Marie, —
Maxillary canines in bighorn sheep, Brian D. Jansen and Paul R. Krausman, 51:434–436
Mayatrichia, 50:243
acuna, 51:333
ayama, 51:333
Maytenetum
phyllanthoidis, 55:319
phyllantoidis, 50:132, 50:137, 50:149

Maytenus
phyllanthoides, 47:428
phyllantoides, 50:132
schippi, 48:506
Mazama americana, 48:574, 52:311, 55:399
McAliley, L. Rex, and Philip D. Sudman, Genetic diversity within the Llano pocket gopher, *Geomys texensis*, 50: 334–341
McAliley, L. Rex, Mark B. O'Neill, and Robert J. Baker, Molecular evidence for genetic subdivisions in the desert shrew, *Notiosorex crawfordi*, 52: 410–417
McAllister, Chris T., and Henry W. Robison, Millipeds (Arthropoda: Diplopoda) of the Ark-La-Tex. V. New distribution records for select taxa in Arkansas, Oklahoma, and Texas, 56:422–426
McAllister, Chris T., Charles R. Bursey, and Robert C. Dowler, *Acanthatrium alicatai* (Trematoda: Lecithodendriidae) from two species of bats (Chiroptera: Vespertilionidae) in southwestern Texas, 52:597–600
McAllister, Chris T., see Robison, Henry W., and —
McAllister, Chris T., Wayne C. Starnes, Henry W. Robison, Robert E. Jenkins, and Morgan E. Raley, Distribution of the silver redhorse, *Moxostoma anisurum* (Cypriniformes: Catostomidae), in Arkansas, 54: 514–518
McAllister, Chris T., William A. Shear, and Rowland M. Shelley, *Branneria bonoculus* (Diplopoda: Chordeumatida: Brannerioidea): new to the milliped fauna of Texas, 54:350–351
McAllister, Chris T., William G. Layher, Henry W. Robison, and Thomas M. Buchanan, Distributional records for fishes from five large rivers in Arkansas, 55:587–591
McAndrews, Amy E., and Jorge E. Montejo Díaz, Birds from the Plains of Tehuantepec, Oaxaca, Mexico, 55:569–575
McBee, Karen, see Hays, Kimberly A., and —
McBee, Karen, see Phelps, Kendra L., and —
McBrayer, Lance D., see Johnson, James B., —
McBrayer, Lance D., Williams, Steven C., and —
McBride, Kimberly, see Butler, Christopher J., —
McBride, R. T., Jr., and R. T. McBride, Safe and selective capture technique for jaguars in the Paraguayan Chaco, 52:570–577
McBride, R. T., see McBride, R. T., Jr., and —
McBride, Rocky T., and Anthony J. Giordano, First record of a white ocelot (*Leopardus pardalis*), 55:567–568
McCaffrey, Rachel E., Mark C. Wallace, and James D. Ray, Small mammals and ground-dwelling invertebrates associated with active and controlled colonies of black-tailed prairie dogs (*Cynomys ludovicianus*), 54:300–306
McCaffrey, Rachel E., Mark C. Wallace, Jan F. Kamler, and James D. Ray, Noteworthy distributional records of the prairie vole in the Texas and Oklahoma panhandles, 48:717–719
McCarthy, Timothy John, obituary for, Ralph P. Eckerlin, 56:436–437
McClenaghan, Leroy R., Jr., and Harold D. Truesdale, Genetic structure of endangered Stephens' kangaroo rat populations in southern California, 47:539–549
McColgin, Maureen E., Erica J. Brown, Sophia M. Bickford, Anna L. Eilers, and John L. Koprowski, Use of century plants (*Agave palmeri*) by coatis (*Nasua narica*), 48:722–725
McCormack, John E., Gabriela Castañeda Guayasamin, Borja Mila, and Feliciano Heredia Pineda, Slate-throated redstarts (*Myioborus miniatus*) breeding in Maderas del Carmen, Coahuila, Mexico, 50:501–503
McCracken, Gary F., see Gillam, Erin H., —
McCrystal, Hugh K., and Craig S. Ivanyi, Striped neonate with additional notes on polymorphism in the western long-nosed snake (*Rhinocheilus lecontei lecontei*), 50:494–496
McDade, Lucinda A., see McIntosh, Margrit E., —
McDonald, Brandon, Use of habitat during drought by the common muskrat (*Ondatra zibethicus*) in southwestern Oklahoma, 55:35–41
McDonald, Christopher G., Steve Demarais, Tyler A. Campbell, Herb F. Janssen, Vivien G. Allen, and Anita M. Kelley, Physical and chemical characteristics of antlers and antler breakage in white-tailed deer, 50: 356–362
McDonald, H. Gregory, Larry D. Agenbroad, and Carol Manganaro Haden, Late Pleistocene mylodont sloth *Paramylodon harlani* (Mammalia: Xenarthra) from Arizona, 49:229–238
McGarigal, Kevin, see Haire, Sandra L., and —
McGhee, Jay D., and John T. Baccus, Behavioral interactions between axis and fallow deer at high-value food patches, 51:358–367
McGinnis, Shelley R., see Graening, G. O., —
McGlinn, Daniel J., Roy T. Churchwell, and Michael W. Palmer, Effects of a tornado on birds in a cross timbers community, 55:460–466
McHenry, Diana J., see Bean, Preston T., —
McIntosh, Margrit E., Amy E. Boyd, Philip D. Jenkins, and Lucinda A. McDade, Growth and mortality in the endangered Nichol's turk's head cactus *Echinocactus horizonthalonius* var. *nicholii* (Cactaceae) in southeastern Arizona, 1995–2008, 56:333–340
McIntyre, Nancy E., Effects of Conservation Reserve Program seeding regime on harvester ants (*Pogonomyrmex*), with implications for the threatened Texas horned lizard (*Phrynosoma cornutum*), 48:274–277
McIntyre, Nancy E., see Abuzeineh, Alisa A., —
McIntyre, Nancy E., see Brunjes, Kristina J., —
McIntyre, Nancy E., see Reece, Bryan A., and —
McKee, Rory, see Newby, Jennifer L., —
McKinney, Bonnie Reynolds, see Delgadillo Villalobos, Jonás A., —
McKinney, Ted, and Thorry W. Smith, Diets of adults and lambs of desert bighorn sheep during years of varying rainfall in central Arizona, 52:520–527
McKinney, Ted, David E. Brown, and Linda Allison, Winter precipitation and recruitment of pronghorns in Arizona, 53:319–325
McKinney, Ted, see Brown, David E., —
McKinney, Ted, Thorry W. Smith, and Robert B. Waddell, Rates of survival and sources of mortality of cougars in hunted populations in north-central Arizona, 54:151–155
McLean, Robert J. C., see Bates, Christa L., —
McMullen, Laura E., see Lytle, David A., —
McMurry, Scott T., see Platt, Steven G., —
McNeely, David L., and Cara E. Wade, Relative abundance of the gynogen *Poecilia formosa* and its sexual host *Poecilia latipinna* (Teleostei: Poeciliidae) in some southern Texas habitats, 48:451–453
McNeely, David L., The Southwestern Association of Naturalists, minutes of the Meeting of the Board of Governors and Officers, Cuernavaca,

Morelos, México, Thursday, 25 April 2002, 47:643–648
McNeely, David L., The Southwestern Association of Naturalists, minutes of the Business Meeting, Cuernavaca, México, Friday, 26 April 2002, 47:649–652
McNeely, David L., The Southwestern Association of Naturalists, minutes of the Business Meeting, Norman, Oklahoma, Friday, 18 April 2003, 49:141–146
McNeely, David L., The Southwestern Association of Naturalists, minutes of the Meeting of the Board of Governors and Officers, Norman, Oklahoma, Thursday, 17 April 2003, 49:135–141
McNeely, David L., The Southwestern Association of Naturalists, minutes of the Business Meeting, San Antonio, Texas, Friday, 16 April 2004, 49:545–549
McNeely, David L., The Southwestern Association of Naturalists, minutes of the meeting of the Board of Governors and Officers, San Antonio, Texas, Thursday, 15 April 2004, 49:539–544
McNeely, David L., William Caire, Argenia L. N. Doss, Victor M. Harris, and Toure Rider, *Cyprinodon rubrofluviatilis*, Red River pupfish (Teleostei: Cyprinodontidae), established in the Cimarron River in Oklahoma, 49:85–87
McPhee, Megan V., Age, growth, and life history comparisons between the invasive white sucker (*Catostomus commersoni*) and native Rio Grande sucker (*C. plebeius*), 52:15–25
McPhee, Megan V., and Thomas F. Turner, Genealogical diversity suggests multiple introductions of white suckers (*Catostomus commersonii*) into the Rio Grande, New Mexico, 54:485–492
Mead, Jim I., Arturo Baez, Sandra L. Swift, Mary C. Carpenter, Marci Hollenshead, Nicholas J. Czaplewski, David W. Steadman, Jordon Bright, and Joaquin Arroyo-Cabrales, Tropical marsh and savanna of the late Pleistocene in northeastern Sonora, Mexico, 51:226–239
Mead, Jim I., see Carpenter, Mary C., and —
Mead, Jim I., see Hodnett, John-Paul M., —
Mead, Jim I., see Murray, Lyndon K., —
Meaney, Carron A., Anne K. Ruggles, Bruce C. Lubow, and Norman W. Clippinger, Abundance, survival, and hibernation of Preble's meadow jumping mice (*Zapus hudsonius preblei*) in Boulder County, Colorado, 48:610–623
Mecaphesa, 56:51
celer, 56:49
coloradensis, 56:49, 56:50
rothi, 56:49
Mecardonia procumbens, 53:499
Mechanitis
menapis, 48:508, 48:516
polymnia, 48:508, 48:516
Meda fulgida, 48:667, 55:546
Medellín, Rodrigo A., see Bárcenas, Horacio, and —
Medellín, Rodrigo A., see Velarde, Enriqueta, —
Medellín, Rodrigo A., see Zarza, Heliot, —
Medica, Philip A., see Heaton, Jill S., —
Medicago, 51:6, 53:386, 55:427, 55:431
lupulina, 51:10
minima, 53:499
polymorpha, 51:10, 52:200
sativa, 48:493–495, 48:504, 49:368, 51:1, 51:10, 53:396, 53:397, 53:462
Medina-Montaño, Iraís, see Mendoza-Rodríguez, Víctor H., —
Megacerus leucospilus, 50:381, 50:383
Megaceryle torquata, 54:505
Megachilidae, 53:426
Megadontomys
cryophilus, 48:574, 48:577
nelsoni, 48:574, 48:576, 51:115
thomasi, 48:574, 49:124
Megalodiscus, 47:294–297
americanum, 50:255
americanus, 50:251–253
Megalonaias nervosa, 53:46
Megalonyx jeffersonii, 49:229, 49:232, 49:233
Megaloptera, 53:208–213, 53:524–528
Megascops
asio, 54:319
kennicottii, 54:523–524
Megaselia scalaris, 56:427–429
Megasida obliterata, 55:112
Megasorex gigas, 48:575, 53:101–103, 54:412, 54:413, 54:417
Meik, Jesse M., Brian E. Fontenot, Carl J. Franklin, and Clint King, Apparent natural hybridization between the rattlesnakes *Crotalus atrox* and *C. horridus*, 53:196–200
Mejía, Francine, Michael K. Saiki, and John Y. Takekawa, Relation between species assemblages of fishes and water quality in salt ponds and sloughs in South San Francisco Bay, 53:335–345
Melampodium
leucanthum, 55:497
strigosum, 48:181
Melanerpes
aurifrons, 47:110–114, 48:69, 50:85–88
cactorum, 48:69
candidus, 48:69
carolinus, 47:110, 47:553, 48:69, 53:468
chrysauchen, 48:69
chrysogenys, 48:69
cruentatus, 48:69
erythrocephalus, 47:110
flavifrons, 48:69
formicivorus, 48:69, 52:275, 52:276
hoffmani, 48:69
hypopolius, 48:69
pucherani, 48:69
pygmaeus, 48:69
rubricapillus, 48:69
uropygialis, 48:69, 50:442, 50:444
Melanis pixe, 48:517
Melanoides
tuberculata, 50:239, 50:244, 50:245
tuberculatus, 55:115–117
Melanoplus, 52:320
bowditchi, 52:557
Melanotrichus boydi, 51:481–489
Melanotrichus boydi (Hemiptera: Miridae) is a specialist on the nickel hyperaccumulator *Streptanthus polygaloides* (Brassicaceae), Michael A. Wall and Robert S. Boyd, 51:481–489
Melastomataceae, 48:581
Meleagris
gallapavo, 53:387
gallopavo, 48:231–240, 48:287, 50:467, 51:370, 51:579, 51:581, 52:272, 52:277, 53:437, 53:453, 53:468, 53:512, 54:377, 54:446–452, 54:481, 55:24, 55:57, 55:58, 55:60–62, 55:67, 55:68, 55:71–74, 55:399
Meléndez-González, Rubén, see Mata-González, Ricardo, and —
Meles meles, 51:71
Melia azedarach, 54:93
Melica
frutescens, 53:73
imperfecta, 52:200, 53:73
Melilotus, 51:6, 55:427
albus, 51:10
indica, 48:493–495, 48:504, 53:71, 53:397
indicus, 51:10
officinalis, 47:320
Melissodes, 53:424
Melitaea trivia, 53:194
Mellink, Eric, and Adriana Orozco-Meyer, A group of gray whales (*Eschrichtius robustus*) in the northeastern Gulf of California, México, 47:129–132
Mellink, Eric, see Zuria, Iriana, and —
Mellivora capensis, 49:110
Melocactus
caesius, 49:11
curvispinus, 49:14
Meloidae, 54:170
Melospiza
georgiana, 47:553, 48:302
melodia, 47:627, 49:32, 54:472
Membracidae, 55:191

Memphis
artacaena, 48:515
forreri, 48:515
hedemanni, 48:515
phila, 48:515
pithyusa, 48:515
Mendelson, Joseph R., III, and Luis Canseco-Márquez, Rediscovery of the rare treefrog, *Hyla cembra* Caldwell, in Oaxaca, México, 47:459–461
Mendelson, Joseph R., III, see Canseco-Márquez, Luis, —
Mendelson, Joseph R., III, see Gardner, Stephanie A., and —
Mendelson, Joseph R., III, see Pramuk, Jennifer B., and —
Méndez de la Cruz, Fausto R., see Rodríguez-Romero, Felipe, —
Méndez-De La Cruz, Fausto R., see Zaldívar-Rae, Jaime, —
Mendez-Harclerode, Francisca M., see Bradley, Robert D., —
Méndez-Sánchez, Fernando, see Rodríguez-Romero, Felipe, —
Mendez-Sanchez, J. Fernando, see Ruiz-Gomez, Maria de Lourdes, —
Mendoza-Cárdenas, Neftalí, see Monterrubio-Rico, Tiberio C., —
Mendoza-Hernández, Andrés Alberto, see Roth-Monzón, Andrea J., —
Mendoza-Martínez, Germán, see Villordo-Galván, J. Agustín, —
Mendoza-Palmero, Carlos, see Martínez-Aquino, Andrés, —
Mendoza-Rodríguez, Víctor H., Jorge H. Vega Rivera, Iraís Medina-Montaño, and Felipe Campos-Cerda, Response of birds in tropical deciduous forest to brown-headed cowbirds (*Molothrus ater*), 55:390–393
Menidia
audens, 53:339, 55:587, 55:589
beryllina, 47:142–144, 47:146, 47:147, 48:451, 48:452, 50:76, 50:77, 50:158, 50:159, 50:161, 50:162, 51:510–513, 53:126, 53:343, 54:390, 55:153, 55:155
Menodora
scabra, 52:355, 55:496
scoparia, 53:72
Mentzelia, 55:480, 55:483
affinis, 53:72
mexicana, 48:187
Menzelia cordata, 50:134
Mephitidae, 47:329
Mephitis, 51:290, 52:64, 52:113, 54:481
macroura, 48:574, 53:511
mephitis, 47:128, 47:230, 47:249, 47:256, 47:329, 48:386, 48:574, 49:54–60, 49:533, 50:468, 51:581, 52:546, 53:87, 53:214, 53:215, 53:350, 53:436, 53:437, 53:452–454, 53:511, 54:1, 54:143, 55:16–21, 56:35, 56:36, 56:232, 56:404, 56:433
Mephitus
macroura, 52:402
mephitus, 52:402, 52:405
Mercury contamination of macroinvertebrates in fishless grassland ponds, Bradley D. Blackwell and Ray W. Drenner, 54:468–474
Mergus
merganser, 54:287
serrator, 51:103, 54:287
Merismopedia glauca, 49:398
Merkelz, Robert, and Sara F. Kerr, Demographics, den use, movements, and absence of *Leishmania mexicana* in southern plains woodrats (*Neotoma micropus*), 47:70–77
Merkle, Jerod A., Paul R. Krausman, Dan W. Stark, John K. Oakleaf, and Warren B. Ballard, Summer diet of the Mexican gray wolf (*Canis lupus baileyi*), 54:480–485
Mermiria texana, 55:112
Merragata hebroides, 50:242
Merremia aurea, 50:133, 50:146
Merremio aureae, 50:129, 50:133, 50:137, 50:146, 50:147
Merriam's shrew (*Sorex merriami*) and the dwarf shrew (*Sorex nanus*), and new records for New Mexico, distribution of, David J. Hafner and Dale W. Stahlecker, 47:134–137
Merrick, Melissa J., John L. Koprowski, R. Nathan Gwinn, Geoffrey H. Palmer, and Claire A. Zugmeyer, Status of red squirrels in Guadalupe Mountains National Park, Texas, 56:24–28
Merrick, Melissa J., R. Nathan Gwinn, Rebecca L. Minor, Rosa R. Jessen, Timothy G. Jessen, Vicki L. Greer, and John L. Koprowski, Endangered Mount Graham red squirrel (*Tamiasciurus hudsonicus grahamensis*) uses nest following lightning strike, 55:123–124
Mertensophryne, 48:676
Merz, Joseph E., and William R. Merz, Morphological features used to identify Chinook salmon sex during fish passage, 49:197–202
Merz, Joseph E., Comparison of diets of prickly sculpin and juvenile fall-run Chinook salmon in the lower Mokelumne River, California, 47:195–204
Merz, William R., see Merz, Joseph E., and —
Mesembryanthemum
crystallinum, 50:34
nodiflorum, 50:34, 50:141
Mesene silaris, 48:517
Mesocestoides, 47:307–309, 48:208–211, 48:213, 48:214, 48:217, 50:37, 54:496
Mesocoelium monas, 47:294–297
Mesocyclops
edax, 55:526
longisetus, 55:526
reidae, 55:526
Mesosemia tetrica, 48:516
Mesovelia, 50:242
Mesoveliidae, 50:242
Messor andrei, 49:249
Mestra dorcas, 48:514
Metacyrba taeniola, 56:49
Metaphidippus
chera, 54:336
manni, 56:49
Metepeira
arizonica, 54:334, 56:46
comanche, 54:334, 56:46
foxi, 54:334
gogosa, 54:334
Meteyer, Carol U., see Stolley, Dorie S., —
Methionopsis ina, 48:524
Method for casting large numbers of clay eggs for use in studies of artificial nests, Joel D. Martin, Raymond D. Dueser, and Nancy D. Moncrief, 55:591–596
Metrichia, 50:243
nigritta, 54:186
Metrobates, 50:241
Metrosideros polymorpha, 52:357, 52:364, 52:365
Mettenbrink, Christian W., Victoria J. Dreitz, and Fritz L. Knopf, Nest success of mountain plovers relative to anthropogenic edges in eastern Colorado, 51:191–196
Mexican long-tongued bat (*Choeronycteris mexicana*) in El Paso, Texas, Lois Balin, 54:225–226
Mexican subspecies of Townsend's solitaire in the Animas Mountains: a first for New Mexico and the United States, the, John P. Hubbard and Robert W. Dickerman, 47:114–116
Meximalva filipes, 53:497
Mexiweckelia hardeni, 53:78, 53:79, 53:82
Meyer, Harry A., see Hinton, Juliana G., —
Meyer, Marc D., Malcolm P. North, and Douglas A. Kelt, Nest trees of northern flying squirrels in Yosemite National Park, California, 52:157–161
Meyer, Raymond A., see Kelly, Jeffrey F., —
MHC-DRB evolution provides insight into parasite resistance in white-tailed deer, Stephen S. Ditchkoff, Steven R. Hoofer, Robert L. Lochmiller, Ronald E. Masters, and Ronald A. Van Den Bussche, 50:57–64
Micaria, 54:332, 54:334
deserticola, 56:48
emertoni, 56:48
gosiuta, 56:48, 56:50, 56:52
imperiosa, 56:48

langtry, 56:48
longipes, 56:48
mormon, 56:48
nye, 56:48, 56:50 52
porta, 56:48
triangulosa, 56:48
Michaelus ira, 48:519
Michalak, Sarah, see Biggs, James, —
Miconia oligotricha, 49:124
Micrarionta immaculata, 48:202
Micrasema, 51:334
bactro, 51:332
onisca, 51:332, 54:192
Micrathene whitneyi, 48:77, 48:218, 48:391, 50:446, 54:317, 54:318
Microchloa kunthii, 48:179, 48:181, 48:182, 48:187
Micrococcus
luteus, 51:300
nishinomiayaensis, 51:300
Microcyclops
ceibaensis, 55:526
rubellus, 55:526
varicans, 55:526
Microcylloepus, 48:31, 50:240
pusillus, 53:79
Microcystis aeruginosa, 49:396, 49:398
Microhabitat segregation of two Utah sand dune tiger beetles (Coleoptera: Cicindelidae), William L. Romey and C. Barry Knisley, 47:169–174
Microhabitat use, home range, and movements of the alligator snapping turtle, *Macrochelys temminckii*, in Oklahoma, J. Daren Riedle, Paul A. Shipman, Stanley F. Fox, and David M. Leslie, Jr., 51:35–40
Microhyla
carolinensis, 53:116
olivacea, 53:116
Microhylidae, 50:269
Microlepisma deserticola, 48:450
Micronycteris, 51:271
brachyotis, 48:568, 48:570, 48:574–575
megalotis, 48:575
microtis, 50:97
schmidtorum, 48:569, 48:571, 48:575
sylvestris, 48:575
Micropogon undulatus, 49:49
Micropterus, 54:183
coosae, 48:527
dolomieu, 48:526, 48:527, 48:667, 52:132, 53:126, 53:237, 53:488, 53:492, 53:530, 54:391, 55:82, 55:120–122, 56:111
pseudaplites, 48:526
punctulatus, 47:196, 48:526–533, 54:391, 55:81, 55:82
salmoides, 47:191, 47:196, 48:452, 48:527, 48:667, 49:86, 49:90, 49:437, 49:438, 50:76, 51:398, 52:132, 53:105–108, 53:126, 53:237, 54:157, 54:385, 54:391, 54:466, 55:81, 55:82, 55:153, 55:155, 55:600, 56:109–111, 56:281, 56:285
Microseris linearifolia, 53:70
Microstylum
galactodes, 49:83, 49:84
morosum, 49:83–84
Microtus, 47:628, 48:270, 49:75, 49:78, 49:80, 51:59, 52:506, 52:530, 52:534, 53:350, 53:351, 54:37, 54:88, 54:481, 56:189
agrestis, 52:512
arvalis, 52:517
californicus, 48:568, 48:570, 48:574, 52:512
guatemalensis, 48:574, 48:576
longicaudus, 47:63, 53:349, 53:431, 53:435, 53:436, 53:438, 53:439
mexicanus, 48:574, 50:276, 51:273, 52:511, 56:26
mogollonensis, 47:637, 49:79, 49:81, 50:275, 50:276, 52:511–519, 53:435
montanus, 47:67, 47:509, 53:327, 53:349, 54:36
oaxacensis, 48:574
ochrogaster, 47:321–324, 47:509, 48:616, 48:717–719, 52:79–81, 52:442–445, 52:458, 52:512, 52:553, 54:146–150, 54:303, 55:52, 55:53, 55:366, 56:10, 56:226, 56:243, 56:244, 56:261
oeconomus, 54:149
pennsylvanicus, 47:509, 48:574, 48:616, 50:276, 51:71, 52:512, 54:149, 55:369, 56:14, 56:225, 56:243, 56:244
pinetorum, 55:366, 56:410, 56:413
quasiater, 48:574, 51:115
townsendii, 52:512
umbrosus, 48:574
Micruroides, 51:46
euryxanthus, 51:41–44, 55:244–246, 55:253
Micrurus, 51:41
distans, 50:24–27, 50:29
frontalis, 51:42
fulvius, 48:705
limbatus, 50:24–27, 50:29
nebularis, 48:705, 48:706
pachecogili, 48:705–707
Mid to late Holocene mammals from Bighorn Cave, Arizona, Christopher N. Jass, 49:75–82
Middendorf, III, George A., see Duncan, William W., —
Midsummer drought on mortality of doe pronghorn (*Antilocapra americana*), effects of, David E. Brown, Dana Warnecke, and Ted McKinney, 51:220–225
Miera, Verma, see Rorabaugh, James C., —
Migration by an East Pacific green seaturtle from Michoacán, México to a feeding ground on the Sonoran coast of the Gulf of California, first direct evidence of, Jeffrey A. Seminoff, Javier Alvarado, Carlos Delgado, Jose Luis Lopez, and Gabriel Hoeffer, 47:314–316
Migratory patterns of the black tern (*Chlidonias niger*) at the Ojo de Liebre wetland complex, Baja California Sur, Mexico, Roberto Carmona, Nallely Arce, Víctor Ayala-Pérez, and Gustavo D. Danemann, 56:255–259
Mikania scandens, 55:256, 55:260
Mikesic, David G., and Charles T. LaRue, Recent status and distribution of red foxes (*Vulpes vulpes*) in northeastern Arizona and southeastern Utah, 48:624–634
Milá, Borja, see McCormack, John E., —
Milanovich, Joseph R., Stanley E. Trauth, and David A. Saugey, Reproduction and age composition of a population of woodland salamanders (*Plethodon albagula*) after a prescribed burn in southwestern Arkansas, 56:172–179
Milazzo, Ciro, Jr., see Bradley, Robert D., —
Milazzo, Mary L., see Bradley, Robert D., —
Milesia scutellata, 56:356
Milla biflora, 48:181
Miller, Aaron J., see Coop, Jonathan D., —
Miller, Andrew M., and Carol L. Chambers, Birds of harvested and unharvested pine-oak forests, Chihuahua, Mexico, 52:271–283
Miller, Harvey W., see Ray, James D., —
Miller, Karl V., see Hellickson, Mickey W., —
Miller, Michael R., John Y. Takekawa, Daniel S. Battaglia, Richard T. Golightly, and William M. Perry, Spring migration and summer destinations of northern pintails from the coast of southern California, 55:501–509
Miller, Michael S., Kenneth R. Wilson, and Douglas C. Andersen, Ord's kangaroo rats living in floodplain habitats: factors contributing to habitat attraction, 48:411–418
Miller, Stanlee M., see Platt, Steven G., —
Millican, Daniel S., and William I. Lutterschmidt, Comparative seasonal observations of soil temperature and moisture and the occurrence of two earthworms inhabiting prairie and deciduous woodland sites, 52:468–474
Millipeds (Arthropoda: Diplopoda) of the Ark-La-Tex. V. New distribution records for select taxa in Arkansas, Oklahoma, and Texas, Chris T. McAllister and Henry W. Robison, 56:422–426
Mills, Brandon H., Bryan D. Vogt, Misty L. Sumner, and Warren B. Ballard,

Diets of feral emus in the Cross Timbers and Prairies region of Texas, 53:385–388
Milnesium tardigradum, 55:540, 55:541
Milvago chimango, 56:420
Mimetidae, 54:335, 54:337, 56:46
Mimetus hesperus, 54:335, 56:46
Mimidae, 47:553, 49:101
Mimon
benettii, 48:575
crenolatum, 48:569, 48:571, 48:575
Mimosa, 48:123, 49:290, 51:1, 51:5, 51:7, 53:86, 53:244, 55:316, 55:348, 55:421, 55:427, 55:430, 55:431
aculeaticarpa, 48:179, 48:180, 48:183, 48:185, 48:187, 51:6, 51:9, 52:355
asperata, 47:424, 47:426, 47:427, 47:430, 50:479
benthamii, 49:127
biuncifera, 47:128, 47:520, 48:636, 48:693
chaetocarpa, 49:127
distachya, 52:355
dysocarpa, 48:180, 48:187, 52:355
emoryana, 55:496
leucaenoides, 52:117
luisana, 47:162–166, 50:376, 50:377
malacophylla, 51:9
monancistra, 51:9
polyantha, 49:127
pringlei, 48:181
quadrivalvis, 51:9
texana, 51:6, 51:9
wherreyana, 51:6
zygophylla, 51:4, 51:9
Mimosaceae, 51:1, 51:4–9, 51:463, 51:491, 51:493, 51:494, 52:394, 56:160
Mimosideae, 50:69–74
Mimosoideae, 47:86–91
Mimulus, 47:230
cardinalis, 52:200
guttatus, 52:200, 53:72
nasutus, 53:72
pilosus, 53:72
Mimus
polyglottos, 49:32, 50:442, 50:443, 53:453, 53:455, 53:468, 55:136
polyglottus, 47:287, 52:113
Minckley, W. L., see Hawkins, Lorraine A., —
Mineral metabolism by white-tailed deer fed diets of guajillo, Tyler A. Campbell and David G. Hewitt, 49:367–375
Minibiotus intermedius, 55:540, 55:541
Minimal genetic structure in the Rio Grande cooter (*Pseudemys gorzugi*), Lindley A. Bailey, James R. Dixon, Rick Hudson, and Michael R. J. Forstner, 53:406–411
Mining on behavior of bighorn sheep, influence of, Brian D. Jansen, Paul R. Krausman, James R. Heffelfinger, and James C. deVos, Jr., 52:418–423
Ministrymon
azia, 48:519
una, 48:519
Mink, Jeffrey N., see Geluso, Keith, and —
Minor, Rebecca L., see Merrick, Melissa J., —
Minton, Russell L., Scott A. Reese, Kim Swanger, Kathryn E. Perez, and David M. Hayes, Changes in shell morphology of *Elimia comalensis* (Gastropoda: Pleuroceridae) from the Edwards Plateau, Texas, 52:475–481
Minuartia
douglasii, 53:71
patula, 47:588, 52:121
Minytrema melanops, 54:389
Mirabilis, 53:403
bigelovii, 52:355
californica, 52:200, 53:72
larvis, 53:72
multiflora, 47:9
Miraciidae, 55:527
Miridae, 49:259, 51:481–489, 54:170, 55:344
Mirowsky, Katy-Marie, Peggy A. Horner, Ricky W. Maxey, and Steven A. Smith, Distributional records and roosts of southeastern myotis and Rafinesque's big-eared bat in eastern Texas, 49:294–298
Misumenoides formosipes, 56:49
Misumenops, 56:51
californicus, 54:333, 54:336
deserti, 54:336
dubius, 54:336
rothi, 54:336
Mitoura, 53:560, 53:566
thornei, 51:448
Mitrephanes phaeocercus, 52:277
Mitrovich, Milan J., and Rachel A. Cotroneo, Use of plasticine replica snakes to elicit antipredator behavior in the California ground squirrel (*Spermophilus beecheyi*), 51:263–267
Miturgidae, 54:331–333, 54:335, 54:337, 56:45, 56:47
Mixed-conifer and spruce-fir forests by an introduced population of Abert's squirrels (*Sciurus aberti*), use of, Kelly A. Hutton, John L. Koprowski, Vicki L. Greer, Marit I. Alanen, Carol A. Schauffert, and Paul J. Young, 48:257–260
Mnaseas bicolor, 48:524
Mnasicles
geta, 48:524
hicetaon, 48:524
Mniotilta varia, 48:294, 49:32, 53:468
Moapa coriacea, 54:162
Mobile anesthesia unit for implanting radiotransmitters in birds in the field, Michael F. Small, John T. Baccus, and Gary L. Waggerman, 49:279–282
Modeling the distribution of the dwarf palmetto (*Sabal minor*, Arecaceae) in McCurtain County, Oklahoma, Christopher J. Butler, Jennifer L. Curtis, Kimberly McBride, David Arbour, and Berlin Heck, 56:66–70
Molecular evidence for genetic subdivisions in the desert shrew, *Notiosorex crawfordi*, L. Rex McAliley, Mark B. O'Neill, and Robert J. Baker, 52:410–417
Molecular evidence for parthenogenesis in the Sierra garter snake, *Thamnophis couchii* (Colubridae), David J. Germano and Paul T. Smith, 55:280–282
Molecular identification of coyote feces in an urban environment, Paul R. Krausman, Martha I. Grinder, Philip S. Gipson, Gerald L. Zuercher, and George C. Stewart, 51:122–126
Moll, Don, see Stone, Matt D., and —
Mollugo
cerviana, 48:487, 48:488
verticellata, 48:487
verticillata, 56:56
Molossidae, 47:328, 48:138–144, 48:574, 48:582, 48:583, 48:601, 50:97, 52:179, 52:183, 54:222, 54:412, 54:413, 55:340–347, 55:353, 55:355, 55:356, 56:112–115
Molossops greenhalli, 48:138–140, 48:142, 48:143, 48:574
Molossus
ater, 48:138, 48:140, 48:142, 48:143, 55:351
aztecus, 48:143, 48:574, 55:351, 55:354
coibensis, 48:574
molossus, 48:138, 48:140, 48:142, 48:143, 48:574, 50:97, 55:351
rufus, 48:574, 48:583, 48:585, 50:97, 55:351, 55:354
sinaloae, 48:574
Molothrus, 51:561
aeneus, 49:24–32, 49:487–492, 52:438–441, 54:95, 55:390, 55:392
ater, 47:236–243, 47:626–628, 48:296, 48:383, 48:462, 48:466, 49:24–32, 49:44, 49:101, 49:102, 49:277–278, 49:309, 49:487, 50:443, 51:409–411, 51:528, 52:275, 52:276, 52:439, 53:467, 53:468, 54:58–67, 54:95, 55:390–393, 55:464
bonariensis, 49:490
Monanthochloe littoralis, 47:424, 47:428, 47:429, 50:135, 50:140, 50:141, 50:398, 54:237, 55:421
Monanthochloo, 50:135
littoralis, 50:149
Monarda citiodora, 48:181
Monardella
lagunensis, 53:64, 53:72
odoratissima, 48:494, 48:496, 48:504

Monatesti, A. J., see Lovich, Jeff, —
Monca
telata, 48:505, 48:508, 48:524
tyrtaeus, 48:524
Moncayo-Estrada, Rodrigo, Carlos Escalera-Gallardo, Carlos López, and Owen T. Lind, Diet of *Chirostoma lucius* (Pisces: Atherinomorpha): seasonal trophic spectrum and ontogeny of piscivory, 52:229–233
Moncrief, Nancy D., see Martin, Joel D., —
Mondragon, Demetria, and Maria Calvo-Irabien L., Seed dispersal and germination of the epiphyte *Tillandsia brachycaulos* (Bromeliaceae) in a tropical dry forest, Mexico, 51:462–470
Moneilema, 56:337
Moniana formosa, 54:109
Moniezia, 54:497
Monitoring a rare anuran (*Eleutherodactylus augusti*), considerations for, Caren S. Goldberg and Cecil R. Schwalbe, 49:442–448
Monk, Steven G., and Timothy Brush, Response of brood-parasitic bronzed cowbird to playback of the song of Audubon's oriole, 52:438–441
Monnina
ciliolata, 51:458
wrightii, 48:181
Monodella texana, 53:79, 53:80
Monodellidae, 53:79
Monogenoidea, 50:312–317
Monomorium, 49:247
Monopterus, 54:486
Monostyla, 48:342
Monroy-Vilchis, Octavio, and Carlos Frieven, Dejection and expulsion rates of coyotes (*Canis latrans*) in captivity, 51:272–276
Monroy-Vilchis, Octavio, Óscar Sánchez, Ulises Aguilera-Reyes, Pedro Suárez, and Vicente Urios, Jaguar (*Panthera onca*) in the state of Mexico, 53:533–537
Montaña, Carlos, see Valencia-Díaz, Susana, and —
Monteiro, Carolina, see Hampton, Paul M., —
Montejo Díaz, Jorge E., see McAndrews, Amy E., and —
Montellano-Ballesteros, Marisol, and Gerardo Carbot-Chanona, *Panthera leo atrox* (Mammalia: Carnivora: Felidae) in Chiapas, Mexico, 54:217–222
Monterrubio-Rico, Tiberio C., Juan Manuel Ortega-Rodríguez, Neftalí Mendoza-Cárdenas, Ramón Cancino-Murillo, and Alejandro Pérez-Arteaga, Distributional and ecological records of the Mexican hairy dwarf porcupine (*Sphiggurus mexicanus*) from Michoacán, Mexico, 55:139–142
Montgomery, Chad E., and Stephen P. Mackessy, Natural history of the Texas horned lizard, *Phrynosoma cornutum* (Phrynosomatidae), in southeastern Colorado, 48:111–118
Montgomery, Chad E., Edgardo J. Griffith Rodriquez, Heidi L. Ross, and Karen R. Lips, Communal nesting in the anoline lizard *Norops lionotus* (Polychrotidae) in central Panama, 56:83–88
Montgomery, Chad E., Karen R. Lips, and Julie M. Ray, Ontogenetic shift in height of sleeping perches of Cope's vine snake, *Oxybelis brevirostris*, 56:358–362
Montgomery, Chad E., Robert N. Reed, Hayley J. Shaw, Scott M. Boback, and James M. Walker, Distribution, habitat, size, and color pattern of *Cnemidophorus lemniscatus* (Sauria: Teiidae) on Cayo Cochino Pequeño, Honduras, 52:38–45
Montgomery, Chad E., see Hobert, Justin P., —
Montgomery, Chad E., see Newby, Jennifer L., —
Montiel, Ana, see Cervantes, Fernando A., —
Monvillea smithianus, 47:83
Mooring, Michael S., Thomas A. Fitzpatrick, Ian C. Fraser, Jill E. Benjamin, Dominic D. Reisig, and Tara T. Nishihira, Insect-defense behavior by desert bighorn sheep, 48:635–643
Moosman, Paul R., Jr., see White, Jeremy A., —
Mora, Miguel A., Raymond S. Skiles, and Marcos Paredes, Further assessment of environmental contaminants in avian prey of the peregrine falcon in Big Bend National Park, Texas, 52:54–59
Moraceae, 48:580, 48:581, 50:475, 52:394, 53:72
Mordellidae, 55:191
Morgan, Cynthia E., William P. Mackay, and Shawn T. Dash, Discovery of the Neotropical ant *Crematogaster sotobosque* (Hymenoptera: Formicidae) near Tucson, Arizona, 56:432–433
Morgart, John R., see Wilson, Ryan R., —
Mormoopidae, 48:574, 48:582, 48:583, 48:601, 50:97, 54:412, 54:413, 55:353, 55:356
Mormoops megalophylla, 48:574, 48:583, 48:711–714, 50:97, 52:329, 52:331, 52:402, 55:353
Morone
americana, 51:397, 51:398
chrysops, 51:398, 53:126, 54:390, 55:81, 55:82, 55:155
saxatilis, 53:338, 53:339, 54:390
Moronidae, 53:339, 54:390
Morphinae, 53:537–538
Morpho
achilles, 48:515
polyphemus, 53:537–538
Morpho polyphemus (Lepidoptera: Papilionoidea: Morphinae): a new record from Zacatecas, Mexico, Armando J. Contreras-Balderas, 53:537–538
Morphological analysis of *Perognathus flavus* and *P. merriami* (Rodentia: Heteromyidae), Joel G. Brant and Thomas E. Lee, Jr., 51:79–86
Morphological characteristics of a newly discovered population of *Aspidoscelis tesselata* (Squamata: Teiidae) from Chihuahua, México, the identity of an associated hybrid, and a pattern of geographic variation, Harry L. Taylor, Julio A. Lemos-Espinal, and Hobart M. Smith, 48:692–700
Morphological features used to identify Chinook salmon sex during fish passage, Joseph E. Merz and William R. Merz, 49:197–202
Morphology of burrow systems: a comparison of Gunnison's (*Cynomys gunnisoni*), white-tailed (*C. leucurus*), black-tailed (*C. ludovicianus*), and Utah (*C. parvidens*) prairie dogs, Jennifer L. Verdolin, Kara Lewis, and Constantine N. Slobodchikoff, 53:201–207
Morphometric variation in the cranium, mandible, and dentition of *Canis latrans* and *Canis lepophagus* (Carnivora: Canidae) and its implications for the identification of isolated fossil specimens, Gabe S. Bever, 50:42–56
Morrison, Michael L., Amy J. Kuenzi, Coleen F. Brown, and Don E. Swann, Habitat use and abundance trends of rodents in southeastern Arizona, 47:519–526
Morrison, Michael L., and Annalaura Averill-Murray, Evaluating the efficacy of manipulating cowbird parasitism on host nesting success, 47:236–243
Morrison, Michael L., see Gottesman, Amy B., —
Morrone, Juan J., see Escalante, Tania, —
Morrubium vulgare, 53:202
Mortalities from climbing accidents of translocated bighorn sheep in Arizona, Jan F. Kamler, Raymond M. Lee, James C. deVos, Jr., Warren B. Ballard, and Heather A. Whitlaw, 48:145–147
Mortality of ducklings of the black-bellied whistling duck (*Dendrocygna autumnalis*) during their premier swim in a hypersaline lake in South Texas, Dorie S. Stolley, Samuel T. Edmonds, and Carol U. Meteyer, 53:230–235

Mortonia
greggi, 56:131
scabrella, 52:355
Morus, 54:347, 54:348
alba, 49:522
celtidifolia, 54:502
Morys
grisa, 48:524
valerius, 48:524
Mosch, Cyndi J., see Hayes, Mark A., —
Mougeotia, 49:402
Mount Lyell shrew (*Sorex lyelli*) in the Sierra Nevada, California, with comments on alpine records of *Sorex*, Peter N. Epanchin and Andrew Engilis, Jr., 54:354–357
Mountain clingfish, *Gobiesox fluviatilis* (Teleostei: Gobiesocidae), in the Río Culiacán Basin, Sinaloa, Mexico, the, Sergio Sánchez-Gonzáles, Gorgonio Ruiz-Campos, María de Lourdes Lozano-Vilano, Edith Hilario Torres-Montoya, and Alejandro Herrera-Flores, 55:599–600
Movements and home range of brush mice, Amy B. Gottesman, Paul R. Krausman, Michael L. Morrison, and Yar Petryszyn, 49:289–294
Moxostoma, 52:383
anisurum, 54:514–518
austrinum, 55:85
collapsum, 54:515
congestum, 49:437, 49:438, 50:76, 55:82, 55:85
duquesnei, 54:389
erythrurum, 54:389, 54:517, 55:587, 55:589
macrolepidotum, 55:589
pisolabrum, 54:515, 54:517, 55:587, 55:589
Muchlinski, Alan E., see King, Julie L., —
Mueller, Gordon A., Jeanette Carpenter, and Darren Thronbrugh, Bullfrog tadpole (*Rana catesbriana*) and red swamp crayfish (*Procambarus clarkii*) predation on early life stages of endangered razorback sucker (*Xyrauchen texanus*), 51:258–261
Mueller, Gordon A., see Carpenter, Jeanette, and —
Mueller, James M., see Bahm, Matt A., —
Mueller, James M., see Burton, J. Paul, and —
Mugil cephalus, 48:452, 49:48, 49:49, 53:343
Muhlenbergia, 47:638, 48:179, 51:173, 51:283, 51:311, 52:98, 52:100, 55:428, 55:480–482
appressa, 53:73
arenacea, 49:6
arenicola, 53:92
crispiseta, 48:187
eludens, 48:187
emersleyi, 48:181, 48:184, 48:185, 48:187, 48:235, 50:94
filiculmis, 51:198
fragilis, 48:187
macroura, 48:182, 48:184, 48:187
majalcensis, 48:177, 48:181, 48:185
metcalfei, 48:181, 48:182, 48:187
minutissima, 48:177, 48:181, 48:182, 48:187, 51:455–460, 54:441–444
montana, 48:181, 48:182, 48:184, 48:187
porteri, 47:440, 47:443, 47:444, 47:446, 49:6, 49:8
pubescens, 48:184, 48:187
repens, 53:92
rigida, 48:182
villiflora, 51:2, 53:92
Mullin, Stephen J., Hélène Imbert, Jennifer M. Fish, Edward L. Ervin, and Robert N. Fisher, Snake (Colubridae: *Thamnophis*) predatory responses to chemical cues from native and introduced prey species, 49:449–456
Mullin, Stephen J., see Foster, C. Drew, and —
Munguia, Pablo, Laura Guzmán-Dávalos, and Olivia Rodríguez, Macromycete phenological approximations in western Mexican forests, 48:661–665
Munguia, Pablo, Paola López, and Iris Fortes, Seasonal changes in waterbird habitat and occurrence in Laguna de Sayula, western Mexico, 50:318–322
Muñiz-Martínez, Raúl, Celia López-González, Joaquín Arroyo-Cabrales, and Manuel Ortiz Gómez, Noteworthy records of free-tailed bats (Chiroptera: Molossidae) from Durango, Mexico, 48:138–144
Muñiz-Martínez, Raúl, see Torres-Morales, Laura, —
Muñoz, Oscar, see Hernández-Huerta, Arturo, —
Munroa, 55:480, 55:483
Munson, Linda, see Coonan, Timothy J., —
Muntiacus reevesi, 52:2
Murdoch, James D., Katherine Ralls, and Brian L. Cypher, Two observations of tree climbing by the San Joaquin kit fox, 49:522–523
Murdoch, James D., Katherine Ralls, Brian L. Cypher, and Richard P. Reading, Barking vocalizations in San Joaquin kit foxes (*Vulpes macrotis mutica*), 53:118–124
Murexia longicaudata, 51:71
Muridae, 47:329, 47:465, 47:629, 47:637–639, 48:270, 48:310–312, 48:471–472, 48:574, 49:125–131, 51:233, 52:595–597, 54:87, 54:222
Murphey, Thomas G., see Rathbun, Galen B., —
Murphy, John F., Eric T. Simandle, and Dawne E. Becker, Population status and conservation of the black toad, *Bufo exsul*, 48:54–60
Murray, Lyndon K., Christopher J. Bell, M. Timothy Dolan, and Jim I. Mead, Late Pleistocene fauna from the southern Colorado Plateau, Navajo County, Arizona, 50:363–374
Murrell, Zack E., see Estep, M. C., —
Mus, 55:595
musculus, 47:321–324, 47:329, 48:616, 50:450, 50:505, 51:273, 52:284–286, 52:300, 52:444, 52:533, 52:536, 53:88, 53:89, 54:86, 54:88, 54:239, 54:272, 54:275, 54:303, 55:52, 55:53, 55:366, 56:11, 56:114, 56:189, 56:241, 56:242, 56:244
Musa, 53:518
Musca, 48:637
autumnalis, 48:640
Muscicapa striata, 56:41
Muscidae, 51:557, 52:320, 52:322, 53:140, 54:170, 55:191
Musonycteris harrisoni, 48:575, 55:355
Mustela
erminea, 54:36
frenata, 47:255, 48:386, 48:574, 49:272–274, 51:290, 52:113, 52:402, 53:203, 53:350, 53:434, 56:40, 56:189, 56:232
furo, 51:290
nigripes, 49:377, 53:204, 56:415
nivalis, 52:407
putorius, 51:290
vison, 47:255, 50:350–355, 51:290
Mustelidae, 47:329, 48:574
Mustelus californicus, 53:344
Mutillidae, 51:536–541, 55:441–443
Myadestes
occidentalis, 52:272, 52:276
townsendi, 47:114–116, 52:276, 55:25
townsendii, 52:272
Mycelis muralis, 48:13
Mycetophilidae, 56:79, 56:80
Mycobacterium bovis, 55:489
Mycteria americana, 54:504
Myiarchus
cinerascens, 50:440, 50:442, 53:468, 56:205
crinitus, 47:553, 50:231, 53:453, 53:468
tuberculifer, 52:277
Myioborus
miniatus, 50:501–503, 52:276
pictus, 49:32, 52:276
Myiodynastes luteiventris, 49:32
Myiozetes similis, 54:94
Myles lineata, 55:111
Myliobatidae, 53:339
Myliobatis californica, 53:339
Mylodon harlani, 49:231
Mylodontidae, 51:233
Mylon
menippus, 48:522
pelopidas, 48:522
Mymaridae, 56:276
Myobiidae, 50:90
Myocastor coypus, 49:532, 53:88, 53:453, 53:455

Myocoptes musculinus, 50:90, 50:91
Myocoptidae, 50:90
Myodes glareolus, 55:370
Myodopsylla gentiles, 47:454
Myotis, 48:143, 49:80, 50:204, 51:52, 51:56–58, 52:113, 55:207, 55:340
albescens, 48:575, 54:412, 54:415, 54:417
auriculacea, 48:575
auriculus, 47:326, 47:328, 47:453, 52:402, 52:489, 55:209, 55:352, 55:354
austroriparius, 48:715, 49:61–67, 49:294–298, 51:419
californica, 48:575
californicus, 48:603, 48:605, 50:201, 50:203, 51:54, 51:421, 52:402, 52:482–491, 53:245, 54:421, 54:424–426, 55:209, 55:352–354
carteri, 48:575, 55:347, 55:348, 55:352–355
ciliolabrum, 47:328, 47:453–455, 48:575, 48:603, 48:605, 50:201–203, 51:54, 51:421, 52:482, 52:484–489, 52:491, 55:209
elegans, 48:575, 50:97
evotis, 47:453–455, 48:568, 48:570, 48:575, 50:201–203, 51:53, 51:54, 52:489
findleyi, 48:575, 48:577
fortidens, 48:575, 50:97, 55:353, 55:354
grisescens, 50:386, 50:387, 51:251, 51:418–420, 55:323, 55:332
keaysi, 48:575, 48:583, 49:123, 50:97, 51:271
leibii, 47:454
lucifuga, 48:575
lucifugus, 47:84, 48:132, 49:345–347, 51:53–55, 52:72, 52:483, 52:489, 54:173, 55:323, 55:329
melanorhinus, 55:352–354
myotis, 51:55, 54:169
nigricans, 48:575, 50:97
occultus, 52:329, 52:332, 52:482, 52:485–489, 52:492, 54:421, 54:424–426, 55:209
peninsularis, 48:575
planiceps, 48:567, 48:569, 48:575
septentrionalis, 48:715–717, 51:419, 52:483, 52:489
sodalis, 51:419, 54:358, 55:332
thysanodes, 47:326, 47:328, 48:575, 48:597, 48:600, 48:602–606, 50:201–203, 51:53, 51:54, 51:421, 52:402, 52:404, 52:482, 52:485–489, 52:491–492, 53:244, 53:245, 54:421, 54:424–426, 55:210, 55:353, 55:354
velifer, 50:97, 52:67–74, 52:402, 52:489, 52:597–599, 54:166–175, 54:222–225 55:209, 55:323–332, 55:334, 55:335, 55:353, 55:354
velifera, 48:575
vivesi, 48:575, 52:284–286
volans, 47:326, 47:328, 48:575, 50:200–203, 51:54, 52:489, 55:353, 55:354
yumanensis, 47:328, 48:575, 48:603, 48:605, 50:201–203, 51:55, 52:402, 52:489, 53:518, 54:421, 54:424–428, 55:209, 55:353, 55:354
Myriarchus cinerascens, 47:285
Myrica
cerifera, 47:551
pennsylvanica, 47:551
Myrmecocystus mendax, 48:449–450
Myrmecophaga tridactyla, 52:571, 52:572, 53:414–416, 55:118–120
Myrmecophagidae, 48:574
Myrmecophilia, 48:449, 48:450
Myrmeleontidae, 54:197
Myrmelontidae, 54:171
Myrmilloides grandiceps, 51:538
Myrospermum, 55:430
Myrsine lessertiana, 52:357
Myrtillocactus, 47:80
cochal, 50:133, 52:200
geometrizans, 50:376, 56:395
Myrtilocactus cochal, 52:196
Myscelia
cyaniris, 48:514
ethusa, 48:514
Myscelus amystis, 48:520
Myxobolus cerebralis, 53:268, 53:269, 53:272

Nabidae, 54:171, 55:191
Najas, 52:138
Najvar, Paige A., Joe N. Fries, and John T. Baccus, Fecundity of San Marcos salamanders in captivity, 52:145–147
Nall, Ian M., see House, William J., —
Nama
demissum, 53:72
jamaicense, 53:499, 53:501
Nanochromis, 52:375
Napaea umbra, 48:517
Narceus
americanus, 56:424
americanus-annularis, 56:424
Narcosius parisi, 48:521
Nascus phocus, 48:521
Nasella, 51:574, 53:92
pulchra, 50:34
Nassella, 48:443
leucotricha, 53:141, 53:497–499
viridula, 51:120, 52:542
Nastra leucone, 48:524
Nasturtium officinale, 48:91, 53:397, 53:462
Nasua, 48:603
narica, 47:255, 48:575, 48:722–725, 50:104, 51:41, 52:402, 52:404, 52:406, 55:395
nasua, 48:571, 53:512
Natalidae, 48:574, 48:601, 50:97, 55:353, 55:356, 55:454, 55:455
Natalus
lanatus, 55:348, 55:351, 55:354, 55:454, 55:455
stramineus, 48:574, 49:122, 49:123, 50:97, 52:329, 52:332, 55:455
Nathalis iole, 52:13
Native woodland loss during the mid 1900s in Cameron County, Texas, Thomas A. Tremblay, William A. White, and Jay A. Raney, 50:479–482
Natural and human impacts on two least tern colonies in northwestern Mexico, Iriana Zuria and Eric Mellink, 47:617–623
Natural history of *Procinura aemula* (Serpentes: Colubridae) from Chinipas, Chihuahua, Mexico, Geoffrey R. Smith, Julio A. Lemos-Espinal, Christopher J. Dibble, and J. Peter Iverson, 53:261–264
Natural history of the massasauga, *Sistrurus catenatus edwardsii*, in southeastern Colorado, Justin P. Hobert, Chad E. Montgomery, and Stephen P. Mackessy, 49:321–326
Natural history of the Texas horned lizard, *Phrynosoma cornutum* (Phrynosomatidae), in southeastern Colorado, Chad E. Montgomery and Stephen P. Mackessy, 48:111–118
Natural hybridization between the rattlesnakes *Crotalus atrox* and *C. horridus*, apparent, Jesse M. Meik, Brian E. Fontenot, Carl J. Franklin, and Clint King, 53:196–200
Naucoridae, 50:242, 51:25
Navar, José J., see Estrada-Castillón, Eduardo, —
Navarro S., Adolfo G., see Garza-Torres, Héctor A., —
Navarro-Serment, Carlos J., Carlos A. López-González, and Juan-Pablo Gallo-Reynoso, Occurrence of jaguar (*Panthera onca*) in Sinaloa, Mexico, 50:102–106
Navarro-Serment, Carlos, see Gallo-Reynoso, Juan-Pablo, and —
Navarro-Sigüenza, Adolfo G., see Almazán-Núñez, R. Carlos, —
Navicula
arvensis, 49:400
cascadensis, 49:400
cryptocephala, 49:396, 49:400, 49:401
exigua, 49:401
gibbosa, 49:401
gysingensis, 49:401
lanceolata, 49:396, 49:397, 49:401
odiosa, 49:401
paucivisitata, 49:401
pseudoreinhardtii, 49:401
pusilla, 49:401
radiosa, 49:397, 49:401
tripunctata, 49:401
upsaliensis, 49:400
Navo, Kirk W., see Hayes, Mark A., —
Nectandra ambigens, 48:580
Nectaring by nocturnal velvet ants (Hymenoptera: Mutillidae), Joseph S. Wilson, Kevin A. Williams, David A. Tanner, and James P. Pitts, 55:441–443
Nectomys squamipes, 51:71
Nectopschye, 50:243

Nectopsyche, 48:30
dorsalis, 51:333, 54:184, 54:186
gracilis, 51:333
stigmatica, 51:333, 54:186
Necturus
beyeri, 51:152–156
maculosus, 51:152
Neely, David A., see Varela-Romero, Alejandro, —
Neff, Paula K. Kleintjes, Stephen M. Fettig, and Dustin R. VanOverbeke, Variable response of butterflies and vegetation to elk herbivory: an exclosure experiment in ponderosa pine and aspen-mixed conifer forests, 52:1–14
Nehallenia minuta, 50:242
Neiswenter, S. A., see Matthews, A. K., —
Neiswenter, Sean A., Robert C. Dowler, and John H. Young, Activity patterns of two sympatric species of skunks (*Mephitis mephitis* and *Spilogale gracilis*) in Texas, 55:16–21
Nelson, S. Mark, and Douglas C. Andersen, Variable role of aquatic macroinvertebrates in initial breakdown of seasonal leaf litter inputs to a cold-desert river, 52:219–228
Nelson, S. Mark, see Andersen, Douglas C., and —
Nelsonia
goldmani, 48:574, 48:578, 50:503
neotomodon, 48:574, 50:503–506, 52:620, 52:622
Nelumbo lutea, 47:487, 51:348
Nemacladus glanduliferus, 53:71
Nematoda, 52:243–250
Nematotaenia dispar, 47:294–297
Nematotaeniidae, 50:253
Nemophila menziesii, 49:191
Nemotelus, 50:241
Nemouridae, 53:380
Neoanagraphis chamberlini, 56:47, 56:52
Neobuxbaumia
macrocephala, 56:147
mezcalaensis, 49:126
tetetzo, 47:163, 49:11, 50:377, 50:379, 50:472
Neochoeris, 51:237
Neocicada mediamexicana, 51:257
Neocicindella perhispida, 47:170
Neoechinorhynchus
emydis, 50:12–16
stunkardi, 50:12
Neoelmis, 48:31
Neonycteris, 51:271
Neoporus striatopunctatus, 54:359
Neoscona oaxacensis, 54:334, 56:47
Neotoma, 47:35, 47:45, 48:106, 48:270, 48:605, 49:79, 49:80, 49:272, 49:273, 51:59, 51:233, 51:268, 52:444, 52:506, 52:554, 52:556, 54:481, 55:561, 56:261, 56:405
albigula, 47:70, 47:128, 47:329, 47:519, 47:521, 47:522, 47:524, 48:574, 48:576, 50:275, 51:114, 51:412–414, 52:403, 53:111, 55:378, 55:379
angustapalata, 48:574
anthonyi, 52:531, 52:536
bryanti, 48:574, 48:578, 52:531, 52:537
cinerea, 47:508–510, 50:209–215, 52:114
ferruginea, 54:416
floridana, 47:125–127, 47:255, 47:322, 47:509, 49:533, 51:114, 51:413, 53:218, 55:205, 55:289, 55:366, 56:227, 56:411, 56:413
fuscipes, 48:568, 48:570, 48:574, 49:305, 49:307, 50:331, 53:346, 53:347, 53:349–351, 53:358
goldmani, 48:574, 51:114
lepida, 47:74, 47:509, 48:472, 48:568, 48:574, 48:576, 52:531, 52:597, 56:75, 56:189
leucodon, 49:285, 49:288, 51:113, 51:114, 52:113, 52:403, 53:88, 53:89
magister, 47:125
martinensis, 48:574, 48:578, 52:531, 52:536
mexicana, 47:128, 48:574, 48:576, 48:578, 48:616, 49:124, 50:505, 51:113, 51:412–414, 52:110, 52:113, 52:114, 53:102, 53:435, 54:409, 54:412, 54:416, 55:379, 56:25, 56:26
micropus, 47:70–77, 47:255, 47:329, 48:574, 49:285, 51:88–92, 51:114, 52:403, 53:88, 53:89, 54:272, 54:275, 55:67, 55:68, 55:71–74, 56:11
nelsoni, 48:574, 48:578, 51:112–116
palatina, 48:574, 51:114
phenax, 48:574
varia, 51:114
Neotomodon alstoni, 48:574
Neotrichia, 51:334
halia, 51:333
okopa, 51:326, 54:186, 54:192
olorina, 51:333
sonora, 51:333
Neotrombicula fitchi, 50:90, 50:91
Neovison vison, 54:214
Neoxeniades luda, 48:525
Nephelopsis, 53:380
Nepidae, 50:242
Neptunia, 51:7–8
pubescens, 55:430
Nerisyrenia camporum, 55:497
Nerodia, 55:137
erythrogaster, 49:531, 50:269
fasciata, 49:531, 54:521–523
harteri, 50:270
rhombifer, 49:530, 49:531, 50:269, 50:270, 54:521–523, 55:459
sipedon, 53:370, 55:165, 55:280, 56:433
Nessaea aglaura, 48:514
Nest destruction associated with mortality and dispersal of burrowing owls in the Imperial Valley, California, Daniel H. Catlin and Daniel K. Rosenberg, 51:406–409
Nest record of *Sorex milleri* from Maderas del Carmen, México, Jonás A. Delgadillo Villalobos, Bonnie Reynolds McKinney, Felicianao Heredia Pineda, and Santiago Gibert Isern, 50:94–95
Nest success of mountain plovers relative to anthropogenic edges in eastern Colorado, Christian W. Mettenbrink, Victoria J. Dreitz, and Fritz L. Knopf, 51:191–196
Nest trees of northern flying squirrels in Yosemite National Park, California, Marc D. Meyer, Malcolm P. North, and Douglas A. Kelt, 52:157–161
Nesticidae, 56:46
Nesting and hatchling behavior of the Texas horned lizard (*Phrynosoma cornutum*), Pamela S. Allison and Joseph C. Cepeda, 54:211–213
Nesting and productivity of ferruginous hawks in two areas of central and western New Mexico, 1999–2000, Jean-Luc E. Cartron, Rosamonde R. Cook, Gail L. Garber, and Kristin K. Madden, 47:482–485
Nesting success of grassland birds in shinnery oak communities treated with tebuthiuron and grazing in eastern New Mexico, Lindsay A. Smythe and David A. Haukos, 54:136–145
Nests of Preble's meadow jumping mouse (*Zapus hudsonius preblei*) in Douglas County, Colorado, Matthew R. Bain and Tanya M. Shenk, 47:630–633
Neubaum, Melissa A., see Fischer, Justin W., —
Neville, Paul, see Johnson, Kristine, —
Neville, Teri B., see Johnson, Kristine, —
Newbold, T. A. Scott, Desert horned lizard (*Phrynosoma platyrhinos*) locomotor performance: the influence of cheatgrass (*Bromus tectorum*), 50:17–23
Newbold, T. A. Scott, Use of dung piles by the side-blotched lizard (*Uta stansburiana*), 52:616–619
Newby, Jennifer L., Jacob Boling, John Estes, Laura K. Garey, Andrea M. Grelle, Julie Hasken, Rory McKee, Anthony Wilmes, Chad E. Montgomery, Michael I. Kelrick, and James M. Walker, Pattern-class D of parthenogenetic *Aspidoscelis tesselata* (Sauria: Teiidae) in Las Animas County, Colorado, 56:128–130
Newman, Thomas, see Perry, Travis W., —
Nica flavilla, 48:515
Niche segregation within a dune lizard community in Coahuila, Mexico, Cristina García-De la Peña, Gamaliel Castañeda, Héctor Gadsden, and Armando J. Contreras-Balderas, 52:251–257
Nicoletiidae, 51:95

Nicolletia trifida, 50:145, 52:200, 53:70
Nicotiana
attenuata, 47:1–11
glauca, 47:9, 53:86
longiflora, 47:9
obtusifolia, 53:73
trigonophylla, 53:73
Niebla, 50:140
Nielsen, David L., see Rabe, Michael J., —
Nieto-Montes de Oca, Adrián, see García-Vázquez, Uri Omar, —
Nieto-Montes de Oca, Adrián, see Jiménez-Cruz, Elsa, —
Nieto-Montes de Oca, Adrián, see Pérez-Ramos, Edmundo, —
Nigronia serricornis, 53:209
Nimbaphrynoides, 48:676
Nine-banded armadillo (*Dasypus novemcinctus*) from central Illinois, a, Timothy R. Van Deelen, Judy D. Parrish, and Edward J. Heske, 47: 489–491
Nipponsialis, 53:524
Nishihira, Tara T., see Mooring, Michael S., —
Nisoniades
godma, 48:522
rubescens, 48:522
Nissolia, 51:6
platycalyx, 51:10
schottii, 52:355
Nitidulidae, 48:198, 53:426
Nitokra
lacustris, 55:526, 55:527, 55:529
spinipes, 55:527
Nitrophila mohavensis, 53:328
Nitzschia
acicularis, 49:401
amphibia, 49:396, 49:401
fonticola, 49:396, 49:401
hantzschiana, 49:401
intermedia, 49:397, 49:401
palea, 49:396, 49:397, 49:401
paleacea, 49:397
sealaris, 49:401
sinuata, 49:401
Nocedal, Jorge, see Scott-Morales, Laura, —
Nocomis
asper, 54:388
biguttatus, 56:108
leptocephalus, 55:579
micropogon, 55:578, 55:580
Noctilio
albiventris, 48:574, 50:97
leporinus, 48:574, 50:97
Noctilionidae, 48:574, 48:601, 50:97, 55: 355, 55:356
Noctuidae, 47:465, 50:278, 50:297, 54:195, 54:197–199, 56:103–107
Nocturnal activity of diurnal lizards (*Sceloporus jarrovi*, *S. virgatus*) eaten by small owls (*Glaucidium gnoma*, *Otus trichopsis*), William W. Duncan, Frederick R. Gehlbach, andGeorge A. Middendorf, III, 48:218–222
Nocturnal drinking by mourning doves (*Zenaida macroura*), Justin A. Foster, Michael T. Pittman, and Louis A. Harveson, 49:512–514
Nodocion
eclecticus, 56:48
utus, 56:48
Nolina, 49:285, 52:110, 55:428
bigelovii, 53:73
caespitifera, 53:92
erumpens, 51:2
microcarpa, 48:235, 51:433
nelsoni, 51:2
palmeri, 52:200
texana, 48:180, 48:181, 48:184, 48:187
Nolinaceae, 53:73, 55:428
Nolte, Dale L., see Fischer, Justin W., —
Non-invasive methods to assess co-occurrence of mammalian carnivores, Sarah E. Reed, 56:231–240
Nonnative fishes as predators of larval razorback suckers, small, Jeanette Carpenter and Gordon A. Mueller, 53:236–242
Nonnative Iowa darter (*Etheostoma exile*) established in the Yampa River, Colorado, and Green River, Utah, the, Cameron D. Walford and Kevin R. Bestgen, 53:529–533
Nordell, Shawn E., see Valone, Thomas J., —
Norops
aquaticus, 55:466–469
humilis, 56:85
lionotus, 56:83–88
oxylophus, 56:84
North American badger, *Taxidea taxus*, in Baja California, Mexico, recent records of, Gorgonio Ruiz-Campos, Roberto Martínez-Gallardo, Jorge Alaníz-García, Salvador González-Guzmán, and Ricardo Eaton-González, 47:316–319
North, Malcolm P., see Meyer, Marc D., —
Nostoc, 47:587, 47:588
linckia, 49:397, 49:398
paludosum, 49:397, 49:398
punctiforme, 49:398
Notemigonus, 54:343
crysoleucas, 47:191, 47:196, 52:132, 52: 383, 52:384, 54:388, 55:82, 55:154, 56:110, 56:111
Notheme erota, 48:517
Nothofagus, 48:66
Notholaena, 48:181
parryi, 53:70
Nothrotheriops, 49:233
shastensis, 49:229
Notiodes, 50:240
Notiosorex
cockrumi, 52:410–413, 52:415, 52:417
crawfordi, 47:255, 48:575, 48:576, 49: 78, 49:80, 50:95, 52:113, 52:402, 52: 405–406, 52:410–417, 52:442, 52:444, 52:445, 52:531, 52:536, 53:87, 53:512
evotis, 52:410, 52:414
villai, 52:410, 52:414
Notocactus
leninghausii, 56:395
submammulosus, 56:395
Notonecta, 48:31, 53:380
Notonectidae, 48:31, 48:101, 53:380, 54: 468, 54:470, 54:471
Notophthalmus viridescens, 53:115–117
Notorus gyrinus, 54:522
Notropis, 52:383, 55:587
amabilis, 49:437, 49:438, 50:75–77
atherinoides, 47:190, 47:191, 49:85, 49:86, 50:162, 51:398, 54:388, 55:152–154
bairdi, 49:85, 49:86, 54:388, 55:152–154
blennius, 50:488–490, 53:127, 54:388
boops, 54:388, 54:517
braytoni, 50:76, 50:77
buchanani, 54:388, 55:85, 55:154
cummingsae, 56:108, 56:110
girardi, 47:95, 47:97, 50:488, 50:489, 54:388
greenei, 54:388
jemezanus, 50:75–77, 55:82, 55:85
longirostris, 47:606
maculatus, 47:606
nubilus, 54:388
orca, 55:82, 55:85
ortenburgeri, 54:397
percobromus, 54:388, 54:517
potteri, 54:388, 55:152–154
procne, 54:343
sabinae, 54:517
shumardi, 54:388
simus, 55:82, 55:85
stramineus, 49:86, 49:437, 49:438, 50:76, 50:77, 51:397, 51:398, 52:383, 53: 126, 53:531, 54:388, 55:154
suttkusi, 54:388
volucellus, 54:388, 54:517
Noturus
eleutherus, 54:517
exilis, 54:389
flavus, 54:389
gyrinus, 54:389
lachneri, 51:342
miurus, 51:338, 51:339, 54:397
nocturnus, 54:389
placidus, 54:389
taylori, 51:338–345, 53:543, 53:551, 53: 560, 53:566
Nova-Muñoz, Oscar, see Almazán-Núñez, R. Carlos, —
Nucifraga columbiana, 50:278, 55:24
Numenius
americanus, 49:105, 50:318, 50:319, 54: 129
phaeopus, 54:129
Nuphar, 48:50, 51:505, 51:507
luteum, 56:109

Nussear, Kenneth E., see Heaton, Jill S., —
Nyctaginaceae, 50:213, 53:72, 53:403–406, 56:141, 56:142
Nyctalus noctula, 50:457
Nyctanassa violacea, 54:503
Nycticeius
humeralis, 48:132, 48:575, 48:715, 49:295, 49:532, 54:223
schlieffeni, 51:56
Nycticorax nycticorax, 51:370
Nyctidromus albicollis, 54:317, 54:319
Nyctinomops
aurispinosus, 48:574, 55:353
femorosaccus, 48:574, 51:414–417, 52:402, 55:210, 55:340–346, 55:351, 55:354
laticaudatus, 48:138, 48:140, 48:142, 48:143, 48:574, 50:97, 55:351
macrotis, 47:326–328, 48:132–135, 48:138, 48:140, 48:142, 48:143, 48:574, 50:201–203, 51:414–418, 52:402, 52:489, 55:210, 55:341, 55:345, 55:351, 55:353, 55:354
macrotus, 51:54, 51:56
Nyctomys sumichrasti, 48:574, 49:122–124, 54:413, 54:417
Nymphaea mexicana, 47:487
Nymphalidae, 48:509, 48:513, 50:296, 51:552–553, 52:13
Nymphalis antiopa, 52:14
Nyssa
aquatica, 49:62, 49:296
sylvatica, 49:64, 49:296, 56:58, 56:68

O'Brien, Chantal S., see Boyce, Walter M., —
O'Connell, Daniel J., see Brown, Christopher A., —
O'Connor, Barry, see García-De la Peña, Cristina, —
O'Farrell, Michael J., Jason A. Williams, and Bruce Lund, Western yellow bat (*Lasiurus xanthinus*) in southern Nevada, 49:514–518
O'Neill, Mark B., see McAliley, L. Rex, —
Oakleaf, John K., see Merkle, Jerod A., —
Oaks be aged from bud scars?, can, Stacy L. Clark and Stephen W. Hallgren, 49:243–246
Ober, Holly K., and Robert J. Steidl, Foraging rates of *Leptonycteris curasoae* vary with characteristics of *Agave palmeri*, 49:68–74
Obituary for Timothy John McCarthy, Ralph P. Eckerlin, 56:436–437
Obliquaria reflexa, 53:46
Obovaria jacksoniana, 53:46
Occupancy and habitat associations of four species of sciurids in ponderosa pine-Gambel oak (*Pinus ponderosa-Quercus gambelii*) forests in northern Arizona, William M. Block, Robin E. Russell, and Joseph L. Ganey, 56:193–203
Occupancy rates by swift foxes (*Vulpes velox*) in eastern Colorado, Daniel J. Martin, Gary C. White, and Frances M. Pusateri, 52:541–551
Oceanodroma, 52:287
melania, 52:284–286
microsoma, 52:284–286
Ocelot (*Leopardus pardalis*) in Aguascalientes, Mexico, Horacio Bárcenas and Rodrigo A. Medellín, 55:447–449
Ochoterenella digiticauda, 47:294, 47:296, 47:297
Ochotona princeps, 47:63, 49:133
Ochrotomys nuttalli, 47:246, 47:255, 56:410, 56:414, 56:434
Ochrotrichia
dactylophora, 51:329, 51:333, 54:186, 54:188, 54:189
ildria, 51:326, 51:333, 54:186, 54:188, 54:189
logana, 51:329, 51:333
lomenta, 51:329, 51:333
nigritta, 51:333, 54:184, 54:186
quadrispina, 51:333, 54:186, 54:188, 54:189
spinosa, 54:192
spinulata, 51:333
stylata, 51:329, 51:333, 54:186
tarsalis, 51:333, 54:186
Ochthebius lineatus, 52:223
Octhebius, 50:240
Octodon
degus, 56:420, 56:421
lunatus, 56:420, 56:421
Ocyba calathana, 48:522
Ocypode quadrata, 55:595
Odantra zibethicus, 47:532
Odocoileus, 49:80, 51:233, 51:579, 52:533, 54:217, 54:480, 55:379
heminous, 52:98
hemionus, 47:64, 47:329, 47:353–363, 47:558, 48:148, 48:574, 48:644–653, 48:654–660, 48:725, 49:384–394, 49:501–505, 50:466–471, 51:221, 51:436–439, 51:572–578, 51:581, 52:104–109, 52:162, 52:164–167, 52:402, 52:405, 52:420, 52:521, 52:531, 52:534, 52:537, 53:311–319, 53:437, 53:511, 54:51, 54:152, 54:253–260, 54:261–271, 54:431, 54:436, 54:481, 55:283, 55:489, 56:5, 56:26, 56:187–192, 56:247–251, 56:301, 56:312, 56:316
virginianus, 47:128, 47:249, 47:256, 47:354, 47:558, 47:640, 47:642, 48:148, 48:420, 48:574, 48:644–653, 48:654–660, 49:367–375, 49:532, 50:57–64, 50:104, 50:223–229, 50:356–362, 50:516, 51:222, 51:273, 51:277, 51:359, 51:368, 51:369, 51:371, 51:581, 52:402, 52:521, 53:1–8, 53:87, 53:218, 53:440, 53:453, 53:481, 53:511, 54:14, 54:152, 54:253–260, 54:261–271, 54:481, 55:57, 55:58, 55:60–62, 55:67, 55:68, 55:71–74, 55:269–273, 55:364, 55:395, 55:488–492, 55:511
virgininaus, 52:98
Odonata, 48:444–448, 54:96–99
Odonata of playas in the southern High Plains, Texas, Bryan A. Reece and Nancy E. McIntyre, 54:96–99
Odontocedridae, 54:186
Odontoceridae, 51:334
Odontophotopsis, 55:442
Odopoea diriangani, 51:256
Oecetis, 50:243, 53:381
arizonica, 51:333, 54:186, 54:192
avara, 51:333, 54:186
disjuncta, 51:329, 51:333, 54:186, 54:188, 54:190, 54:192
inconspicua, 51:333, 51:334, 51:336
metlacensis, 51:333
Oedogonium, 49:397, 49:402–404
Oemopteryx, 52:223, 52:225
Oemoteryx, 48:30
Oenothera, 47:602, 53:72
linifolia, 47:587, 47:588, 52:120–124
macrocarpa, 47:590
speciosa, 55:256, 55:260
Oesteridae, 55:112
Okanagana
striatipes, 56:367
triangulata, 52:320
utahensis, 56:367
Oklahoma cave crayfish, *Cambarus tartarus* (Decapoda: Cambaridae), range extension and status update for the, G. O. Graening, Danté B. Fenolio, Horton H. Hobbs, III, Shane Jones, Michael E. Slay, Shelley R. McGinnis, and Jim F. Stout, 51:94–99
Old World bluestem (*Bothriochloa ischaemum*) on food availability and avian community composition within the mixed-grass prairie, effects of, Karen R. Hickman, Greg H. Farley, Rob Channell, and Jan E. Steier, 51:524–530
Olden, Julian D., see Lytle, David A., —
Olea
europaea, 50:476
europaeae, 50:3
Oleaceae, 48:187, 50:476, 53:72, 55:256, 55:428
Olfactory attributes and size of egg on rates of predation of artificial ground nests in tallgrass prairie, effects of, Bryan R. Coppedge, Larry G. Talent, and David M. Engle, 52:453–460
Oligacanthorhynchidae, 47:307
Oligodon formosanus, 48:554, 48:555
Oligoneuriidae, 48:30
Oligophlebodes, 53:381
minutus, 51:334
Oligoryzomys fulvescens, 48:574, 53:102, 54:413, 54:417
Olios fasiculatus, 54:336

Olivero, Arlene P., see Cordeiro, James R., —
Olneya tesota, 47:450, 48:391, 49:502, 49:503, 50:142, 50:144, 51:493, 51:494, 52:105, 53:312, 54:437, 55:105
Olvera, Olga, see Salceda, Víctor M., —
Olynea, 53:109
Onagraceae, 51:458, 51:484, 53:72, 55:256
Onchorhynchus
mykiss, 53:337
tshawytscha, 55:121
Oncicola luehi, 47:294, 47:297
Oncideres rhodisticta, 55:112
Oncorhynchus, 48:667, 55:551, 56:280
apache, 48:668, 52:132, 52:135, 55:229–239
clarki, 48:667, 52:23, 52:132, 55:237
gilae, 55:230
gorbuscha, 49:197
keta, 49:200
mykiss, 47:196, 48:43–46, 48:667, 49:312, 52:131, 52:132, 52:234–242, 53:116, 53:236, 53:237, 54:157, 54:183, 55:82, 55:84, 55:230–232, 55:547
nerka, 49:197
tschawytscha, 49:197–202
tshawytscha, 47:195–204
Ondatra, 49:78
annectens, 47:121, 47:122
nebracensis, 47:122
zibethicus, 47:121–125, 47:255, 48:574, 55:35–41, 56:189
Onichomys torridus, 48:137
Onocosmoecus unicolor, 51:333, 51:334
Ontogenetic and seasonal changes in coloration of the blunt-nosed leopard lizard (*Gambelia sila*), David J. Germano and Daniel F. Williams, 52:46–53
Ontogenetic melanism in three populations of red-eared slider turtles (*Trachemys scripta*) in Oklahoma, Kimberly A. Hays and Karen McBee, 54:82–85
Ontogenetic shift in height of sleeping perches of Cope's vine snake, *Oxybelis brevirostris*, Chad E. Montgomery, Karen R. Lips, and Julie M. Ray, 56:358–362
Onychocamptus mohammed, 55:527, 55:529
Onychomys, 48:116, 49:79, 49:80, 54:88
arenicola, 48:574, 52:113, 52:403, 52:406, 54:275
leucogaster, 47:107, 47:249, 47:251, 47:255, 47:329, 47:560, 47:561, 48:427–431, 48:574, 49:272, 49:273, 49:275, 49:288, 51:88, 51:90–92, 51:268, 52:113, 52:300, 52:444, 52:553, 52:556, 53:87, 54:275, 54:277, 54:300–303, 55:50, 55:52–54, 56:11
torridus, 47:128, 47:132, 47:521, 47:560, 47:561, 48:430, 48:570, 48:574, 55:113
Oocharistica, 52:243, 52:245, 52:246, 52:599
acapulcoensis, 52:248
crotalicola, 47:308
eumecies, 52:248
leonregagnonae, 52:248
osheroffi, 47:307–309, 52:248
parvula, 52:248
scelopori, 48:208–212, 48:217, 52:248
whitentoni, 52.248
Oocystis
lacustris, 49:403
solitaria, 49:403
Oonopidae, 54:332, 54:335, 54:337, 56:46
Opeia obscura, 52:557
Opephora martyi, 49:397, 49:401
Opheodrys aestivus, 56:360
Ophiogomphus, 48:30
Ophiotaenia filaroides, 50:251–255
Ophisaurus incomptus, 55:421
Ophsiphanes quiteria, 48:516
Opiliones, 55:304, 55:470
Opisocrostis hirsuta, 49:378
Opisocrotis hirsutus, 54:496
Oporornis formosus, 48:302, 55:573
Opossum (*Didelphis virginiana*) in the Chihuahuan Desert of México, range extension of the, Arturo Hernández-Huerta, Christian Delfín-Alfonso, and Oscar Muñoz, 47:127–129
Opsanus beta, 49:48
Opsiphanes invirae, 48:515
Opsopoeodus emiliae, 54:388
Optioservus, 51:147
Opunita imbricata, 54:262
Opuntia, 47:32, 47:71, 47:300, 47:353, 47:354, 47:389, 47:410, 47:440, 47:443, 47:520, 47:637, 48:3, 48:114, 48:119, 48:133, 48:559, 48:598, 48:636, 48:646, 49:180, 49:283, 49:285, 49:290, 49:503, 49:504, 50:213, 50:441, 50:479, 50:486, 51:88, 51:283, 51:373, 51:413, 52:85, 52:99, 52:100, 52:419, 52:522, 52:523, 53:86, 53:87, 53:109, 53:163, 53:244, 53:386, 54:2, 54:20, 54:254, 54:301, 54:431, 55:17, 55:51, 55:138, 55:283, 55:318, 55:480, 55:483, 56:405
acanthocarpa, 47:449
alcahes, 50:144
bigelovii, 50:272–273
brevispina, 50:147
camanchica, 55:496
caracasana, 47:79
chlorotica, 52:200, 53:66, 53:71
cholla, 47:41, 50:132, 50:142–144
ciribe, 50:136, 50:144, 50:146
clavellina, 50:147
echinocarpa, 50:132, 54:376
engelmanii, 48:179, 56:148
engelmannii, 47:103, 47:424, 47:426, 47:445, 47:449, 47:450, 47:452, 48:180, 48:182, 48:187, 50:484, 50:485, 53:66, 53:71, 53:185, 53:231, 53:425, 53:499, 54:120, 54:318, 55:69, 55:496
ganderi, 50:144, 50:147
imbricata, 49:241, 49:283, 51:173, 51:176, 53:92, 54:227, 55:498
invicta, 50:132, 50:141, 50:143, 50:144
joconostle, 56:395, 56:398
karwinskiana, 55:348
kelvinensis, 50:485
kleiniae, 54:227
leptocaulis, 47:103, 50:485, 52:343, 52:344, 52:601, 53:2, 53:425, 53:451, 54:262, 55:496
lindheimeri, 48:283, 52:344, 53:2, 53:451
littoralis, 50:142, 50:472–477, 51:574
macrocentra, 56:393–400
macrorhiza, 56:147–153
microdasys, 56:393–400
molesta, 47:579, 50:144
parva, 55:496
phaeacantha, 52:198, 52:200
phaecantha, 47:445
polyacantha, 52:542
rastera, 56:151
rastrera, 47:166, 49:361, 50:472, 56:147, 56:393–400
rufida, 52:601
santa-rita, 49:6
schottii, 53:425, 55:496
stricta, 55:194
tapona, 50:133, 50:147
tesajo, 52:198
tomentosa, 56:395
violacea, 47:445, 54:227
Opuntio
invictae, 50:141, 50:144
taponae, 50:129, 50:141, 50:149
Orbexilum, 51:6, 55:430
melanocarpum, 51:10
Orchopeas
agilis, 48:721, 54:496
caedens, 48:721, 54:496
leucopus, 50:90
sexdentatus, 48:721
Orconectes, 53:380, 55:452
causeyi, 49:252
deanae, 49:250, 49:252, 49:253
difficilis, 49:252
immunis, 49:251
lancifer, 49:250, 49:252–254
leptogonopodus, 49:252
macrus, 49:250, 49:252, 49:254
meeki, 49:252
menae, 49:252
nais, 49:252
nana, 49:252
neglectus, 49:250, 49:252, 49:254, 50:386, 50:387
palmeri, 49:252
saxatilis, 49:252
virilis, 48:668, 49:252, 54:183, 56:221
Ordóñez-Garza, Nicté, Walter Bulmer, Ralph P. Eckerlin, and John O. Matson, Coyotes (*Canis latrans*) in Guatemala, 53:507–509
Ord's kangaroo rats living in floodplain habitats: factors contributing to habitat attraction, Michael S. Miller, Kenneth R. Wilson, and Douglas C. Andersen, 48:411–418

Oreocerrus
celsianus, 56:395
maximus, 49:11, 56:395
Oreochromis, 52:230, 55:600
aureus, 48:451, 48:452, 50:246, 50:247, 50:249, 54:162, 56:281, 56:285
mossambica, 54:156, 54:157, 56:386, 56:389
mossambicus, 56:385, 56:390
niloticus, 56:285
urolepis, 54:156, 54:157, 56:385, 56:386, 56:389
Oreochrysum parryi, 52:498, 52:499
Oreothlypis luciae, 56:204, 56:205
Oreotragus oreotragus, 48:432
Organic matter added to sand deposits of volcanic origin on recruitment of seedlings, effects of, Dulce Gil-Solórzano, Sabina Lara-Cabrera, and Roberto Lindig-Cisneros, 54:439–445
Orgyia vetusta, 49:194
Origanum vulgare, 50:1, 50:4
Oriturus superciliosa, 52:276
Ormston, Cheryl G., see Kosciuch, Karl L., —
Ornithodoros rossi, 47:454, 47:455
Orobanchaceae, 53:72
Orobanche
bulbosa, 53:72
cooperi, 53:72
Oronectes virilis, 47:12
Oropsylla
hirsuta, 49:378
labis, 49:378
montana, 48:721
tuberculata, 49:378
Orozco-Lugo, Carmen Lorena, David Valenzuela-Galván, Luis Bernardo Vázquez, Andrew John Rhodes, Alejandra De León-Ibarra, Ariana Hernández, María Eugenia Copa-Alvaro, Luis Gerardo Avila-Torres Agatón, and Marines De La Peña-Domene, Velvety fruit-eating bat (*Enchistenes hartii*; Phyllostomidae) in Morelos, Mexico, 53:517–520
Orozco-Meyer, Adriana, see Mellink, Eric, and —
Orozco-Segovia, Alma, see Benítez-Rodríguez, J. Leopoldo, —
Orses cynisca, 48:524
Ortalis vetula, 47:473, 47:474
Ortega, Catherine P., and Joseph C. Ortega, Comparison of black-headed grosbeaks nesting in riparian and Gambel oak pastures in southwestern Colorado, 48:383–388
Ortega, Joseph C., see Ortega, Catherine P., and —
Ortega-Rodríguez, Juan Manuel, see Monterrubio-Rico, Tiberio C., —
Ortega-Rubio, Alfredo, see Galina-Tessaro, Patricia, —
Orthemis ferruginea, 54:98
Orthocyclops modestus, 48:341
Orthogomys
cuniculus, 48:574, 48:577
grandis, 48:570, 48:574, 48:577
hispidus, 48:571, 48:574
lanius, 48:574, 48:578, 51:115
Orthonops lapanus, 56:46
Orthoptera, 53:162–168
Ortiz Gómez, Manuel, see Muñiz-Martínez, Raúl, —
Ortiz, Leo C., see Gallo-Reynoso, Juan-Pablo, —
Ortiz-Martínez, Teresita, and Víctor Rico-Gray, Spider monkeys (*Ateles geoffroyi vellerosus*) in a tropical deciduous forest in Tehuantepec, Oaxaca, Mexico, 52:393–399
Ortiz-Pulido, Raúl, and Victor Rico-Gray, Seed dispersal of *Bursera fagaroides* (Burseraceae): the effect of linking environmental factors, 51:11–21
Ortiz-Pulido, Raúl, see Ramírez-Bautista, Aurelio, —
Orycteroxenus soricis, 50:90, 50:91
Oryctolagus cuniculus, 51:273, 52:532, 53:387, 56:418, 56:420
Oryx
dammah, 55:510–516
gazella, 50:469, 51:221
leucoryx, 54:51
Oryxomys couesi, 48:576
Oryzomy palustris, 54:238
Oryzomys, 52:311
alfaroi, 48:311, 48:574, 49:124
chapmani, 48:574, 48:577, 51:112
couesi, 47:246, 47:249, 47:255, 48:311, 48:574, 54:105, 54:106
intermedius, 51:71
melanotis, 48:311, 48:574, 53:102, 54:413, 54:417
nelsoni, 48:574
pallustris, 55:205
palustris, 47:249, 47:250, 47:255, 47:535, 48:306, 48:308, 49:532, 49:533, 50:397, 50:398, 52:75–78, 54:239, 54:241, 55:289, 56:410, 56:415
rhabdops, 48:574, 48:576
rostratus, 48:574
saturatior, 48:568, 48:570, 48:574
yucatanensis, 48:577
Oryzopsis, 47:300
hymenoides, 47:63, 48:626, 50:213
Osborn, Robert G., Tim F. Ginnett, and Rebecca A. Gonzalez, Effects of weathering on fecal nitrogen stability, 47:640–642
Oscillatoria, 48:29
limnetica, 49:396–398
prolifica, 49:398
subbrevis, 49:398
Osgoodomys banderanus, 48:574, 54:412, 54:413, 54:416, 54:417
Osmeridae, 53:339
Osteophagy by the desert tortoise (*Gopherus agassizii*), Andrew D. Walde, David K. Delaney, Meagan L. Harless, and Larry L. Pater, 52:147–149
Ostertagia
dikmansi, 50:59–61
mossi, 50:59–61
ostertagia, 50:59
Ostrinotes keila, 48:519
Oswaldocruzia, 47:294, 47:296, 47:297
pipiens, 50:254, 50:255
subulascaris, 47:295
Otocyon megalotis, 53:119
Otonyctomys hatti, 48:571, 48:574, 48:577
Ototylomys phyllotis, 48:311, 48:574
Ott, James R., see Rose, Francis L., —
Ottidae, 55:191
Otus
asio, 48:70–80, 48:221, 49:106
barbarus, 48:77
cooperi, 48:76, 48:77
flammeolus, 48:77, 50:500
guatemalae, 48:77, 48:709
kennicottii, 48:70–80, 48:218
seductus, 48:71, 48:75
trichopsis, 48:71, 48:75, 48:218–222
Overson, Rick P., see Anderson, Kirk E., —
Oviposition sites of *Corydalus cornutus* (Megaloptera: Corydalidae) in eastern Texas, Marvin B. Lowery and Tamara J. Cook, 53:208–213
Ovis, 49:232
aries, 50:58, 52:532, 53:87, 53:88, 56:189
canadensis, 48:81–84, 48:145–147, 48:574, 48:635–643, 48:725, 49:79, 49:80, 49:224, 49:502, 50:308, 50:469, 50:506–513, 50:513–515, 51:221, 51:277, 51:282–288, 51:430–434, 51:434–436, 52:97–103, 52:165, 52:404, 52:418–423, 52:520–527, 53:312, 53:319, 54:430–438, 54:481, 55:517–524, 56:187–189, 56:297
dalli, 54:431
musimon, 51:284
Owen, James G., On the number of habitats embraced by the geographical ranges of mammals in Texas, 47:56–61
Owen, James G., see Girón, Luis E., —
Owen, James G., Three new records of bats from El Salvador, 50:96–99
Owen, Robert D., see Abuzeineh, Alisa A., —
Owen, Robert D., see Schnell, Gary D., —
Oxalidaceae, 48:187, 54:442, 55:256
Oxalis
corniculata, 48:187, 55:256, 55:259, 55:260
dillenii, 53:498–501
drummondii, 53:499
Oxeytheira, 50:243
Oxitheca trilobata, 52:200
Oxley, F. M., Alison Echlin, Paula Power, Lori Tolley-Jordan, and Mara L. Alexander, Travel of pollen in

experimental raceways in the endangered Texas wild rice (*Zizania texana*), 53:169–174
Oxybelis
aeneus, 50:24–27, 50:29, 55:249, 56:359, 56:360
argenteus, 56:360
brevirostris, 56:358–362
fulgidus, 56:359
Oxyethira, 54:192
aculea, 51:333
arizona, 51:333
dualis, 51:333
pallida, 51:333
Oxyopes
apollo, 56:47, 56:50, 56:52
felinus, 56:47
lynx, 56:47
panther, 56:47
salticus, 56:47
tridens, 56:52
Oxyopidae, 51:557, 53:140, 53:142, 53:143, 56:47, 56:51
Oxypes tridens, 56:47
Oxypidae, 56:52
Oxytheca trilobata, 53:72
Oxytropis lambertii, 47:2, 47:7, 47:10
Oxyura
jamaicensis, 48:244
jamaicensis, 49:105
Oxyuridae, 52:248
Ozyptila, 54:336

Paches loxus, 48:522
Pachycereretosum pecten-aborigini, 50:146, 50:147
Pachycereus, 48:472
hollianus, 49:11, 56:395
pecten-aborigenum, 50:146
pecten-aboriginum, 55:316–318
pectenaboriginum, 55:348
pringlei, 47:579, 47:628, 50:135, 50:141–146, 50:149, 50:379, 50:441, 50:484, 52:194, 52:196, 52:198, 52:200, 53:67, 53:71, 55:316
schottii, 50:484
weberi, 49:126, 50:376
Pachycormetum veatchianae, 50:129, 50:133, 50:140, 50:143
Pachycormus
discolor, 50:133, 50:137, 50:141–143, 53:67
pubescens, 50:133
Pachydiplax longipennis, 48:446, 50:243, 54:98
Pachyneuria, 48:522
Pachyramphus major, 48:709
Pachystima myrsinites, 53:152, 53:154
Packrat middens and late Holocene environmental change in southwestern Colorado, Steven D. Emslie, Mark Stiger, and Ellen Wambach, 50:209–215
Padus virginiana, 47:63, 51:120
Painter, Charles W., see Cummer, Michelle R., and —
Painter, Charles W., see Goldberg, Stephen R., —
Painter, Charles W., see Hibbitts, Toby J., —
Painteria
elachistophylla, 51:4, 51:6, 51:9
leptophylla, 48:181
Pairwise species associations in the perennial vegetation of the northern Chihuahuan Desert, Sandra J. Turner, Alan R. Johnson, and Walter G. Whitford, 49:1–10
Palaemonetes suttkusi, 50:238, 50:243
Palaemonidae, 50:238, 50:243
Palafoxia
arida, 52:252, 52:253
callosa, 47:589, 48:11
Palmer, Geoffrey H., R. Nathan Gwinn, and Jessica E. Gwinn, Entanglement of a western screech-owl (*Megascops kennicottii*) in Coulter spiderling (*Boerhaavia coulteri*), 54:523–524
Palmer, Geoffrey H., see Merrick, Melissa J., —
Palmer, Michael W., see McGlinn, Daniel J., —
Palpada mexicana, 56:353–357
Palpomyia, 50:240
Pampatheriidae, 51:233
Pampatherium, 51:226, 51:233, 51:234, 51:236, 51:237
Pandemos godmanii, 48:518
Pandion
haliaethus, 49:108
haliaetus, 50:446, 54:288, 54:292
Pando M., Marisela, see Estrada C., Eduardo, —
Panicum, 48:536, 49:352, 55:480, 55:482
amarum, 49:186
antidotale, 55:257
arizonicum, 48:487
bulbosum, 48:179, 48:181, 48:182, 48:187
capillare, 55:257
elegans, 48:443
halei, 53:141
hallii, 53:499, 53:500, 55:257, 55:498
hians, 55:257
hirsutum, 47:428
hirticale, 48:487
hirticaule, 48:180
maximum, 47:420, 47:424, 47:427, 47:428, 47:430
miliaceum, 50:472, 50:473, 50:475
obtusum, 52:211, 52:469, 53:92
oligosanthes, 53:216
reptans, 53:386
virgatum, 48:275, 48:461, 51:526, 52:454, 52:469, 52:542, 55:260, 55:290, 56:225
Panoquina
evadens, 48:525
hecebolus, 48:525
leucas, 48:525
ocola, 48:525
pauper, 48:525
Pantala
flavescens, 54:98
hymenaea, 54:98
Panthera
atrox, 54:220
jaguarius, 54:217
leo, 54:217–222
onca, 47:325, 47:329, 48:574, 50:102–106, 51:433, 52:310, 52:312, 52:313, 52:405, 52:570–577, 53:533–537, 54:124, 54:217, 54:219, 54:220, 55:394–402, 55:568, 55:597–599, 56:232, 56:238
pardus, 54:124
spelaea, 54:220
tigris, 47:365, 54:124
Panthera leo atrox (Mammalia: Carnivora: Felidae) in Chiapas, Mexico, Marisol Montellano-Ballesteros and Gerardo Carbot-Chanona, 54:217–222
Pantherophis, 55:175
Panthiades
bathildis, 48:519
bitias, 48:519
phaleros, 48:519
Pantosteus
clarki, 48:667
plebeius, 47:182–186
Papaveraceae, 49:191, 51:493, 51:494, 53:72, 56:160
Papilio
eurymedon, 52:13
multicaudata, 52:13
rutulus, 52:13
Papilionidae, 48:509, 48:512, 52:13
Papilionoidea, 48:505–525, 53:537–538
Papilo
cresphontes, 49:506–508
glaucus, 50:299
Pappogeomys
alcorni, 48:574
bulleri, 48:574, 52:83–88
Pappophorum bicolor, 53:2, 53:86
Parabagrotis insularis, 50:297–299
Parabogidiella, 53:74, 53:78
americana, 53:82
Parabuteo unicinctus, 51:370, 52:291, 52:293, 56:417–422
Paracloedes, 48:30
Paracyclops, 48:341
chiltoni, 55:526
poppei, 55:526
Parajulidae, 56:423
Paraleptophlebia, 51:147
Paralichythes lethostigma, 49:49
Parallintoshius parallintoshius, 52:599
Paramacrobiotus richtersi, 55:540, 55:541
Paramarpissa albopilosa, 56:49, 56:52
Paramphistomidae, 50:253
Paramylodon, 51:233, 51:234
harlani, 49:229–238
Paranasua, 48:249
Parapharyngodon
adramitana, 52:244
almoriensis, 52:245
alvarengai, 48:212, 52:244

anomalus, 52:243, 52:244, 52:248
awokoyai, 52:244
brevicaudatus, 52:245
californiensis, 52:244
calotis, 52:245
cubensis, 52:244
dogieli, 52:245
duniae, 52:244
echinatus, 52:245
fitzroyi, 52:244
garciae, 52:243, 52:244
gerrhosauri, 52:244
grismeri, 52:243–250
iguanae, 52:244, 52:248
japonicaus, 52:245
japonicus, 52:243
kartana, 52:244
kasauli, 52:245
kenyaensis, 52:244
largitor, 52:244
lilfordi, 52:245
mabuaiae, 52:245
maculatus, 52:244
maplestonei, 52:245
margaritiferi, 52:244
meridionalis, 52:244
micipsae, 52:245
ocalaensis, 52:244
osteopili, 52:244
pavlovskyi, 52:245
psammodromi, 52:245
riojensis, 52:244
rotundatus, 52:244, 52:248
rousseti, 52:244, 52:248
scleratus, 52:244
senisfaciecaudus, 52:244
skrjabini, 52:245
szczerbaki, 52:245
tyche, 52:245
verrucossus, 52:244

Parapharyngodon (Nematoda: Pharyngodonidae) and other helminthes in *Petrosaurus repens* and *P. thalassinus* (Squamata: Phrynosomatidae) from Baja California del Sur, Mexico, new species of, Charles R. Bursey and Stephen R. Goldberg, 52:243–250

Parasites of swift foxes (*Vulpes velox*) in the Oklahoma Panhandle, Marc A. Criffield, Mason V. Reichard, Eric C. Hellgren, David M. Leslie, Jr., and Kimberly Freel, 54:492–498

Parasitic nematodes decrease fecundity in the western mosquitofish, *Gambusia affinis*, Raelynn Deaton, 56: 262–265

Parasitism by brown-headed cowbirds (*Molothrus ater*) on reproductive success of three frequent hosts in New Mexico, effects of, Christopher B. Goguen, David R. Curson, and Nancy E. Mathews, 54:58–67

Parastrellus hesperus, 53:245, 55:210, 55: 352–354

Paratrechina, 54:213

Pardo-De La Rosa, Diana, see Ramírez-Bautista, Aurelio, and —

Pardosa
ramulosa, 54:335
sierra, 51:310–319
sternalis, 54:333, 54:335, 56:47

Paredes, Marcos, see Mora, Miguel A., —

Paredes-León, Ricardo, see García-De la Peña, Cristina, —

Parent-offspring conflict in blue-throated hummingbirds, Millicent Sigler Ficken, 47:118–121

Pareuptychia
binocula, 48:516
ocirrhoe, 48:516

Parham, Randy W., Structure of assemblages and recent distribution of riverine fishes in Oklahoma, 54:382–399

Paridae, 47:553

Parides
erithalion, 48:512
iphidamas, 48:512
sesostris, 48:512

Parietaria
hespera, 53:73
obtusa, 53:498–501

Parkinsonia, 48:598, 54:2, 56:405
aculeata, 47:422, 47:423, 47:424, 47:430, 48:283, 50:479, 51:1, 51:9, 51:490–499, 54:318
florida, 51:490, 51:492–496, 51:498, 51: 499, 53:312
microphylla, 51:493, 52:349, 52:522, 52: 523, 55:315, 55:316, 56:353, 56:355
microphyllum, 52:565, 53:191, 53:193
praecox, 55:317
texana, 47:103

Parodia maassii, 49:14

Parophrys vetulus, 53:341

Parra-Tabla, Victor, see Vargas, Carlos F., and —

Parrhasius polibetes, 48:519

Parrish, Judy D., see Van Deelen, Timothy R., —

Parsimony analysis of endemicity to analyze the distribution of Mexican land mammals, using, Tania Escalante, David Espinosa, and Juan J. Morrone, 48:563–578

Parthenium, 55:428
argentatum, 51:2
incanum, 47:445, 49:6, 49:8, 49:285, 52: 98, 53:92, 55:496, 55:498

Parthenocissus quinquefolia, 49:529

Parthenogenetic *Aspidoscelis neomexicana* (Sauria: Teiidae) and syntopic congeners in Presidio County, Texas, James E. Cordes and James M. Walker, 54:226–230

Parthenogenetic *Cnemidophorus tesselatus* (Sauria: Teiidae) occasionally produce offspring markedly different from the mother?, can, James M. Walker and James E. Cordes, 48:126–129

Parula
pitiayumi, 50:442, 50:443
superciliosa, 52:276

Parulidae, 47:553

Paruroctonus
boquillas, 50:150–153
gracilior, 47:411, 47:417, 50:150–153
mesaensis, 47:410
utahensis, 47:410, 50:150–157

Parus
atricapillus, 48:380
carolinensis, 55:464
wollweberi, 52:277

Pasch, Bret S., and John L. Koprowski, Annual cycles in body mass and reproduction of Chiricahua fox squirrels (*Sciurus nayaritensis chiricahuae*), 51:531–535

Pasch, Bret S., see Koprowski, John L., —

Pascopyrum smithii, 48:262, 51:120, 52:542

Paspalum, 55:480, 55:483
dilatatum, 53:386, 55:257
floridanum, 55:257
lividum, 47:428
monostachyum, 49:176–178, 49:180–187, 55:194, 55:197, 55:198
notatum, 48:420
paucispicatum, 48:181
plicatulum, 49:180, 49:181, 51:116, 55:180
setaceum, 49:182, 49:186, 53:499, 55:199

Passer domesticus, 48:460, 48:461, 48:561, 52:453–460

Passerculus sandwichensis, 50:450

Passerina
amoena, 56:204, 56:205
ciris, 53:467, 53:468
cyanea, 47:627, 48:294, 56:434
leclancherii, 55:390, 55:391
rositae, 55:569
versicolor, 49:32, 50:442
versiolor, 49:107

Passiflora, 54:346–348
foetida, 50:147

Pasteurella pestis, 49:376

Pasturella multocida, 50:450

Patagioenas
araucana, 56:420
flavirostris, 54:68–73

Pater, Larry L., see Walde, Andrew D., —

Patrick, Michael J., see Harrison, Robert L., —

Patrikeev, Michael, Timothy H. Bonner, and G. Matthew Trujillo, Occurrence of the river shiner, *Notropis blennius*, in Lake Meredith, Texas, 50:488–490

Pattern-class D of parthenogenetic *Aspidoscelis tesselata* (Sauria: Teiidae) in Las Animas County, Colorado, Jennifer L. Newby, Jacob Boling, John Estes, Laura K. Garey, Andrea M. Grelle, Julie Hasken, Rory McKee, Anthony Wilmes, Chad E. Mont-

gomery, Michael I. Kelrick, and James M. Walker, 56:128–130
Patterns of habitat use by bats along a riparian corridor in northern Utah, Duke S. Rogers, Mark C. Belk, Malinda W. González, and Brent L. Coleman, 51:52–58
Patterns of occurrence and abundance of land birds on Espíritu Santo Island, Gulf of California, México, Roberto Carmona, Gorgonio Ruiz-Campos, José Alfredo Castillo-Guerrero, and Georgina Brabata, 50:440–447
Patterson, C. Joan, and Douglas A. James, Speed and accuracy of methods for obtaining measurements of forests, 54:279–283
Patton, James L., see Shohfi, Hanna E., —
Paukert, Craig P., and James H. Petersen, Comparative growth and consumption potential of rainbow trout and humpback chub in the Colorado River, Grand Canyon, Arizona, under different temperature scenarios, 52:234–242
Paulissen, Mark A., Interspecific dominance and burrow use in the two species of the parthenogenetic lizard complex *Cnemidophorus laredoensis* (Teiidae), 47:21–29
Paulissen, Mark A., James M. Walker, and Harry L. Taylor, Diet of sympatric pattern classes C and E of the parthenogenetic whiptail lizard *Aspidoscelis tesselata* at Sumner Lake, DeBaca County, New Mexico, 51:555–560
Paulissen, Mark A., see Pérez-Ramos, Edmundo, —
Paulissen, Mark A., see Taylor, Harry L., —
Pavón, Numa P., Atilano Contreras-Ramos, and Yadira Islas-Perusquía, Diversity of arthropods preyed upon by the carnivorous plant *Pinguicula moranensis* (Lentibulariaceae) in a temperate forest of central Mexico, 56:78–82
Pavón, Numa P., Fine root biomass and production in a semiarid Mexican shrubland, 52:116–119
Paxistima myrsinites, 53:152, 53:154, 53:156
Peachey, William D., see Czaplewski, Nicholas J., and —
Peak, Rebecca G., Selvin E. Peréz, and Pablo Herrera, Strong-billed woodcreeper (*Xiphyocolaptes promeropirhynchus*) attempting to capture a mouse, 54:362–363
Pecari, 48:604
angulatus, 49:525
tajacu, 47:363, 47:365, 48:575, 49:524–528, 51:222, 51:581, 52:402, 52:420, 52:521, 53:87, 54:152, 54:431, 54:481, 55:57, 55:58, 55:60–62, 55:67, 55:68, 55:71–74, 55:138–139, 55:379, 55:395
tajucu, 47:354
Pech, Louis L., Michael W. Gates, and Tim B. Graham, *Dirhinus texanus* (Hymenoptera: Chalcididae) from Utah, 56:275–276
Peckhamia
americana, 54:336
scorpionia, 56:49, 56:51
Pectis
angustifolia, 48:11
papposa, 48:11, 48:487
prostrata, 48:184, 48:187
Pectocarya
peninsularis, 53:71
recurvata, 53:71
Pedersen, Ellen K., Theresa L. Bedford, William E. Grant, S. Bradleigh Vinson, James B. Martin, Michael T. Longnecker, Charles L. Barr, and Bastiaan M. Drees, Effect of red imported fire ants on habitat use by hispid cotton rats (*Sigmodon hispidus*) and northern pygmy mice (*Baiomys taylori*), 48:419–426
Pediastrum
boryanum, 49:403
duplex, 49:403
integrum, 49:403
tetras, 49:403
Pedicia, 51:147
Pedicularis
attolens, 54:356
semibarbata, 48:496, 48:499, 48:504
Pedidectes tinkhami, 55:112
Pedilanthus macrocarpus, 50:136, 50:144, 53:71
Pediomelum rhombifolium, 51:10
Peganum harmala, 52:209–218
Peinado, Manuel, José Delgadillo, and Juan L. Aguirre, Plant associations of El Vizcaíno Biosphere Reserve, Baja California Sur, Mexico, 50:129–149
Peinado, Manuel, Miguel Á. Macías, Juan L. Aguirre, and José Delgadillo Rodríguez, Bioclimate-vegetation interrelations in northwestern Mexico, 55:311–322
Pekins, Charles E., Polydactyly in the cave myotis (*Myotis velifer*) in north-central Texas, 54:222–225
Pelecanidae, 51:232
Pelecanus
erythrorhynchos, 51:103–107
erythrorhynchus, 51:232
occidentalis, 56:386
Pelegrina arizonensis, 56:50
Pellaea
andromedifolia, 52:200
mucronata, 52:200, 53:70
Pellenes limatus, 56:50
Pellicia
arina, 48:522
dimidiata, 48:522
Pelobatidae, 55:252
Pelvicachromis, 52:375
Pelz-Serrano, Karla, Eduardo Ponce-Guevara, Rodrigo Sierra-Corona, Rurik List, and Gerardo Ceballos, Recent records of desert bighorn sheep (*Ovis canadensis mexicana*) in eastern Sonora and northwestern Chihuahua, Mexico, 51:430–434
Pendergrass, David R., see Hulbert, Julie, —
Penelope purpurascens, 54:91, 54:93
Pennisetum
ciliare, 47:420, 47:424, 47:427, 47:428, 48:108, 54:318, 55:249, 55:499, 56:160, 56:334, 56:349
ciliaris, 55:317
Penstemon, 47:63
antirrhinoides, 53:72
campanulatus, 48:181
centranthifolius, 52:200
clevelandii, 53:72
eximius, 53:72
heterodoxus, 54:356
keckii, 48:499, 48:504
spectabilis, 52:200
Pentatomidae, 47:465, 48:133, 49:517, 54:170, 54:197, 55:191, 55:341, 55:344
Peppers, Lottie L., see Carroll, Darin S., —
Pepsis, 47:463
Peralta-García, Anny, Araceli Samaniego-Herrera, and Jorge H. Valdez-Villavicencio, Western harvest mouse, *Reithrodontomys megalotis* (Rodentia: Muridae), on Magdalena Island, Mexico, 52:595–597
Perca flavescens, 48:224, 52:133, 55:81, 55:82
Percidae, 47:187, 48:454–460, 52:133, 54:391, 55:587, 55:590
Percina
caprodes, 48:454–460, 51:344, 53:127, 54:392
copelandi, 54:392
evides, 54:517
macrolepida, 48:454–460, 53:125–128, 54:392, 55:120–122, 55:155
maculata, 54:392
pantherina, 54:392
phoxocephala, 54:392
sciera, 54:392
shumardi, 54:392, 55:587, 55:590
uranidea, 54:517
vigil, 54:517
Perdita, 53:424
Pereskia aculeata, 49:11
Pérez Cruz, Eliécer Efraín, see Santos-Moreno, Antonio, —
Pérez, Fabiola, see Godínez-Alvarez, Héctor, —
Perez, Kathryn E., see Minton, Russell L., —
Peréz, Selvin E., see Peak, Rebecca G., —
Pérez, Sergio, see Zarza, Heliot, —

Pérez-Arteaga, Alejandro, see Monterrubio-Rico, Tiberio C., —
Pérez-Ramos, Edmundo, Adrián Nieto-Montes de Oca, Jorge A. Vargas-Contreras, James E. Cordes, Mark A. Paulissen, and James M. Walker, *Aspidoscelis sexlineata* (Sauria: Teiidae) in Mexico: distribution, habitat, morphology, and taxonomy, 55: 419–425
Perichares philetes, 48:524
Perimyotis
hesperus, 52:402
subflavus, 52:407, 54:223, 54:422, 55: 331, 55:332, 55:334, 55:335
Periodontal disease in a Brazilian free-tailed bat (Molossidae: *Tadarida brasiliensis*) from eastern Texas, extreme, Monte L. Thies, 56:112–115
Periplaneta americana, 51:312, 53:178
Perithemis tenera, 48:446, 54:98
Perityle
californica, 53:64, 53:70
emoryi, 53:70
Perlesta, 51:147
Perlichek, Kory B., Louis A. Harveson, Bonnie J. Warnock, and Billy Tarrant, Habitat characteristics of winter roost sites of wild turkeys in Trans-Pecos, Texas, 54:446–452
Perlidae, 48:30, 51:147, 53:380
Perlodidae, 48:30, 53:381
Perognathus, 47:35, 47:132, 47:628, 48:106, 48:270, 49:79, 49:80, 51:268, 52:444, 52:506, 52:554, 52:556, 53:512, 53:513, 55:52, 55:53
alticolus, 55:4
amplus, 48:570, 48:574, 48:577, 53:358, 55:2–4, 55:9
fasciatus, 55:2–4, 55:9
flavescens, 47:328, 52:113, 52:300, 54:303, 55:1–7, 55:9
flavus, 47:328, 47:560, 47:561, 48:569, 48:570, 48:574, 51:79–86, 52:113, 52:403, 54:89, 55:1–10, 55:114
inornatus, 55:2–4, 55:9
longimembris, 48:568, 48:570, 48:574, 55:2–5, 55:9
merriami, 47:249, 47:250, 47:255, 48:574, 51:79–86, 51:88, 51:89, 53:88, 53:89, 54:87, 54:88, 54:275, 54:303, 55:1–10
parvus, 55:4
Peromyscus, 47:35, 47:132, 47:628, 48:219, 48:220, 48:423, 48:600, 49:79, 49:80, 49:232, 52:113, 52:442, 52:444, 52:506, 53:512, 53:513, 54:231, 54:369, 54:481, 54:546, 54:551, 54:553, 55:52, 55:53, 55:124, 55:143, 56:189
anyapahensis, 52:530, 52:535
attwateri, 49:286, 50:343, 50:349
aztecus, 48:570, 48:574, 48:577, 49:124
beatae, 48:574, 51:115
boylei, 55:379
boylii, 47:128, 47:329, 47:519, 47:521–524, 49:125, 49:126, 49:130, 49:284–286, 49:288, 49:289–294, 50:95, 50: 505, 51:268, 52:621, 52:622, 53:357–369, 53:435, 56:26
bullatus, 48:574, 51:114
californicus, 48:568, 48:570, 48:574
crinitus, 48:574
difficilis, 48:574, 50:505, 52:403
eremicus, 47:128, 47:521, 47:522, 47: 525, 48:574, 49:284–286, 49:288, 52: 403, 52:531, 52:537, 53:88, 54:88, 55:379
eva, 48:568, 48:570, 48:574
fraterculus, 48:472
furvus, 48:574, 51:115
gossypinus, 47:246, 47:255, 48:306, 48: 308, 50:398, 55:205, 55:206, 56:410, 56:414
gratus, 48:574, 50:505
guardia, 48:568, 48:574
guatemalensis, 48:574
gymnotis, 48:574
hooperi, 48:568, 48:569, 48:574
hylocetes, 54:409, 54:412, 54:416, 54:417
interparietalis, 48:574
leucopus, 47:249, 47:255, 47:322, 47:329, 47:465, 47:519, 47:521, 48:308, 48:310, 48:311, 48:420, 48:422, 48:424, 48:570, 48:571, 48:574, 49:130, 49:285, 49:288, 49:292, 49:533, 51:88, 51:90–92, 52:81, 52:403, 52:405, 52:406, 53:88, 53:89, 53:358, 54:272, 54:275, 55:288, 55:289, 55:363–373, 56:225, 56:243, 56:244, 56:414
levipes, 48:574, 49:124, 49:125–131 52: 622, 53:102, 53:103
madrensis, 48:574
maniculatis, 50:38
maniculatus, 47:249, 47:255, 47:321–324, 47:329, 47:560, 47:561, 47:637, 48:308, 48:386, 48:416, 48:420, 48:430, 48:472, 48:574, 48:616, 48:718, 49:272, 49:273, 49:275, 49:285, 49:288, 49:292, 49:520, 49:532, 49:533, 50:91, 50:275, 50:450, 51:268, 52:258, 52:260, 52:300, 52:403, 52:406, 52:514, 52:530, 52:531, 52:534–537, 52:552–563, 52:597, 53: 87, 53:346, 53:349–354, 53:358, 53: 367, 53:431, 53:435–438, 54:86, 54:88, 54:272, 54:275, 54:300–303, 55:51, 55:288, 55:289, 55:366, 55:370, 55: 595, 56:9, 56:11, 56:224, 56:242, 56:244, 56:414
megalops, 48:574, 49:124
mekisturus, 48:574
melanocarpus, 48:574
melanophrys, 48:574, 52:329, 52:330
melanotis, 48:574, 49:130
melanurus, 48:568, 48:570, 48:574
merriami, 48:574
mexicanus, 48:574
nasutus, 48:574, 48:577, 49:285, 49:286, 49:288, 53:435
nesodytes, 52:530, 52:534
ochraventer, 48:574
pectoralis, 48:574, 49:283–288, 52:403 53:87–89, 55:288
perfulvus, 48:574, 53:9–20, 54:235, 54: 373, 54:528, 54:537, 54:543, 54:545, 54:548, 54:551, 54:557, 55:147
polionotus, 48:430, 53:17
polius, 48:574
schmidlyi, 52:620–623
simulus, 48:574
spicilegus, 48:574, 49:520, 49:521, 52: 620–622, 53:102, 53:103, 54:413, 54:416, 54:417
stephani, 48:574, 48:576
truei, 47:329, 48:570, 48:574, 49:285, 49: 286, 49:288, 49:292, 53:357–369, 55:379
winkelmanni, 48:574
yucatanicus, 48:310–312, 48:571, 48:574
zarhynchus, 48:568, 48:574
Peromyscus levipes (Rodentia: Muridae) in deciduous forest in southeastern Morelos, Mexico, María de Lourdes Romero-Almaraz, Carlos García-Estrada, and Cornelio Sánchez-Hernández, 49:125–131
Peropteryx
kappler, 48:574
kappleri, 48:577
macrotis, 48:574, 50:97
Perry, Travis W., Thomas Newman, and Katherine M. Thibault, Evaluation of methods used to estimate size of a population of desert bighorn sheep (*Ovis canadensis mexicana*) in New Mexico, 55:517–524
Perry, William M., see Miller, Michael R., —
Persistent or transient seed banks in three Sonoran Desert cacti, new evidence for, Janice E. Bowers, 50:482–487
Petalonix thurberi, 50:142, 50:143
Petalostemon purpurea, 47:590
Petasites hybridus, 48:13
Petersen, James H., see Paukert, Craig P., and —
Peterson, A. Townsend, Kansas gap analysis: the importance of validating distributional models before using them, 50:230–236
Peterson, A. Townsend, see Anderson, Robert P., —
Peterson, A. Townsend, Subtle recent distributional shifts in Great Plains bird species, 48:289–292
Petrador pumila, 48:504
Petrochelidon
fulva, 49:106, 51:203–209, 52:58
pyrrhonata, 54:208–210
pyrrhonota, 47:142, 51:204, 51:528, 52: 55–57, 54:426
Petromyzon marinus, 54:156
Petrophila, 48:31, 50:242
Petrosaurus, 48:211
mearnsi, 55:583
repens, 47:44, 47:46–48, 47:52, 52:243–250

thalassinus, 47:53, 52:243–250
Petryszyn, Yar, see Bucci, Melanie, —
Petryszyn, Yar, see Gottesman, Amy B., —
Peucedramus taeniatus, 52:276, 55:25
Peucetia longipalpis, 56:47
Peucticus
ludovicianus, 48:77
melanocephalus, 48:77
Peumus boldus, 56:418
Pfeiler, Edward, see Gallo-Reynoso, Juan-Pablo, —
Phacelia
affinis, 52:200, 53:72
distans, 49:191, 53:72
hastata, 48:504
parryi, 52:200
pauciflora, 53:72
pedicellata, 53:72
ramosissima, 53:72
suffrutescens, 53:72
tanacetifolia, 53:72
Phainopepla nitens, 49:32, 50:442
Phalacrocoracidae, 49:48, 51:232
Phalacrocorax
auritis, 48:360, 52:315
auritus, 49:48–53, 51:103, 51:232
brasilianus, 49:107
brasiliensis, 49:52
penicillatum, 50:252
Phalaenidae, 54:198
Phalaenoptilus nuttallii, 49:106, 51:575, 54:317, 54:319, 54:377
Phalaris
aquatica, 49:247, 51:574
caroliniana, 55:257
Phalaropus, 47:376
lobatus, 54:288
tricolor, 47:374
Phanaeus, 50:91
Phanes aletes, 48:524
Phaneus, 49:272
Phantyna mulegensis, 56:47
Phanus marshallii, 48:520
Pharyngodon
giganticus, 52:248
oxkutzcabiensis, 48:214
Pharyngodonidae, 52:243–250
Phascolarctos cinereus, 51:277
Phaseolus, 51:1, 51:6, 51:7, 55:426–428, 55:430, 55:431
albiflorus, 51:10
atropurpureus, 50:145
coccineus, 51:2, 51:4, 51:10
filiformis, 53:71
grayanus, 48:187
leptostachyus, 51:10
maculatifolius, 51:4, 51:10
maculatus, 51:10
neglectus, 51:10
pedicellatus, 51:10
scabrellus, 51:10
trifidus, 51:10
vulgaris, 51:4, 51:10
zimapanensis, 51:10
Phasianus colchicus, 51:528
Phaulothamnus spinescens, 47:426
Pheidole, 50:377, 54:213
longula, 48:450
Phelps, Kendra L., and Karen McBee, Population parameters of *Peromyscus leucopus* (white-footed deermice) inhabiting a heavy metal contaminated superfund site, 55:363–373
Phenacobius mirabilis, 49:86, 54:388, 55:154
Phenacomys, 47:67
intermedius, 47:63, 47:64
Phenology and distribution of caddisflies (Trichoptera) in Oak Creek, a high-desert perennial stream in Arizona, Dean W. Blinn and David E. Ruiter, 54:182–194
Phenology of *Acacia berlandieri*, *A. minuata*, *A. rigidula*, *A. schaffneri*, and *Chloroleucon ebano* in the Lower Rio Grande Valley of Texas during a drought, Melissa R. Eddy and Frank W. Judd, 48:321–332
Phenotypic and reproductive responses of *Aspidoscelis tigris* (Squamata: Teiidae) to shifts in winter precipitation across the southern Sierra Nevada Range, Kern County, California, Harry L. Taylor, 48:680–684
Pheucticus melanocephalus, 48:383–388, 49:32, 50:442, 50:520, 52:276, 56:205
Phidippus, 54:332
apacheanus, 56:50
ardens, 54:336, 56:50
californicus, 56:45, 56:50
carneus, 56:50
octopunctatus, 56:50
pius, 56:50
vexans, 56:50
Philaethria diatonica, 48:508, 48:513
Philander opossum, 52:311
Phillippe, Loy R., Mary A. Feist, Daniel T. Busemeyer, Paul B. Marcum, Connie J. Carroll, Greg R. Spyreas, and John E. Ebinger, Vegetation of forest and savanna communities on glacial sand deposits in northeastern Illinois, 56:54–60
Phillips, C. T., M. L. Alexander, and R. Howard, Consumption of eggs of the endangered fountain darter (*Etheostoma fonticola*) by native and non-native snails, 55:115–117
Phillips, Catherine T., Carol E. Johnston, and Andrew R. Henderson, Sound production and spawning behavior in *Cyprinella lepida*, the Edwards Plateau shiner, 55:129–135
Phillips, Catherine T., J. Randy Gibson, and Joe N. Fries, Spawning behavior and nest association by *Dionda diaboli* in the Devils River, Texas, 56:108–112
Phillips, Catherine T., James R. Gibson, and Joe N. Fries, Agonistic and courtship behaviors in *Dionda diaboli*, the Devils River minnow, 54:341–344
Phillips, Polly K., see Sanborn, Allen F., and —
Phillips, Sherman A., Jr., see Quarles, Abigail, —
Phillips, Stephen M., and Gerald E. Einem, Seaside sparrows, *Ammodramus maritimus*, breeding in the Rio Grande Delta, southern Texas, 48:465–467
Philodromidae, 54:331, 54:332, 54:335, 54:337, 56:45, 56:49
Philodromus, 54:335
infuscatus, 56:49
marginellus, 56:49
rufus, 56:49
Philodryas chamisonis, 56:420
Philopotamidae, 51:147, 51:334, 53:381, 54:187, 54:189, 54:190
Philosocereus moritzianus, 47:79
Phlox
austromontana, 52:200
cuspidata, 50:292
diffusa, 50:298
divaricata, 50:299
dolichantha, 50:291–301
drummondii, 50:293
grayi, 50:291–301
stansburyi, 50:291–301
superba, 50:291–301
Phocide
belus, 48:520
pigmalion, 48:520
spalemon, 48:520
Phoebis
agarithe, 48:512
argante, 48:512
philea, 48:512
sennae, 48:512
Phoenix, 50:472, 50:473, 50:475
dactylifera, 51:505, 52:192
Pholcidae, 54:331–333, 54:335, 54:337, 56:46
Pholistoma racemosum, 53:72
Phoradendron, 54:95
bolleanum, 53:73
californicum, 52:200, 53:73
cerotinum, 52:200
densum, 52:200, 53:73
serotinum, 53:73
tomentosum, 52:522
villosum, 53:73
Phoridae, 55:191, 56:80, 56:427
Phormidium
fragilis, 49:399
tenue, 49:397, 49:399
Photomorphus, 51:537, 51:538
Photopsis, 51:537
ceres, 51:538
imperialiformis, 51:538
marpesia, 51:538

Photosynthetic rates of two species of Malvaceae, *Malvaviscus arboreus* var. *drummondii* (wax mallow) and *Abutilon theophrasti* (velvetleaf), O. W. Van Auken and J. K. Bush, 56:325–332
Phoxinus erythrogaster, 54:397
Phragmites australis, 47:32, 47:247, 47:423, 51:505, 53:86, 54:318, 55:318, 55:341
Phrurolithus apacheus, 56:48
Phrurotimpus
certus, 56:48
woodburyi, 56:48
Phrynops geoffroanus, 55:95
Phrynosoma, 55:137
asio, 49:267–270
braconnieri, 49:267–269
cornutum, 47:103–106, 48:111–118, 48:274–277, 48:278–282, 48:351, 48:353, 49:144, 49:267, 49:269, 50:21, 50:216–222, 50:270 52:113, 52:251, 53:481, 53:483–485, 54:211–213, 55:249, 55:421
coronatum, 47:44, 47:46, 47:47, 47:53, 51:448, 52:618, 55:583
ditmarsi, 49:267–270
douglassi, 55:114
douglassii, 50:209
hernandesi, 48:351, 49:272, 55:114, 55:244, 55:246–248, 55:252
mcallii, 51:521, 54:307–316, 56:294, 56:452, 56:460, 56:471
modestum, 47:138–141, 50:21, 52:113, 52:251
orbiculare, 49:267–269
platyrhinos, 48:106, 48:116, 50:17–23, 52:618
solare, 48:351, 49:267–269, 55:244, 55:246–248, 55:252
taurus, 49:267–269
Phrynosomatidae, 47:44, 47:52, 47:98–102, 47:138–141, 48:111–118, 50:178–187, 52:243–250, 52:325, 54:400–408, 55:98–103, 55:112, 55:252, 55:278, 55:584, 56:71–77, 56:119–120
Phrynotettix robustus, 55:111, 55:112
Phyciodes
phaon, 48:514
tharos, 52:13
Phyla
incisa, 47:300
nodiflora, 55:194
Phyllanthus polygonoides, 53:499
Phyllodactylus, 56:267
bordai, 48:674
xanti, 47:44, 47:46, 47:47, 47:52
Phyllodoce breweri, 54:356
Phyllogomphoides, 50:243
Phylloicus
aeneus, 48:36–42, 51:332
mexicanus, 51:332, 54:185
Phyllorhynchus
browni, 48:550–556, 55:247, 55:253
decurtatus, 48:550–556
Phyllostgoma lilium, 48:437
Phyllostomidae, 47:137–138, 48:437–441, 48:574, 48:582–584, 48:600, 48:601, 49:425, 50:97, 51:269, 51:270, 53:517–520, 54:225, 54:412, 54:413, 55:347, 55:353, 55:355, 55:356, 55:454, 55:455
Phyllostomus
discolor, 48:575, 48:583, 48:585, 50:97
stenops, 48:575
Phyllotis darwini, 56:420
Phylogenetic relationships of ocelot (*Leopardus pardalis albescens*) populations from the Tamaulipan biotic province and implications for recovery, Jan E. Janečka, Chris W. Walker, Michael E. Tewes, Arturo Caso, Linda L. Laack, and Rodney L. Honeycutt, 52:89–96
Phylostylon brasiliense, 51:463
Phyrnosoma cornutum, 56:318
Physa, 47:465, 53:400, 55:136
acuta, 50:415–422
ancillaria, 50:415
cubensis, 50:420
gyrina, 50:415, 56:216–223
heterostropha, 50:415, 50:420
integra, 50:415
virgata, 50:415–422
Physalaemus pustulosus, 50:493
Physalis, 47:602, 50:209
cinerascens, 49:183, 49:184, 49:186, 55:193, 55:197, 55:198
crassifolia, 53:73
heterophylla, 55:256, 55:260
longifolia, 55:256, 55:260
pubescens, 56:160
Physaloptera, 47:294–297, 47:307–309, 52:243, 52:245, 52:246, 54:495, 54:496
retusa, 48:208–212, 48:215, 48:217, 52:248
Physalopteridae, 52:243
Physaria thamnophila, 56:341–352
Physella, 50:244
virgata, 55:115, 55:116
Physical and chemical characteristics of antlers and antler breakage in white-tailed deer, Christopher G. McDonald, Steve Demarais, Tyler A. Campbell, Herb F. Janssen, Vivien G. Allen, and Anita M. Kelley, 50:356–362
Physidae, 47:465, 50:244, 50:415, 53:401, 55:115, 56:216–223
Physocarpus monogynus, 50:502, 53:152
Physocephalus, 47:294–297, 47:307–309, 48:208–211, 48:213, 48:214, 48:217
Physocyclus
enaulus, 56:46, 56:50–52
tanneri, 54:335
Physocypria, 51:232
Physostegia
intermedia, 55:256
pulchella, 55:254, 55:256, 55:258, 55:260
Phytolacca americana, 54:346–348
Phytolaccaceae, 53:72
Piabuna brevispina, 56:48
Piaggio, Antoinette J., see Fischer, Justin W., —
Pianteria, 51:6
Piaya cayana, 47:473, 47:474, 48:709, 54:93
Pica pica, 48:386
Piccin, Theresa, see Smith, Thomas, and —
Picea, 48:257, 49:395, 50:8, 51:5, 51:6, 52:28, 54:201, 56:261, 56:329
chihuahuana, 55:348
engelmannii, 47:63, 47:269, 47:498, 48:258, 49:132, 50:199, 50:211, 50:212, 50:462, 51:60, 51:65, 52:494, 53:35, 53:152, 53:154, 53:155, 54:328, 55:123, 55:218, 56:2, 56:306
englemanii, 50:370
pungens, 47:63, 47:269, 49:241, 50:211, 50:213, 53:35, 53:253, 56:2, 56:306
Picidae, 47:553
Picoides
albolarvatus, 48:65, 48:69
arcticus, 48:69
arizonae, 48:69, 52:277
borealis, 47:110, 48:69
dorsalis, 48:62
lignarius, 48:66
mixtus, 48:69
nuttalli, 48:69
pubescens, 48:69, 48:380, 55:24
scalaris, 47:282, 48:69, 50:442, 53:466–468
stricklandi, 48:69
tridactylus, 48:62, 48:69, 55:24
villosus, 48:69, 52:276, 55:24, 55:26
Picris galilaea, 49:11
Piculus
auricularis, 48:69
aurulentus, 48:69
callopterus, 48:69
chrysochloros, 48:69
flavigula, 48:69
leucolameus, 48:69
litae, 48:69
rivolii, 48:69
rubiginosus, 48:69
rubinosus, 50:347
simplex, 48:69
Pieper, Rex D., see Mata-González, Ricardo, —
Pierce, Becky M., see Bleich, Vernon C., —
Pierce, Becky M., see Villepique, Jeffrey T., —
Pierce, Benjamin A., James L. Christiansen, Alexis L. Ritzer, and Taylor A. Jones, Ecology of Georgetown salamanders (*Eurycea naufragia*) within the flow of a spring, 55:291–297
Pieriballia viardi, 48:513
Pieridae, 48:509, 48:512, 50:297, 52:13
Pilger, Tyler J., Nathan R. Franssen, and Keith B. Gido, Consumption of native and nonnative fishes by

introduced largemouth bass (*Micropterus salmoides*) in the San Juan River, New Mexico, 53:105–108
Pilosocereus, 55:348
lanuginosus, 47:83
Pimephales, 54:344
notatus, 47:187, 47:189, 47:191, 52:137, 53:126, 54:389, 54:517
promelas, 48:224, 48:667, 49:85, 49:86, 52:130, 52:132, 52:133, 52:137, 52:241, 52:383, 52:384, 53:106, 53:126, 53:236, 53:237, 53:531, 54:109, 54:389, 54:465, 55:78, 55:81, 55:82, 55:152–154, 55:547
tenellus, 52:137–141, 54:389
vigilax, 49:437, 49:438, 50:76, 50:77, 50:488, 52:137, 53:125–128, 54:385, 54:389, 55:153, 55:154
Pimephales vigilax and *Percina macrolepida* in the Rio Grande, New Mexico, range extensions for, Stephen R. Davenport and W. Jason Remshardt, 53:125–128
Pinaceae, 48:187, 51:485, 53:62, 53:70
Pineda, Felicianao Heredia, see Delgadillo Villalobos, Jonás A., —
Pineda, Feliciano Heredia, see McCormack, John E., —
Pinguicula
moranensis, 56:78–82
vulgaris, 56:79, 56:80
Pinnularia divergens, 49:401
Pinus, 47:311, 48:114, 48:179, 48:374, 48:404, 48:673, 49:123, 50:103, 50:179, 50:370, 50:467, 50:501, 50:503, 51:114, 51:271, 51:283, 51:553, 51:574, 52:33, 52:98, 52:112, 52:194, 52:271–283, 52:330, 52:595, 52:620, 54:58, 54:61–63, 54:196, 54:345, 54:362, 54:416, 55:348, 55:448, 55:451, 55:494, 56:78–80, 56:260, 56:400, 56:432
albicaulis, 51:109
aristata, 50:211–214
arizonica, 48:185, 52:273
caribaea, 56:212
cembroides, 48:177, 48:181–183, 48:185, 48:187, 48:684, 51:1, 51:2, 51:4–7, 55:428
chihuahuana, 48:181–185, 48:187, 53:257
contorta, 50:209, 50:211–213, 51:109, 51:427, 53:22, 53:347, 56:329
culminicola, 51:2, 51:5, 55:428
discolor, 48:605
durangensis, 48:177
echinata, 47:590, 51:359, 56:173
edulis, 47:2, 47:134, 47:158, 47:325, 47:482, 48:16, 48:133, 48:224, 48:235, 48:257, 48:605, 48:626, 49:240, 49:271, 49:322, 49:385, 49:524, 50:199, 50:209, 50:212, 50:323, 50:324, 50:461, 51:579, 52:542, 53:148, 53:150, 53:152, 53:154, 53:156, 53:158, 54:59, 54:201, 54:249, 54:447, 55:23, 56:2, 56:129, 56:232, 56:306
engelmannii, 48:181–185, 48:187, 49:25, 50:8, 50:9, 51:311, 52:273, 52:622
flexilis, 48:492, 48:496, 48:497, 48:501, 48:504, 50:199, 50:211, 50:213, 52:3, 53:35, 53:151, 53:153, 56:261
flexis, 48:493
halepensis, 56:18
hartwegii, 51:5, 55:428
jeffreyi, 51:109, 51:427, 51:449, 53:347
lambertiana, 51:427, 52:158, 53:22, 53:347
leiophyla, 51:456
leiophylla, 48:235, 49:25, 50:8, 50:9
longaeva, 48:492, 48:493, 48:496, 48:497, 48:504
monophylla, 47:579, 48:605, 50:293, 52:200, 53:61, 53:62, 53:65, 53:66, 53:70
montezumae, 51:456, 51:460
monticola, 51:108, 53:22, 53:347
oocarpa, 53:535, 54:512, 55:140, 55:141, 56:212
palustris, 52:84
ponderosa, 47:2, 47:64, 47:134, 47:269, 47:325, 47:484, 47:498, 48:15, 48:16, 48:133, 48:224, 48:257, 48:349, 48:492–494, 48:496, 48:504, 48:605, 49:25, 49:233, 49:239, 49:241, 49:385, 49:479, 49:524, 50:199, 50:209, 50:211–213, 50:293, 50:323, 50:325, 50:461, 50:502, 51:64, 51:65, 51:412, 51:427, 51:449, 51:579, 52:27, 52:1–14, 52:150, 52:158, 52:162, 52:273, 52:493–503, 52:511, 52:622, 53:22, 53:34, 53:146–148, 53:151, 53:153–156, 53:158, 53:202, 53:252, 53:253, 53:347, 53:432, 54:59, 54:152, 54:201, 54:248–251, 54:446, 54:447, 55:22–28, 55:172, 55:218, 55:412, 56:2, 56:25, 56:193–203, 56:216, 56:232, 56:306
pringlei, 55:141
pseudostrobus, 51:2, 51:456, 51:460, 53:92, 55:428, 56:401
quadrifolia, 47:578, 47:579, 52:196, 52:200
radiata, 47:226
sabiniana, 51:485
strobiformis, 47:498, 50:94, 50:325, 50:461, 50:462, 50:502, 51:60, 51:65, 53:432, 55:218, 55:428, 56:2, 56:25, 56:306
strobus, 47:269
taeda, 51:359, 52:84, 53:451, 55:540, 56:67, 56:423
taedus, 55:204
teocote, 51:2, 51:456, 55:428
yecorensis, 52:622
Piper, 53:518
Piperaceae, 48:581
Pipilio
fuscus, 47:288
maculatus, 54:290
Pipilo
aberti, 47:237, 49:32
chlororus, 50:442
crissalis, 54:324–330
erythrophthalmus, 48:296, 54:377
fuscus, 49:32, 49:108, 52:113
maculatus, 49:32, 52:276
Pipistrellus
hesperus, 48:142, 48:143, 48:575, 49:516, 50:200, 50:202, 50:203, 52:482, 52:483, 52:485–491
pipistrellus, 50:457, 50:458, 54:173
subflavus, 48:575, 48:713, 49:295, 49:297, 51:419, 51:420–422, 52:483, 54:422
Piptochaetium
fimbriatum, 48:179, 48:181, 48:182, 48:231, 48:236
pringlei, 50:94
Piranga
flava, 49:32, 52:276
ludoviciana, 49:32, 54:58, 54:59, 56:205
olivacea, 47:553, 48:294
rubra, 47:553, 48:294, 49:32, 53:468, 54:94
Pirata, 51:310, 51:316
sedentarius, 54:333, 54:335
Piratuba
lanceolata, 48:212, 48:214
prolifica, 48:212
Pires-da Silva, André, see Azevedo, Fernando C. C., —
Pisauridae, 47:464
Pisces, 52:229–233
Piscidia piscipula, 51:463
Pistacea mexicana, 48:673, 48:674
Pistia
stratiodes, 50:381
stratiotes, 55:318
Pisum, 55:427
sativum, 50:3, 51:1
Pithecellobium confine, 50:144
Pithecellobium, 48:397, 51:1, 51:8
acatlense, 49:127
dulce, 48:123, 49:126, 51:463, 53:10
ebano, 54:69
flexicaule, 51:491
lanceolatum, 53:10, 55:319
minutum, 47:90
sonorae, 55:316
Pithocellobium ebano, 54:68
Pitman, James C., see Adams, R. Bill, —
Pittman, Michael T., see Foster, Justin A., —
Pitts, James P., see Wilson, Joseph S., —
Pitts, Richard M., Jerry R. Choate, and Nancy A. Hernandez, Reproduction of the plains pocket gopher (*Geomys bursarius*) and Baird's pocket gopher (*G. breviceps*) in Texas, 50:393–397
Pituophis
catenifer, 48:351, 48:352, 49:410, 51:41, 51:42, 51:44, 51:46, 54:353, 55:246, 55:248, 55:253, 56:433
deppei, 50:24–27, 50:29
melanoleucus, 47:307–308, 48:106, 50:29, 52:113
sayi, 55:458
Pityopis sayi, 47:308

Plagiobothrys
californicus, 53:71
collinus, 53:71
Plagiorchiidae, 50:253
Plagithmysus, 52:356–365
claviger, 52:356, 52:358, 52:366, 52:367
varians, 52:356, 52:358, 52:366, 52:367
Planera aquatica, 47:487, 49:62
Planorbidae, 47:465, 51:232, 55:115
Plant associations of Cumbres de Majalca National Park, Chihuahua, Mexico, Eduardo Estrada-Castillón, Enrique Jurado, José J. Navar, Javier Jiménez-Pérez, and Fortunato Garza-Ocañas, 48:177–187
Plant associations of El Vizcaíno Biosphere Reserve, Baja California Sur, Mexico, Manuel Peinado, José Delgadillo, and Juan L. Aguirre, 50: 129–149
Plant diversity in an imperiled gamagrass community in northeastern Texas, Aditi Sinha, Jeffrey G. Kopachena, and Jim Eidson, 55:254–262
Plantaginaceae, 49:190, 49:191, 53:72
Plantago, 53:2
cordata, 53:463
insularis, 52:522, 52:523
lanceolata, 49:190, 49:191
patagonica, 53:72
purshii, 53:72
virginica, 53:499
Plantanus, 51:326, 51:327
occidentalis, 48:293
wrightii, 49:25, 54:183
Plasmodium, 48:288, 54:205, 54:206
chiricahua, 54:204
Plasticine replica snakes to elicit antipredator behavior in the California ground squirrel (*Spermophilus beecheyi*), use of, Milan J. Mitrovich and Rachel A. Cotroneo, 51:263–267
Platanus
occidentalis, 49:64, 52:455, 54:91, 54:346–348, 54:502, 55:12
racemosa, 47:230, 51:574
wrightii, 51:311, 53:249, 53:252
Plathemis
lydia, 48:446, 54:98
subornata, 54:98
Platichthys stellatus, 53:339
Platt, Steven G., Thomas R. Rainwater, Daniel J. Leavitt, and Stanlee M. Miller, Diet of barn owls (*Tyto alba*) in northern Belize, 54:104–107
Platt, Steven G., Thomas R. Rainwater, Scott Snider, Anthony Garel, Todd A. Anderson, and Scott T. McMurry, Consumption of large mammals by *Crocodylus moreletii*: field observations of necrophagy and interspecific kleptoparasitism, 52:310–317
Platydoras costatus, 50:247
Platygastridae, 55:192
Platygobio gracilis, 50:489, 53:127, 54:490, 55:81, 55:82
Platygonus, 50:370, 51:233, 51:234
bicalcaratus, 50:367, 50:368
compressus, 50:363, 50:366–369, 50:371
leptorhinus, 50:369
pearcei, 50:367, 50:368
vetus, 50:367–369
Platyhelminthes, 51:251–252
Platyprepia virginalis, 49:189, 49:190, 49: 192
Platyrrhinus helleri, 47:137, 48:575, 48:583, 50:97
Platystemon californicus, 49:191, 53:72
Plebeius icarioides, 52:6, 52:13
Plebejus
lupini, 52:13
saepiolus, 52:13
Plectomerus dombeyanus, 53:46
Plectreuridae, 54:332, 54:335, 54:337
Plectreurys, 54:335
Plectrophenax nivalis, 54:285
Plegadis, 51:232
chihi, 47:476–482, 48:130–131, 48:356–364, 49:108, 50:320, 54:287
Pleochaetis exilis, 48:721
Plestiodon
fasciatus, 56:370
gilberti, 55:583, 55:584
obsoletus, 53:287, 53:292
obtusirostris, 53:287, 53:292
skiltonianus, 55:114, 55:583, 55:584
Plethodon
albagula, 47:407, 56:172–179
angusticlavius, 48:96–100
cinereus, 47:406, 47:407, 48:99, 52:33, 53:116, 56:173
dorsalis, 48:96, 48:98, 48:99
glutinosus, 47:402
kentucki, 47:406
neomexicanus, 52:26–37, 56:175
ouachitae, 47:401–408
serratus, 47:407
Plethodontidae, 47:401–408, 47:611–613, 50:365, 52:27, 52:324
Pleuraphis
jamesii, 51:173
mutica, 47:276–279, 49:6, 55:283, 55:498
Pleurobema
rubrum, 53:46
sintoxia, 53:46
Pleuroceridae, 52:475–481
Pleurochaete, 47:587
squarrosa, 47:588
Pleurocoronis laphamioides, 53:70
Pleuronectidae, 53:339
Pleurotaenium minutum, 49:403
Pluchea sericea, 49:502, 49:503, 51:29, 51: 515, 53:312
Plumeria rubra, 55:348
Plummer, Alana C., see Bulté, Grégory, —
Pluvialis
dominica, 47:374
squatarola, 54:128
Poa, 52:112
annua, 53:73
bigelovii, 53:73
cusickii, 54:356
pratensis, 47:631, 52:497, 56:56, 56:59, 56:60
secunda, 48:504, 51:574
stebbinsii, 54:356
Poaceae, 47:464, 48:187, 48:443, 49:176, 49:183, 49:185, 49:186, 49:190, 49:191, 50:91, 50:475, 50:476, 51:458, 52:511, 53:73, 53:498, 55:254, 55:257, 55:258, 55:319, 56:160, 56:276, 56:344
Poanes taxiles, 52:14
Podacris
atrata, 47:300
muralis, 52:584, 56:373
Podicepedidae, 54:108
Podiceps
clarkii, 54:108
nigricollis, 51:103, 51:232
Podicipedidae, 51:232
Podilymbus podiceps, 51:103, 55:570
Podophyllum peltatum, 54:347, 54:348
Podostemaceae, 47:604–605
Podostemon ceratophyllum, 47:604–605
Podotheca gnaphalioides, 48:12
Poduridae, 55:191
Poecila sclateri, 52:275, 52:276
Poecile
carolinensis, 47:553, 53:468
gambeli, 55:24, 55:26
Poecilia
butleri, 55:600, 56:285
formosa, 48:451–453
gillii, 52:372
latipinna, 48:451–453, 49:437, 49:438, 54:156, 54:157, 56:385, 56:386, 56: 389
mexicana, 54:156, 54:157
reticulata, 51:502, 51:503, 54:486, 55:266
Poecilidae, 53:400, 55:280
Poeciliidae, 48:451–453, 52:132, 52:372, 54:390, 56:263
Poeciliopsis
gracilis, 54:156, 54:157
infans, 52:230
latidens, 55:600
occidentalis, 53:460, 54:157
presidionis, 55:600, 56:285
prolifica, 55:600
Pogonias cromis, 49:49
Pogonomyrmex, 48:274–277, 50:217, 50:220, 51:518, 54:309
anergismus, 55:532–538
barbatus, 50:377, 55:532–537
colei, 55:532–537
desertorum, 54:213
montanus, 47:180
occidentalis, 47:175–181, 48:411, 48:412, 48:414
rugosus, 53:418, 53:561, 53:566, 53:569, 54:113, 54:211, 54:213, 55:532–537
Polaskia, 48:673

Polechla, Paul J., Jr., see Cartron, Jean-Luc E., —
Polemaetus bellicosus, 49:110
Polemoniaceae, 50:291–301, 53:72
Polioptila, 55:391
caerulea, 47:553, 49:32, 50:440, 50:442, 53:468, 54:58, 54:59, 54:94, 55:462
californica, 50:440–442
melanura, 47:237, 49:32
nigriceps, 49:277–278, 55:390
Polistes, 55:112
Polites
draco, 52:14
themistocles, 52:14
vibex, 48:525
Pollination biology of four southwestern species of *Phlox* (Polemoniaceae): insect visitation in relation to corolla tube length, Suzanne C. Strakosh and Carolyn J. Ferguson, 50:291–301
Pollination biology of *Justicia candicans* (Acanthaceae) in central Sonora, Mexico, notes on the, Maria de los Angeles Quintana-Vásquez, 52:302–305
Pollock, Matthew T., see Webb, Stephen L., —
Polyborus plancus, 51:582
Polycentropidae, 50:243
Polycentropodidae, 51:147, 54:187, 54:189, 54:190
Polycentropus, 51:147
arizonensis, 51:334, 54:187, 54:189, 54:190
aztecus, 51:334
gertschi, 51:334, 54:187
halidus, 51:334, 54:187
variegatus, 51:334, 54:192
Polychrotidae, 52:325, 55:466, 56:83–88
Polyctor cleta, 48:522
Polydactyly in the cave myotis (*Myotis velifer*) in north-central Texas, Charles E. Pekins, 54:222–225
Polydesmidae, 56:425
Polygala
alba, 55:498
scoparioides, 55:498
Polygalaceae, 51:458
Polygonaceae, 49:191, 51:13, 51:463, 51:465, 53:72, 54:348, 55:256
Polygonia gracilis, 52:13
Polygonum, 55:260
aviculare, 48:494, 48:504, 50:213
careyi, 56:55
pennsylvanicum, 47:487
pensylvanicum, 56:329, 56:330
persicaria, 55:256, 55:259
punctatum, 53:396, 53:397, 53:461, 53:462
scandens, 50:213
virginianum, 56:329
Polygonus manuelli, 48:520
Polygyridae, 48:14–22
Polymitarcyidae, 48:30
Polyodon spathula, 54:397
Polyphagidae, 55:112
Polyphylla, 48:198
Polyplectropus, 50:243
Polypogon
monospeliensis, 53:397
monspeliensis, 53:73
Polystoma naevius, 47:294, 47:296, 47:297
Polystomatidae, 50:253
Polytaenia
nuttali, 55:260
nuttallii, 55:256
Polythrix
asine, 48:520
octomaculata, 48:520
Polytrichum, 47:587, 47:588, 47:593
Pomacea flagellata, 52:311
Pomadasys crocro, 52:372
Pomaria, 51:5
canescens, 51:4, 51:9
wootonii, 51:4, 51:6, 51:9, 55:430
Pomaxis
annularis, 48:452, 50:76, 50:77, 51:398, 54:391, 55:82, 55:153, 55:155, 55:405
nigromaculatus, 48:452, 52:133, 54:391, 55:82
Pompeius pompeius, 48:525
Pompidae, 47:465
Pompilidae, 53:190–195
Ponce-Guevara, Eduardo, see Pelz-Serrano, Karla, —
Pontia protodice, 52:6, 52:13
Poocetes gramineus, 50:450
Pooecetes gramineus, 47:282, 47:286
Poole, Matthew W., and Raymond S. Matlack, Prairie vole and other small mammals from the Texas Panhandle, 52:442–445
Pope, Kevin L., see Durham, Bart W., —
Pope, Theresa L., and William M. Block, Effects of prescribed fire on winter assemblages of birds in ponderosa pine forests of northern Arizona, 55:22–28
Popenaias
buckleyi, 48:334
popeii, 48:333–340
Popowski, Ronald J., and Paul R. Krausman, Use of crossings over the Tucson Aqueduct by selected mammals, 47:363–371
Population characteristics, growth, and spatial activity of *Siren intermedia* in an intensively managed wetland, Paul W. Frese, Alicia Mathis, and Robert Wilkinson, 48:534–542
Population characteristics, survival rates, and causes of mortality of striped skunks (*Mephitis mephitis*) on the southern High Plains, Texas, Leslie A. Hansen, Nancy E. Mathews, Bruce A. Vander Lee, and R. Scott Lutz, 49:54–60
Population decline of ground-nesting black-bellied whistling ducks (*Dendrocygna autumnalis*) on islands in southern Texas, Samuel T. Edmonds and Dorie S. Stolley, 53:185–189
Population density and habitat use of mule deer (*Odocoileus hemionus*) on Santa Catalina Island, California, Paul Stapp and Darcee A. Guttilla, 51:572–578
Population dynamics of a threatened sand dune lizard, Cameron W. Barrows, 51:514–523
Population dynamics of small mammals in relation to production of cones in four types of forests in the northern Sierra Nevada, California, James A. Wilson, Douglas A. Kelt, Dirk H. Van Vuren, and Michael L. Johnson, 53:346–356
Population dynamics of the western prickly pear, *Opuntia macrorhiza* (Cactaceae), Kathleen H. Keeler and Brigitte Tenhumberg, 56:147–153
Population of Texas fawnsfoot, *Truncilla macrodon* (Bivalvia: Unionidae), in the Brazos River, Texas, first account of a living, Charles R. Randkley, Benjamin J. Lundeen, Robert G. Howells, and James H. Kennedy, 55:297–298
Population parameters of *Peromyscus leucopus* (white-footed deermice) inhabiting a heavy metal contaminated superfund site, Kendra L. Phelps and Karen McBee, 55:363–373
Population status and conservation of the black toad, *Bufo exsul*, John F. Murphy, Eric T. Simandle, and Dawne E. Becker, 48:54–60
Population status and distribution of a decimated amphibian, the relict leopard frog (*Rana onca*), David F. Bradford, Jef R. Jaeger, and Randy D. Jennings, 49:218–228
Population status of the American crocodile (*Crocodylus acutus*) in El Cajon Reservoir, Honduras, Mario Espinal and Armando H. Escobedo-Galván, 56:212–215
Population trends of breeding birds on the Edwards Plateau, Texas: local versus regional patterns, Richard M. Kostecke, 53:466–471
Population trends of the endangered golden-cheeked warbler at Fort Hood, Texas, from 1992–2001, Angela D. Anders and Donald C. Dearborn, 49:39–47
Population variation in dune-dwelling lizards in response to patch size, patch quality, and oil and gas development, Nicole L. Smolensky and Lee A. Fitzgerald, 56:315–324
Populations of loach minnow, *Tiaroga cobitis* (Cyprinidae), in Arizona, new and rediscovered, Paul C. Marsh, Brian E. Bagley, Glen W. Knowles,

Gary Schiffmiller, and Patricia A. Sowka, 48:666–669
Populus, 47:492, 47:633, 49:113, 49:385, 49:395, 51:326, 51:327, 52:33, 52:224, 54:69, 54:202, 54:504, 56:205
acuminata, 51:415, 55:341
alba, 52:226
angustifolia, 48:384, 50:199, 51:53, 51:120, 52:280, 53:251, 53:252, 54:196
deltoides, 47:373, 47:462, 47:464, 47:630, 48:188–201, 48:373, 48:374, 48:377, 51:120, 52:101, 52:220–222, 52:225, 52:455, 54:422
fremontii, 47:237, 47:503, 47:598, 47:626, 48:391, 48:413, 49:25, 51:65, 51:574, 52:196, 52:200, 53:251, 53:252, 53:400, 53:459, 54:183, 54:227, 55:241, 55:274, 55:375, 56:18
mexicana, 55:318
nigra, 53:97, 54:450
tremuloides, 47:63, 47:269, 48:17, 48:185, 48:492–497, 48:501, 48:504, 49:494, 50:94, 50:199, 50:211, 50:213, 50:325, 50:462, 51:64, 51:65, 51:67, 51:68, 51:109, 51:412, 52:2, 52:7, 52:13, 52:493–503, 53:35, 53:146–148, 53:150, 53:151, 53:153–158, 53:432, 55:218, 56:2, 56:97, 56:306, 56:432
wislizeni, 47:637
Porath, Mark T., Heidi B. Blasius, Jeffrey A. Conn, Kirk L. Young, and L. Stewart Jacks, Evaluating translocation of the Apache trout (*Oncorhynchus apache*) to nonhistorical renovated streams, 55:229–239
Porichthys notatus, 55:264
Porlieria angustifolia, 54:227
Porophyllum
gracile, 52:200, 53:70
scoparium, 55:496, 55:497
Porphyrio martinicus, 51:233
Porrocaecum, 47:294–297
Portales, Gloria L., Lucina Hernández, Fernando A. Cervantes, and John W. Laundré, Reproduction of black-tailed jackrabbits (Lagomorpha: *Lepus californicus*) in relation to environmental factors in the Chihuahuan Desert, Mexico, 49:359–366
Portieria angustifolia, 53:2
Portillo Reyes, Hector Orlando, Wilfredo Antonio Matamoros, and Sheri L. Glowinski, Distribution and conservation status of the giant anteater (*Myrmecophaga tridactyla*) in Honduras, 55:118–120
Portulaca
oleracea, 49:361
parvula, 48:487, 48:488
Portulacaceae, 49:191, 53:72
Portulacaeae, 52:121
Porzana carolina, 51:233, 54:105
Post, Diane M., see Stacey, Clovis A., and —
Postelichus immsi, 53:399–402
Post-grazing changes of vegetation in Big Bend National Park, Texas: a 50-year perspective, Daniel J. Leavitt, Allison F. Leavitt, and Christopher M. Ritzi, 55:493–500
Posthodiplostomum minimum, 52:125, 52:127, 52:128
Potamilus
alatus, 52:138
purpuratus, 53:46
Potamocypris, 51:232
Potamogeton, 47:487, 48:49, 48:50, 48:536, 51:505, 51:507, 52:138, 52:207, 53:73
nodosus, 52:202
pectinatus, 52:202
Potamogetonaceae, 53:73
Potamothrix moldaviensis, 53:271
Potamyia flava, 51:335
Potentilla, 47:226, 47:638, 52:5, 52:9
fruticosa, 52:10
hippiana, 52:10
pulcherrima, 52:10
simplex, 56:59
tridentata, 50:213
Potos flavus, 48:575
Pouteria
amygdalina, 48:506
campechiana, 48:506
reticulata, 48:506
sapota, 48:506
Powell, A. Michael, James Franklin (Jim) Scudday, 1929–2009, 55:299–303
Powell, Brian F., see Flesch, Aaron D., —
Power, Paula, see Oxley, F. M., —
Power, Paula, see Tolley-Jordan, Lori R., and —
Powers, Sara M., see Stone, Paul A., —
Poylcentropodidae, 51:334
Pozo, Carmen, Armando Luis Martínez, Santiago Uc Tescum, Noemí Salas Suárez, and Aixchel Maya Martínez, Butterflies (Papilionoidea and Hesperioidea) of Calakmul, Campeche, México, 48:505–525
Prairie falcon takes white-throated swift in flight, Amy L. Fesnock, 47:141–142
Prairie vole and other small mammals from the Texas Panhandle, Matthew W. Poole and Raymond S. Matlack, 52:442–445
Prairie vole in the Texas and Oklahoma panhandles, noteworthy distributional records of the, Rachel E. McCaffrey, Mark C. Wallace, Jan F. Kamler, and James D. Ray, 48:717–719
Pramuk, Jennifer B., and Joseph R. Mendelson, III, *Anaxyrus melanchlicus* Tschudi: synonym of the Mexican taxon *Bufo compactilis* Wiegmann (Anura: Bufonidae), 48:676–680
Prather, John W., and Kimberly G. Smith, Effects of tornado damage on forest bird populations in the Arkansas Ozarks, 48:292–297
Pratt, Kerri E., Chad W. Hargrave, and Keith B. Gido, Rediscovery of *Labidesthes sicculus* (Atherinidae) in Lake Texoma (Oklahoma-Texas), 47:142–147
Predation by age-0 smallmouth bass (*Micropterus dolomieu*) on bigscale logperch (*percina macrolepida*) in the Pecos River, New Mexico, Thomas P. Archdeacon and Stephen R. Davenport, 55:120–122
Predation by gray catbird on brown thrasher eggs, James W. Rivers and Brett K. Sandercock, 49:101–103
Predation on alligator snapping turtles (*Macrochelys temminckii*) by northern river otters (*Lontra canadensis*), Day B. Ligon and Jona Reasor, 52:608–610
Predation on desert mammals by *Lanius ludovicianus* (Laniidae), Sergio Ticul Álvarez-Castañeda, 47:628–630
Predicting presence-absence of the endangered golden-cheeked warbler (*Dendroica chrysoparia*), Timery S. DeBoer and David D. Diamond, 51:181–190
Prendergast, Jeffrey A., William E. Jensen, and Stanley D. Roth, Trends in abundance of hibernating bats in a karst region of the southern Great Plains, 55:331–339
Prenolepis imparis, 49:249
Preomyscus eva, 47:629
Prepona
laertes, 48:515
pylene, 48:515
Prey items of the Tzotzil montane pitviper (*Cerrophidion tzotzilorum*), Robert C. Jadin, 52:437–438
Prey items of the western ribbon snake, *Thamnophis proximus*, Paul M. Hampton, 53:115–118
Prey of Harris' hawks (*Parabuteo unicinctus*) during autumn and winter in a coastal area of central Chile, Francisco J. Santander, Sergio A. Alvarado, Piero A. Ramírez, and Ricardo A. Figueroa, 56:417–422
Prey of nesting ferruginous hawks in New Mexico, Jean-Luc E. Cartron, Paul J. Polechla, Jr., and Rosamonde R. Cook, 49:270–276
Prey of the broad-banded watersnake (*Nerodia fasciata*) and the diamondback watersnake (*Nerodia rhombifer*), Paul M. Hampton, Nicholas Haertle, Schuyler F. Dartez, and Carolina Monteiro, 54:521–523
Priamides
anchisiades, 48:512
rogeri, 48:512
Price, Dana M., see Fowler, Norma L., —
Primulaceae, 49:191
Priodontes maximus, 52:571

Probable hybridization in the *Acacia constricta* species group (Fabaceae: Mimosideae), H. David Clarke, John E. Ebinger, and David S. Seigler, 50:69–74
Probable occurrence of a brown bear (*Ursus arctos*) in Sonora, Mexico, in 1976, Juan-Pablo Gallo-Reynoso, Thomas Van Devender, Ana Lilia Reina-Guerrero, Janitzio Egido-Villarreal, and Edward Pfeiler, 53:256–260
Probassariscus antiquus, 48:254
Probezzia, 50:240
Proboscidea, 53:72
Procambarus, 55:136, 56:411
acutus, 49:252
clarki, 47:463, 47:464
clarkii, 47:12, 49:219, 49:252, 49:256–257, 50:243–245, 51:258–261, 53:239, 55:292, 56:254
curdi, 49:252
geminus, 55:451
gracilis, 49:252
lucifugus, 50:388
simulans, 49:252
tenuis, 49:252
tulanei, 55:451
Procinura aemula, 53:261–264
Proctotrupidae, 55:192
Procyon, 48:252, 48:254, 48:604, 51:233, 51:234
insularis, 48:575
lotor, 47:107, 47:229, 47:249, 47:250, 47:255, 47:329, 47:512, 47:535, 48:386, 48:575, 49:46, 49:55, 49:116–121, 49:532, 49:533, 50:467, 50:477, 51:290, 51:369, 51:371, 51:581, 51:582, 52:329, 52:331, 52:402, 52:546, 53:87, 53:214, 53:215, 53:234, 53:450, 53:452–454, 54:1, 54:167, 54:277, 54:412, 54:415, 55:20, 55:57, 55:58, 55:60–62, 55:67, 55:68, 55:71–74, 55:399, 56:35, 56:38, 56:63, 56:232, 56:404, 56:428, 56:433
pygmaeus, 48:575, 48:578
Procyonidae, 47:329, 48:249–256, 48:575, 51:233, 54:412
Productivity and breeding habitat of loggerhead shrikes in a southwestern urban environment, Clint W. Boal, Tracy S. Estabrook, and Adam E. Duerr, 48:557–562
Progomphus borealis, 50:243, 53:399–402
Proindosialis, 53:524
Promops centralis, 48:574
Promyrmekiaphila, 56:46
Pronghorn (*Antilocapra americana*) locked in fight becomes prey of coyotes (*Canis latrans*), Jennifer G. Chipault and Dustin H. Long, 55:283–284
Pronghorn use of areas with varying sound pressure levels, Deborah M. Landon, Paul R. Krausman, Kiana K. G. Koenen, and Lisa K. Harris, 48:725–728
Prosopidetum torreyanae, 50:134
Prosopis, 47:41, 47:282, 47:353, 47:410, 47:450, 47:476, 47:492, 47:598, 48:391, 48:559, 48:646, 49:110, 49:290, 50:357, 50:441, 51:7, 53:109, 53:395, 54:48, 54:254, 55:341, 55:427, 55:428, 55:480–483, 56:44, 56:45, 56:155, 56:205, 56:433
articulata, 50:136, 50:144, 50:146
glandulosa, 47:32, 47:71, 47:103, 47:110, 47:128, 47:276, 47:386, 47:389, 47:392, 47:420, 47:422–427, 47:557, 47:558, 47:560, 47:567, 47:579, 48:3, 48:283, 48:366, 48:378, 48:397, 48:482, 48:488, 48:636, 48:693, 49:1, 49:6, 49:34, 49:220, 49:339, 49:361, 49:502, 49:503, 50:86, 50:134, 50:149, 50:472, 50:473, 50:475, 50:479, 51:1, 51:6, 51:9, 51:29, 51:48, 51:88, 51:173, 51:176, 51:369, 51:493, 51:494, 51:496, 51:497, 51:505, 51:515, 51:581, 52:61, 52:85, 52:98, 52:100, 52:196, 52:198, 52:200, 52:211, 52:251–254, 52:256, 52:343, 52:462, 52:522, 52:523, 53:2, 53:43, 53:65, 53:71, 53:86, 53:96, 53:97, 53:312, 53:328, 53:386, 53:425, 53:451, 53:480, 54:14, 54:20, 54:68, 54:69, 54:120, 54:227, 54:261, 54:262, 54:318, 54:422, 54:447, 54:502, 55:17, 55:51, 55:57, 55:58, 55:60–62, 55:69, 55:71, 55:105, 55:138, 55:317, 55:375, 55:477, 55:478, 55:496, 55:511, 56:317
juliflora, 47:79, 47:637, 48:123, 51:493, 51:494, 51:497, 53:10, 53:98, 54:454, 55:208
laevigata, 47:162–166, 50:376, 51:9, 56:160
palmeri, 50:146
reptans, 47:428, 55:430
veluntina, 55:274
velutina, 47:284, 47:286, 47:354, 47:365, 47:520, 48:636, 49:25, 51:221, 51:353, 52:104, 52:105, 53:328, 54:2, 54:437, 56:405
Prosopoidetum torreyanae, 50:149
Prosopsis, 51:415
Prosymna, 48:555
Proteides mercurius, 48:520
Proteocephalidae, 50:253
Protesilaus macrosilaus, 48:512
Protographium
agesilaus, 48:512
epidaus, 48:512
philolaus, 48:512
Protohermes grandis, 53:212
Protomyobia blarinae, 50:90, 50:91
Protoneura, 50:242
Protoneuridae, 50:242
Protonotaria citrea, 54:65, 55:573
Protoptila
balmorhea, 54:184, 54:185, 54:192
erotica, 51:332, 54:185
Protosialis, 53:524
Providencia stuartii, 51:300
Pruett, Alison L., Clint W. Boal, Mark C. Wallace, Heather A. Whitlaw, and James D. Ray, Association of black-tailed prairie dogs (*Cynomys ludovicianus*) with playa lakes and a new approach to estimating size of populations, 54:19–23
Pruett, Alison L., Clint W. Boal, Mark C. Wallace, Heather A. Whitlaw, and James D. Ray, Small mammals associated with colonies of black-tailed prairie dogs (*Cynomys ludovicianus*) in the southern High Plains, 55:50–56
Prunella vulgaris, 55:256, 55:260
Prunus, 48:181, 50:473, 53:386, 54:348, 55:348
americana, 49:101–102, 50:472, 51:120
fremontii, 52:196, 52:200, 53:72
ilicifolia, 50:472, 50:473, 50:475, 52:200, 53:72
persica, 50:476
serotina, 56:58
virginiana, 52:498, 53:151, 53:153, 53:154
Prygus
adepta, 48:523
oileus, 48:523
philetas, 48:523
Prymaceae, 53:72
Psaltriparus minimus, 52:275, 52:276, 55:24
Psammodromus algirus, 56:373
Psarocolius montezuma, 47:474
Psephenidae, 50:240
Psephenus texanus, 50:240
Pseudacris, 49:452
cadaverina, 55:583, 55:584
clarki, 50:269, 53:116
clarkii, 49:531, 49:532
regilla, 49:94–99, 49:449–451, 55:583, 55:584
streckeri, 50:269, 50:490–494, 53:116
triseriata, 53:116
Pseudemys, 49:537, 55:137, 55:560
alabamensis, 52:592
concinna, 50:14, 50:166, 50:168, 50:169, 52:590–592, 53:407, 56:61, 56:62
floridana, 52:590, 52:592, 52:593
gorzugi, 53:406–411
nelsoni, 52:592
suwanniensis, 52:592
texana, 48:544, 50:269, 50:270, 52:586–594, 56:61–65
Pseudhipparion, 48:250
Pseudobombax
ellipticum, 48:506, 53:518, 55:141
septenatum, 47:79, 47:81, 47:83
Pseudocordylus melanotus, 54:404
Pseudodiplorchis americana, 50:251–255
Pseudoelaphe flavirufa, 50:24–27, 50:29
Pseudoeurycea
belli, 52:258, 52:324
boneti, 52:323, 52:324
leprosa, 52:258
Pseudognaphalium
bioletti, 53:70
canescens, 53:70

microcephalum, 52:200
violettii, 52:200
Pseudolmedia oxyphyllaria, 48:580
Pseudolycaena damo, 48:518
Pseudomethoca
bequaerti, 51:538
contumax, 51:538
contumeliosa, 51:538
ilione, 51:538
ocrola, 51:538
paludata, 51:538
propinqua, 51:538
Pseudomonas
aurantiaca, 51:306
aureofaciens, 51:304, 51:306
putida, 51:300, 51:304, 51:306
Pseudonymphidia clearista, 48:518
Pseudophotopsis continua, 55:442
Pseudopolydesmus
pinetorum, 54:351
serratus, 56:425
Pseudoroegneria spicata, 48:493, 48:504
Pseudosamanea, 51:497
Pseudosermyle straminea, 55:112
Pseudosmodingium, 52:117
Pseudostaurosira brevistriata, 49:401
Pseudostellaria jamesiana, 52:495
Pseudotsuga, 51:5, 51:6
meinziesii, 55:172
mensiezii, 48:185
menzeisii, 50:213
menziesi, 55:428
menziesii, 47:63, 47:135, 47:269, 47:498, 47:638, 48:16, 48:224, 48:257, 48:605, 49:241, 49:385, 49:479, 50:94, 50:199, 50:211, 50:325, 50:370, 50:461, 50:462, 50:502, 51:2, 51:60, 51:65, 51:412, 52:3, 52:162, 52:493–503, 53:22, 53:35, 53:148, 53:153–156, 53:347, 53:432, 54:59, 54:183, 55:218, 55:348, 56:2, 56:25, 56:232, 56:261, 56:306, 56:432
Pseudouroctonus apacheanus, 47:411
Psidium, 55:140
Psilochorus
imitatus, 56:46, 56:50–52
utahensis, 54:333, 54:335
Psilochrous utahensis, 56:46
Psilostrophe
cooperi, 53:70
tagetina, 55:497
Psocidae, 55:192
Psoloessa
delicatula, 52:557
texana, 52:557
Psoralea tenuiflora, 51:526
Psorothamnus, 51:8
arborescens, 54:376
Psuedocheirus peregrinus, 51:59
Psychodidae, 56:79, 56:80
Psychoglypha
schuhi, 51:326, 51:333
subborealis, 51:333, 51:334
Psychomyia flavida, 51:334, 54:187
Psychomyiidae, 51:334, 54:187
Psyllidae, 49:259
Ptelea, 49:506
trifoliata, 52:355, 53:153
Pteracarus chalinolobus, 47:454
Pteridaceae, 53:70
Pteridium aquilinum, 54:328
Pterocaulon sphacelatum, 48:12
Pteronotropis, 54:343
signipinnis, 54:344
Pteronotus, 48:580
davyi, 48:574, 48:583, 48:711–714, 50:97, 55:353
gymnonotus, 48:574, 48:577, 50:97
parnelli, 55:455
parnellii, 48:143, 48:574, 48:582, 48:583, 48:585, 48:711–714, 50:97, 54:412, 54:415, 55:351, 55:353, 55:354
personatus, 48:574, 48:711–714, 50:97, 55:353
Pteronymia cotytto, 48:516
Pterostegia drymarioides, 53:72
Pterourus menatius, 48:512
Pterygoplichthys, 50:247
multiradiatus, 52:141–143
pardalis, 52:141–144
Ptilimnium nuttallii, 55:256
Ptilodactylidae, 55:191
Ptilogonys cinereus, 52:277
Ptychobranchus occidentalis, 47:604, 53:46
Ptychocheilus, 54:343
lucius, 47:92–94, 49:203–208, 51:22, 51:262–263, 53:106, 53:492, 53:532
Ptychopteridae, 47:464
Puckette, William L., see Briggler, Jeffrey T., and —
Pueraria lobata, 53:387
Pulex
irritans, 48:720, 48:721, 54:493–496
simulans, 48:720, 48:721, 54:494–496
Pulicaria dysenterica, 48:13
Pulmonata, 48:14–22, 48:202–207
Pulvinatae, 50:292
Puma
concolor, 47:366, 48:83, 48:574, 48:651, 50:466–471, 51:242, 51:277, 51:581–582, 52:106, 52:161–164, 52:402, 52:405, 52:406, 52:420, 52:521, 52:571, 52:574, 53:512, 53:534, 54:1, 54:124, 54:151–155, 54:431, 55:379, 55:395, 55:411–418, 55:518, 55:568, 56:187–192, 56:232, 56:297–304
yaguarondi, 55:399
Punzo, Fred, and Chris Farmer, Life history and ecology of the wolf spider *Pardosa sierra* Banks (Araneae: Lycosidae) in southeastern Arizona, 51:310–319
Pupfishes (Teleostei: Cyprinodontidae: *Cyprinodon*) in Chihuahua, Mexico, earliest record of, John P. Hubbard and Michael D. Hatch, 54:107–111
Purshia
glandulosa, 48:684
tridentata, 50:213, 53:153, 53:154, 56:188
Pusateri, Frances M., see Martin, Daniel J., —
Puya berteroniana, 56:418
Pyganodon grandis, 52:427, 52:428, 53:46
Pygmeophoridae, 50:90
Pygmephorus whitakeri, 50:90
Pygoderma bilabiatum, 47:505–508
Pygosteus pungitius, 55:266
Pyle, Peter, see Chambers, Mary, —
Pylodictis olivaris, 48:667, 49:437, 49:438, 50:76, 50:77, 54:389, 54:466, 55:82, 55:85, 55:154, 56:277, 56:282, 56:287, 56:288
Pyracantha, 50:472, 50:473, 50:475, 50:477
Pyralidae, 48:31, 50:242
Pyraperm kills fleas and halts plague among Utah prairie dogs, John L. Hoogland, Stacey Davis, Sarah Benson-Amram, Danielle Labruna, Brigitte Goossens, and Margaret A. Hoogland,49:376–383
Pyrgulopsis
thompsoni, 56:221
trivialis, 56:216–223
Pyrgus communis, 52:14
Pyrisitia
dina, 48:512
lisa, 48:512
nise, 48:513
proterpia, 48:513
Pyrrhogyra
neaerea, 48:514
otolais, 48:514
Pyrrhopyge mulleri, 48:520
Python molurus, 55:280

Quadrula
apiculata, 53:46
cylindrica, 48:338, 53:45–49
fragosa, 53:45–49
houstonensis, 55:298
nodulata, 53:46
pustulosa, 53:46
quadrula, 52:138, 53:46, 53:47
Quadrus
cerialis, 48:522
contubernalis, 48:522
lugubris, 48:522
Quality of habitat occupied by elk (*Cervus elaphus*) in the southern Sacramento Mountains, New Mexico, Heather Halbritter and Louis C. Bender, 56:1–8
Quantification of body coloration for the lesser earless lizard, *Holbrookia maculata*: evidence for interpopulational differences, Stephen B. Hager, 47:299–307
Quarles, Abigail, Richard M. Kostecke, and Sherman A. Phillips, Jr., Supercooling of the red imported fire ant (Hymenoptera: Formicidae) on a latitudinal temperature gradient in Texas, 50:302–306

Quarles, Abiqail, see Smith, Loren M., —
Quercus, 47:128, 47:325, 47:388, 47:389, 47:602, 47:614, 48:16–18, 48:20, 48:119, 48:293, 48:404, 48:723, 49:283, 49:290, 49:296, 49:305, 50:7, 50:9, 50:10, 50:103, 50:179, 50:357, 50:467, 50:501, 50:503, 51:114, 51:181, 51:271, 51:283, 51:456, 51:553, 51:579, 52:33, 52:98, 52:150, 52:196, 52:271–283, 52:330, 52:595, 52:620, 53:103, 53:146–148, 53:151, 53:154, 53:155, 53:157, 53:158, 53:214, 53:215, 53:251, 53:385, 53:445, 53:467, 53:518, 54:201, 54:223, 54:345, 54:362, 54:410, 54:416, 55:58, 55:348, 55:412, 55:428, 55:448, 55:451, 55:480, 55:482, 55:494, 56:67, 56:78–80, 56:121, 56:131, 56:205, 56:260, 56:371, 56:400
affinis, 51:2
agrifolia, 47:226, 49:306, 53:357, 53:358, 54:327, 54:328, 55:44
ajoensis, 52:200, 53:64, 53:71
alba, 55:187, 56:54–58
arizonica, 47:520, 48:181, 48:183, 48:185, 48:187, 48:235, 49:25, 50:8, 51:311, 51:353, 52:622
buckleyi, 55:161, 55:511
canbyi, 51:2
candicans, 56:401
castanae, 55:141
coccifera, 53:367
crassifolia, 55:141
crassipes, 55:141, 56:401
depressipes, 48:179, 48:181–184, 48:187
deserticola, 55:141
douglasii, 49:306, 53:357, 53:358, 54:328
dumosa, 47:578, 47:579
durata, 51:485
durifolia, 52:622
ellipsoidalis, 53:358
elliptica, 53:535
emoryi, 48:177, 48:180–185, 48:187, 48:235, 49:25, 51:353, 53:252, 55:139
eugenifolia, 49:123
furfuracea, 54:454
fusiformis, 47:154, 47:155, 51:101, 55:12, 55:161, 55:435, 55:511
gambelii, 50:463, 51:65
gambelii, 47:630, 47:631, 48:15, 48:17, 48:181, 48:187, 48:383–388, 49:241, 49:479, 50:213, 50:325, 47:63, 52:3, 52:495, 52:498, 53:34, 53:153, 53:252, 53:432, 54:183, 54:202, 54:249, 55:23, 56:2, 56:193–203, 56:306
gambelii, 54:59
garryana, 55:172
germana, 49:123
gravesii, 54:448
greggii, 51:2, 55:430
grisea, 48:180–185, 48:187, 52:273, 53:252, 54:447, 55:138
griseus, 50:325
hartwegii, 54:454
havardii, 49:334, 51:48, 54:136–145, 55:477, 56:316
hypoleucoides, 48:177, 48:181, 48:182, 48:187, 48:235, 49:25, 50:8, 50:94, 52:622
intricata, 51:2
kelloggii, 49:309, 52:162, 56:117
laceyi, 51:2
laeta, 54:454
laurina, 55:141, 56:401
lobata, 49:309
lyrata, 47:487, 48:307, 49:529, 56:68
macrocarpa, 47:487, 49:529, 53:358
magnoliifolia, 53:535, 55:319
marilandica, 47:373, 47:590, 49:243–246, 50:268, 51:359, 52:455, 53:216, 53:451, 55:138, 55:461, 55:511
mcvaughii, 48:177, 48:181
mexicana, 51:2
nigra, 47:487, 48:307, 49:529, 55:181, 56:411
nuttallii, 48:307
oblongifolia, 51:433
obtusata, 56:401
pacifica, 51:574
palmeri, 52:200
palustris, 56:56–58
peninsularis, 53:71
phellos, 48:307, 49:529, 56:68
polymorpha, 51:2, 54:454
rugosa, 48:181, 48:182, 48:187, 49:25, 50:502, 52:273, 55:141
rugulosa, 54:454
rysophylla, 51:2
sapotifolia, 49:123
sartorii, 49:123
shumardii, 49:529, 53:216, 55:57, 55:59–62, 55:70, 55:71
sideroxila, 50:502
sinuata, 51:101, 55:511
stellata, 47:373, 49:243–246, 49:529, 50:268, 51:101, 52:84, 52:455, 53:216, 53:451, 54:279, 55:138, 55:461, 55:511, 56:173
striatula, 53:92
texana, 47:154, 50:268
tomentella, 51:574
toumeyi, 48:235
turbinella, 51:433, 52:111, 52:200, 53:65, 53:71, 53:153, 54:152
undulata, 53:153, 54:59
undulatus, 50:325
urbanii, 53:535
vaccinifolia, 51:108
velutina, 55:187, 56:54–59
virginiana, 47:154, 47:567, 48:397, 50:268, 52:84, 53:386, 53:495, 53:496, 54:446, 54:447, 55:57, 55:59–62, 55:69, 55:71, 55:435, 56:326, 56:327
wislizeni, 54:367
Quezada-Rivera, Diana A., see Gadsden, Héctor, —
Quigley, Kate, see Bauer, Kendra K., —
Quillaja saponaria, 56:418
Quimperiidae, 50:253
Quintana-Vásquez, Maria de los Angeles, Notes on the pollination biology of *Justicia candicans* (Acanthaceae) in central Sonora, Mexico, 52:302–305
Quiscalus
mexicanus, 47:619, 48:131, 48:358, 51:207
quiscula, 47:553, 56:433
Quist, Michael C., Michael R. Bower, and Wayne A. Hubert, Summer food habits and trophic overlap of roundtail chub and creek chub in Muddy Creek, Wyoming, 51:22–27

Rabe, Michael J., Steven S. Rosenstock, and David I. Nielsen, Feral Africanized honey bees (*Apis mellifera*) in Sonoran Desert habitats of southwestern Arizona, 50:307–311
Rachlow, Janet L., Raymond M. Lee, and Ryan K. Riley, Abnormal antlers and pedicles on Rocky Mountain elk in northern Arizona, 48:147–153
Rachlow, Janet L., see Hicks, Jason F., and —
Radix, 53:380
Radke, William R., see Manley, Donald G., and —
Rafinesquia neomexicana, 53:70
Rainfall, type of range, and brush management on abundance of northern bobwhites (*Colinus virginianus*) in southern Texas, influence of, Susan M. Cooper, James C. Cathey, D. Lang Alford, and Shane S. Sieckenius, 54:13–18
Rain-harvesting by the southwestern speckled rattlesnake (*Crotalus mitchellii pyrrhus*), Xavier Glaudas, 54:518–521
Rainwater, Thomas R., see Platt, Steven G., —
Raley, Morgan E., see McAllister, Chris T., —
Rallidae, 51:233
Ralls, Katherine, and P. J. White, Diurnal spacing patterns in kit foxes, a monogamous canid, 48:432–436
Ralls, Katherine, see Murdoch, James D., —
Ralls, Katherine, see Smith, Deborah A., —
Ralstonia, 51:306
Rambo, Dwayne D., see Briggler, Jeffrey T., —
Ramirez, Jennifer E., and Gregory S. Keller, Effects of landscape on behavior of black-tailed prairie dogs (*Cynomys ludovicianus*) in rural and urban habitats, 55:167–171
Ramírez, Piero A., see Santander, Francisco J., —
Ramirez, Raul, Eric R. Johnson, and Keith B. Gido, Effects of artificial lighting and presence of *Menidia beryllina* on growth and diet of *Labidesthes sicculus*, 51:510–513
Ramírez-Bautista, Aurelio, and Alberto González-Romero, Some reproductive and feeding characteristics of

the viviparous Mexican lizard *Sceloporus torquatus* (Phrynosomatidae), 47:98–102
Ramírez-Bautista, Aurelio, and Diana Pardo-De La Rosa, Reproductive cycle and characteristics of the widely-foraging lizard, *Cnemidophorus communis*, from Jalisco, Mexico, 47:205–214
Ramírez-Bautista, Aurelio, and Erika G. Dávila-Ulloa, Reproductive characteristics of a population of *Sceloporus dugesii* (Squamata: Phrynosomatidae) from Michoacán, Mexico, 54:400–408
Ramírez-Bautista, Aurelio, and Julio A. Lemos-Espinal, Diets of two syntopic populations of frogs, *Rana vaillanti* and *Rana brownorum*, from a tropical rain forest in southern Veracruz, México, 49:316–320
Ramírez-Bautista, Aurelio, Geoffrey R. Smith, and Xóchitl Hernández-Ibarra, Reproduction and sexual dimorphism in the whiptail lizard *Aspidoscelis gularis* (Squamata: Teiidae) in Guadalcázar, San Luis Potosí, Mexico, 54:453–460
Ramírez-Bautista, Aurelio, Rodolfo García-Collazo, and Louis J. Guillette, Jr., Reproductive, fat, and liver cycles of male and female rosebellied lizards, *Sceloporus variabilis*, from coastal areas of southern Veracruz, Mexico, 51:163–171
Ramírez-Bautista, Aurelio, see Balderas-Valdivia, Carlos J., and —
Ramírez-Bautista, Aurelio, see Hernández-Ibarra, Xóchitl, and —
Ramírez-Bautista, Aurelio, see Jiménez-Cruz, Elsa, —
Ramírez-Bautista, Aurelio, see Leyte-Manrique, Adrian, and —
Ramírez-Bautista, Aurelio, see Mata-Silva, Vicente, —
Ramírez-Bautista, Aurelio, Víctor H. Luja, Carlos Balderas-Valdivia, and Raúl Ortiz-Pulido, Reproductive cycle of male and female spiny lizards, *Sceloporus melanorhinus*, in a tropical dry forest, 51:157–162
Ramirezella, 51:8
Ramírez-Pulido, José, see González-Ruiz, Noé, —
Ramírez-Vite, J. Nahú, see Cervantes, Fernando A., —
Ramírez-Vite, Salvador, see Cervantes, Fernando A., —
Ramos, Nicolás, see Koprowski, John L., —
Ramos-Lara, Nicolás, and Fernando A. Cervantes, Ecology of the Mexican red-bellied squirrel (*Sciurus aureogaster*) in Michoacán, Mexico, 56:400–403
Ramotnik, Cynthia A., see Albert, Steven, —
Ramphotyphlops brahminus, 55:280
Rana, 51:232, 54:105
belandieri, 53:483
berlandieri, 47:12–20, 47:104, 47:105, 47:293, 47:462, 47:463, 47:465, 47:466, 50:251, 50:252, 50:254, 50:255, 54:106
blairi, 47:13, 47:15, 50:269
boylii, 54:367–368
brownorum, 49:316–320
catesbeiana, 47:12, 47:13, 47:15, 47:461–467, 49:95, 49:218, 49:219, 49:316, 49:450–454, 49:531, 50:269, 50:388, 50:492, 51:258–261, 53:239, 54:466, 55:249, 55:252, 55:459, 56:254
chiricahuensis, 47:13, 47:15, 55:249
clamitans, 49:316
dunni, 50:254
fisheri, 49:222, 49:226
magnaocularis, 50:254
muscosa, 54:368
onca, 49:218–228, 50:412, 50:525, 51:128, 51:134, 51:141
palustris, 50:385–389
pipiens, 47:13, 47:15, 49:221, 49:225, 50:252, 53:116, 53:117, 55:136
septentrionalis, 49:316
spectabilis, 48:672
sphenocephala, 49:530, 49:531, 53:117, 55:459
tarahumarae, 55:249
vaillanti, 47:293, 47:294, 47:296, 47:297, 49:316–320
yavapaiensis, 47:13–18, 48:351, 48:352, 49:221, 49:225, 53:460, 55:244, 55:246, 55:248, 55:252
zweifeli, 48:673
Ranatra, 50:242
Randall, Jason L., see Cureton, James C., II, —
Randia rhagocarpa, 56:157, 56:161
Randklev, Charles R., Benjamin J. Lundeen, Robert G. Howells, and James H. Kennedy, First account of a living population of Texas fawnsfoot, *Truncilla macrodon* (Bivalvia: Unionidae), in the Brazos River, Texas, 55:297–298
Raney, Jay A., see Tremblay, Thomas A., —
Range expansions and new breeding records of birds in Tamaulipas, Mexico, Timothy Brush, 54:91–96
Rangifer tarandus, 48:636, 48:725, 53:316
Ranidae, 47:294, 47:465, 50:269, 51:232, 55:252, 55:280
Ranunculaceae, 53:72, 56:160, 56:276
Ranunculus cymbalaria, 52:200
Raphanus raphanistrum, 53:71
Rapid recovery of rodent populations following severe drought, Robert D. Bradley, J. Delton Hanson, Brian R. Amman, B. Dnate' Baxter, Daris S. Carroll, Nevin D. Durish, Michelle L. Haynie, Mariko Kageyama, Lisa K. Longhoffer, Francisca M. Mendez-Harclerode, Serena A. Reeder, John R. Suchecki, Donald C. Ruthven, III, Maria N. B. Cajimat, Ciro Milazzo, Jr., Mary L. Milazzo, and Charles F. Fulhorst, 51:87–93
Rappole, John, see Vega Rivera, Jorge H., —
Raptor predation on Ord's kangaroo rats: evidence for diurnal activity by a nocturnal rodent, Clint W. Boal and Matthew D. Giovanni, 52:291–295
Rare and endangered freshwater mussels in southeastern Oklahoma, status of, Heather S. Galbraith, Daniel E. Spooner, and Caryn C. Vaughn, 53:45–50
Rare mammals in Sierra Norte de Oaxaca, Mexico, noteworthy records of two, Antonio Santos-Moreno, Miguel Briones-Salas, Graciela González-Pérez, and Teresita de J. Ortiz, 48:312–313
Rathbun, Galen B., Norman J. Scott, Jr., and Thomas G. Murphey, Terrestrial habitat use by Pacific pond turtles in a Mediterranean climate, 47:225–235
Ratibida, 47:602
Rattus, 47:528, 47:530, 50:343, 51:71, 52:546, 55:595, 56:38, 56:420
norvegicus, 47:325, 47:329, 51:273, 52:532, 52:533, 52:536
norvigecus, 48:616
rattus, 52:284–286, 52:532–534, 53:87, 53:88, 54:86, 54:105, 54:106
Ray, Courtenay, see Chambers, Mary, —
Ray, James D., Brian D. Sullivan, and Harvey W. Miller, Breeding ducks and their habitats in the High Plains of Texas, 48:241–248
Ray, James D., see McCaffrey, Rachel E., —
Ray, James D., see Pruett, Alison L., —
Ray, Julie M., see Montgomery, Chad E., —
Raya-Lemus, Elizabeth, see Suazo-Ortuño, Ireri, —
Reactions of the public to urban coyotes (*Canis latrans*), Shannon E. Lawrence and Paul R. Krausman, 56:404–409
Reading, Richard P., see Murdoch, James D., —
Reasor, Jona, see Ligon, Day B., and —
Rebman, Jon P., see Bullock, Stephen H., —
Rebutia minuscula, 56:395
Recent colonization of Midriff Islands, Gulf of California, Mexico, by feral honeybees, *Apis mellifera*, Thomas Bowen, Dan W. Bench, and Lawrence A. Johnson, 51:542–551

Recent occurrence of black bears in the southwestern Great Plains, Jan F. Kamler, Larry A. Green, and Warren B. Ballard, 48:303–306

Recent status and distribution of red foxes (*Vulpes vulpes*) in northeastern Arizona and southeastern Utah, David G. Mikesic and Charles T. LaRue, 48:624–634

Reconstructing long-term flood regimes with rainfall data: effects of flood timing on caddisfly populations, David A. Lytle, 48:36–42

Recovery of vegetation following a wildfire in a barrier island grassland, Padre Island National Seashore, Texas, Robert I. Lonard, Frank W. Judd, Elizabeth H. Smith, and Chenghai Yang, 49:173–188

Recurvirostra americana, 47:374, 47:376, 50:320, 54:129, 54:288, 56:35–43

Red crossbill (*Loxia curvirostra*) in Nuevo León, Mexico, Armando J. Contreras-Balderas and Blanca L. Gaspar-Rodriguez, 55:287–288

Red foxes in northwestern Texas and northeastern New Mexico, range expansion of, Jan F. Kamler, Warren B. Ballard, Robert L. Harrison, and C. Gregory Schmitt, 50:100–101

Red imported fire ants on habitat use by hispid cotton rats (*Sigmodon hispidus*) and northern pygmy mice (*Baiomys taylori*), effect of, Ellen K. Pedersen, Theresa L. Bedford,William E. Grant, S. Bradleigh Vinson, James B. Martin, Michael T. Longnecker, Charles L. Barr, and Bastiaan M. Drees, 48:419–426

Red squirrels in Guadalupe Mountains National Park, Texas, status of, Melissa J. Merrick, John L. Koprowski, R. Nathan Gwinn, Geoffrey H. Palmer, and Claire A. Zugmeyer, 56:24–28

Redescription of *Sturnira lilium lilium* and *Sturnira lilium parvidens* (Chiroptera: Phyllostomidae), Cornelio Sánchez-Hernández and María de Lourdes Romero-Almaraz, 48:437–441

Rediscovery of the headwater catfish *Ictalurus lupus* (Ictaluridae) in a western Gulf-slope drainage, Preston T. Bean, Jacob T. Jackson, Diana J. McHenry, Timothy H. Bonner, and Michael R. J. Forstner, 56:285–289

Rediscovery of the rare treefrog, *Hyla cembra* Caldwell, in Oaxaca, México, Joseph R. Mendelson, III, and Luis Canseco-Márquez, 47:459–461

Reduviidae, 47:465, 55:191

Reece, Bryan A., and Nancy E. McIntyre, Odonata of playas in the southern High Plains, Texas, 54:96–99

Reed, Robert N., and Michael E. Douglas, Ecology of the Grand Canyon rattlesnake (*Crotalus viridis abyssus*) in the Little Colorado River Canyon, Arizona, 47:30–39

Reed, Robert N., see Montgomery, Chad E., —

Reed, Sarah E., Non-invasive methods to assess co-occurrence of mammalian carnivores, 56:231–240

Reeder, Serena A., see Bradley, Robert D., —

Reese, Scott A., see Minton, Russell L., —

Re-evaluation of the geographic distribution and phylogeography of the *Sigmodon hispidus* complex based on mitochondrial DNA sequences, Robert D. Bradley, Dallas D. Henson, and Nevin D. Durish, 53:301–310

Reflectance characteristics and remote sensing of a riparian zone in South Texas, J. H. Everitt, C. Yang, D. E. Escobar, R. I. Lonard, and M. R. Davis, 47:433–439

Regeneration of triangle-leaf bursage (*Ambrosia deltoidea*: Asteraceae): germination behavior and persistent seed bank, Janice E. Bowers, 47:449–453

Regina, 55:137
  grahamii, 49:530, 49:531

Regulidae, 47:553

Regulus
  calendula, 47:553, 50:446, 52:276, 55:25, 55:26
  satrapa, 55:25

Rehmeier, Ryan L., see Matlack, Raymond S., and —

Reichard, Mason V., see Criffield, Marc A., —

Reimeria sinuata, 49:401

Reina-Guerrero, Ana Lilia, see Gallo-Reynoso, Juan-Pablo, —

Reisig, Dominic D., see Mooring, Michael S., —

Reithrodontomys, 47:628, 48:422, 48:423, 51:59, 52:113, 52:442, 52:444, 52:506, 52:556, 53:512, 53:513, 55:50, 55:52–54, 55:288
  burti, 48:574
  chrysopsis, 48:574
  fulvescens, 47:249, 47:250, 47:255, 48:574, 49:519–521, 49:532, 49:533, 51:88, 51:90–92, 51:565, 52:79, 52:403, 53:87, 54:87, 54:88, 54:237–243, 54:245, 54:413, 54:416, 55:205, 55:289, 55:366, 56:414–415
  gracilis, 48:311, 48:571, 48:574
  hirsutus, 48:574, 49:519, 49:520, 51:564–568
  humulis, 47:246, 47:255, 54:239, 55:289, 56:410, 56:415
  megalotis, 47:321–323, 47:329, 47:521, 47:561, 48:471–472, 48:570, 48:574, 48:616, 49:324, 50:95, 50:450, 51:268, 52:79–82, 52:300, 52:403, 52:405, 52:530, 52:534–536, 52:554, 52:595–597, 55:369, 56:9, 56:11, 56:26, 56:226, 56:241, 56:242, 56:244
  mexicanus, 48:574, 49:519, 49:520, 51:564–568
  microdon, 48:574
  montanus, 47:322, 47:323, 48:574, 48:718, 52:554, 54:300, 54:302, 54:303, 55:366, 56:11
  sumichrasti, 48:574, 49:124, 49:521, 51:112, 51:564–568
  tenuirostris, 48:574

Rekoa
  marius, 48:518
  meton, 48:518
  palegon, 48:518

Relation between species assemblages of fishes and water quality in salt ponds and sloughs in South San Francisco Bay, Francine Mejia, Michael K. Saiki, and John Y. Takekawa, 53:335–345

Relationship between shrubs and foods in mountain plover habitat in Park County, Colorado, Scott C. Schneider, Michael B. Wunder, and Fritz L. Knopf, 51:197–202

Relative abundance of endangered San Joaquin kit foxes (*Vulpes macrotis mutica*) based on scat-detection dog surveys, Deborah A. Smith, Katherine Ralls, Brian L. Cypher, Howard O. Clark, Jr., Patrick A. Kelly, Daniel F. Williams, and Jesús E. Maldonado, 51:210–219

Relative abundance of mesopredators and size of oak patches in the cross-timbers ecoregion, Michael R. Disney, Eric C. Hellgren, Craig A. Davis, David M. Leslie, Jr., and David M. Engle, 53:214–223

Remella remus, 48:524

Remote sensing of Macartney rose in the Texas Coastal Prairie, J. H. Everitt, C. Yang, R. F. Wilson, M. A. Alaniz, and M. R. Davis, 47:566–575

Remshardt, W. Jason, see Davenport, Stephen R., and —

Remshardt, W. Jason, see Hoagstrom, Christopher W., —

Renal structural adaptations among three species of peccary, Stam. M. Zervanos, 47:527–531

Repp, Roger A., and Gordon W. Schuett, Western diamond-backed rattlesnakes, *Crotalus atrox* (Serpentes: Viperidae), gain water by harvesting and drinking rain, sleet, and snow, 53:108–114

Reproduction and age composition of a population of woodland salamanders (*Plethodon albagula*) after a prescribed burn in southwestern Arkansas, Joseph R. Milanovich, Stanley E. Trauth, and David A. Saugey, 56:172–179

Reproduction and behavior of the Mexican prairie dog (*Cynomys mexicanus*), Tamara M. Rioja–Paradela, Laura M. Scott-Morales, Mauricio Cotera-Correa, and Eduardo Estrada-Castillón, 53:520–523

Reproduction and mating behavior in the Del Nido ridgenose rattlesnake, *Crotalus willardi amabilis*, Robert W. Bryson, Jr. and David Lazcano, 47:310–311

Reproduction and sexual dimorphism in the whiptail lizard *Aspidoscelis gularis* (Squamata: Teiidae) in Guadalcázar, San Luis Potosí, Mexico, Aurelio Ramírez-Bautista, Geoffrey R. Smith, and Xóchitl Hernández-Ibarra, 54:453–460

Reproduction by young-of-year red shiner (*Cyprinella lutrensis*) and its implications for invasion success, Edie Marsh-Matthews, William J. Matthews, Keith B. Gido, and Rebecca L. Marsh, 47:605–610

Reproduction in female razorback musk turtles (*Sternotherus carinatus*: Kinosternidae), John B. Iverson, 47:215–224

Reproduction in the southwestern cat-eyed snake, *Leptodeira maculata*, and western cat-eyed snake, *Leptodeira punctata* (Serpentes: Colubridae), from Mexico, notes on, Stephen R. Goldberg, 49:409–412

Reproduction in the western cottonmouth, *Agkistrodon piscivorus leucostoma*, in a floodplain forest, Neil B. Ford, François Brischoux, and Debra Lancaster, 49:465–471

Reproduction of black-tailed jackrabbits (Lagomorpha: *Lepus californicus*) in relation to environmental factors in the Chihuahuan Desert, Mexico, Gloria L. Portales, LucinaHernández, Fernando A. Cervantes, and John W. Laundré, 49:359–366

Reproduction of the plains pocket gopher (*Geomys bursarius*) and Baird's pocket gopher (*G. breviceps*) in Texas, Richard M. Pitts, Jerry R. Choate, and Nancy A. Hernandez, 50:393–397

Reproductive and feeding characteristics of the viviparous Mexican lizard *Sceloporus torquatus* (Phrynosomatidae), some, Aurelio Ramírez-Bautista and Alberto González-Romero, 47:98–102

Reproductive and territorial behavior of Comanche Springs pupfish (*Cyprinodon elegans*) in San Solomon Spring Pool, Balmorhea State Park, Reeves County, Texas, Daniel K. Brannan, Chris R. Brannan, and Thomas E. Lee, Jr., 48:85–88

Reproductive biology and brooding behavior of the Ozark zigzag salamander, *Plethodon angusticlavius*, observations on, Jeffrey T. Briggler and William L. Puckette, 48:96–100

Reproductive characteristics of a population of *Sceloporus dugesii* (Squamata: Phrynosomatidae) from Michoacán, Mexico, Aurelio Ramírez-Bautista and Erika G. Dávila-Ulloa, 54:400–408

Reproductive characteristics of the roundtail horned lizard, *Phrynosoma modestum* (Phrynosomatidae), from the Chihuahuan Desert of México, Xóchitl Hernández-Ibarra and Aurelio Ramírez-Bautista, 47:138–141

Reproductive characteristics of two syntopic whiptail lizards, *Aspidoscelis marmorata* and *Aspidoscelis tesselata*, from the northern Chihuahuan Desert, Vicente Mata-Silva, Aurelio Ramírez-Bautista, and Jerry D. Johnson, 55:125–129

Reproductive characteristics of two syntopic, widely foraging lizards, *Aspidoscelis deppii* and *Aspidoscelis guttata* from Oaxaca, México, Vicente Mata-Silva and Aurelio Ramírez-Bautista, 50:262–267

Reproductive cycle and characteristics of the widely-foraging lizard, *Cnemidophorus communis*, from Jalisco, Mexico, Aurelio Ramírez-Bautista and Diana Pardo-De La Rosa, 47:205–214

Reproductive cycle of male and female spiny lizards, *Sceloporus melanorhinus*, in a tropical dry forest, Aurelio Ramírez-Bautista, Víctor H. Luja, Carlos Balderas-Valdivia, and Raúl Ortiz-Pulido, 51:157–162

Reproductive cycle of *Sceloporus grammicus* (Squamata: Phrynosomatidae) from Teotihuacán, México, Elsa Jiménez-Cruz, Aurelio Ramírez-Bautista, Jonathon C. Marshall, Miguel Lizana-Avia, and Adrián Nieto-Montes de Oca, 50:178–187

Reproductive isolation between freshwater pulmonate snails *Physa virgata* and *P. acuta*, no, Robert T. Dillon, Jr., John D. Robinson, Thomas P. Smith, and Amy R. Wethington, 50:415–422

Reproductive, fat, and liver cycles of male and female rose-bellied lizards, *Sceloporus variabilis*, from coastal areas of southern Veracruz, Mexico, Aurelio Ramírez-Bautista, Rodolfo García-Collazo, and Louis J. Guillette, Jr., 51:163–171

Reptilia, 48:700–705, 51:401–406

Reptilian prey of the Sonora mud turtle (*Kinosternon sonoriense*) with comments on saurophagy and ophiophagy in North American turtles, Jeff Lovich, Charles Drost, A. J. Monatesti, Dennis Casper, Dustin A. Wood, and Michele Girard, 55: 135–138

Response of *Arbutus arizonica* (Arizona madrone) to fire in southeastern Arizona, Andrew M. Barton, 50:7–11

Response of bighorn sheep (*Ovis canadensis*) to feral honey bees (*Apis mellifera*) at water, Walter M. Boyce, Chantal S. O'Brien, and Esther S. Rubin, 48:81–84

Response of brood-parasitic bronzed cowbird to playback of the song of Audubon's oriole, Steven G. Monk and Timothy Brush, 52:438–441

Responses of greater roadrunners during attacks on sympatric venomous and nonvenomous snakes, Wade C. Sherbrooke and Michael F. Westphal, 51:41–47

Restoration of Hawaiian montane wet forest: endemic longhorned beetles (Cerambycidae: *Plagithmysus*) in koa (Fabaceae: *Acacia koa*) plantations and in intact forest, Steven Goldsmith, Hayley Gillespie, and Cole Weatherby, 52:356–363

Revelez, Marcia A., see Braun, Janet K., —

Reversed sexual dimorphism and courtship by females in the Topaz cichlid, *Archocentrus myrnae* (Cichlidae, Teleostei), from Costa Rica, Michael Tobler, 52:371–377

Reyes-Valdez, Claudia A., see Ruiz-Campos, Gorgonio, —

Rhabdarona bacillipus, 56:424

Rhabdias
- *americanus*, 50:255
- *elegans*, 47:294–297, 50:255
- *forreri*, 50:255
- *fuelleborni*, 47:294, 47:296, 47:297
- *fülleborni*, 50:251–253, 50:255
- *fuscovenosa*, 50:255
- *ranae*, 50:255
- *savagei*, 50:251–253, 50:255
- *sphaerocephala*, 50:252, 50:255
- *tobagoensis*, 47:294–297, 50:255

Rhabdiasidae, 50:253

Rhabdodryas trite, 48:512

Rhabdomastix, 53:379, 53:380

Rhabdosargus, 52:315

Rhadinaea
- *montana*, 47:614
- *myersi*, 54:345–346

Rhadinaea myersi (Squamata: Colubridae) in Guerrero and Oaxaca, Mexico, Uri Omar García-Vázquez, Itzel Durán-Fuentes, Adrián Nieto-Montes de Oca, and Hobart M. Smith, 54:345–346
Rhagionidae, 53:140
Rhagovelia, 50:237
novahispanae, 50:242
Rhamnaceae, 51:484, 53:72, 56:160
Rhamnus
californica, 52:200
crocea, 49:306, 52:200, 52:355, 53:358
insula, 53:72
Rhantus, 50:240
binotatis, 53:401
gutticollis, 53:401
Rhazya stricta, 49:11
Rheomys
mexicanus, 48:312–313, 48:568, 48:570, 48:574
thomasi, 48:574
Rhetus
arcius, 48:517
periander, 48:517
Rhinaeschna multicolor, 54:98
Rhinichthys, 54:341, 54:343
cataractae, 52:383, 52:384, 54:490, 55:78, 55:81, 55:82
chrysogaster, 53:400
cobitis, 55:546
osculus, 48:666, 51:260, 52:131, 52:132, 53:106, 53:327, 53:531, 55:546
Rhinocheilus lecontei, 47:105, 47:107, 50:494–496, 53:483, 53:484, 55:246, 55:253
Rhinochelius lecontei, 55:176
Rhinoclemmys, 55:560
pulcherrima, 56:427
Rhinthon osca, 48:525
Rhizophora mangle, 50:135, 55:319
Rhizophoretum mangle, 50:135, 50:149
Rhodacaridae, 50:90
Rhodacarus, 50:90
Rhodes, Andrew John, see Orozco-Lugo, Carmen Lorena, —
Rhododendron, 49:266
Rhogeesa parvula, 55:352–354
Rhogeessa
aeneus, 48:575
alleni, 48:575
genowaysi, 48:575, 48:577
gracilis, 48:575
mira, 48:575
parvula, 48:575
tumida, 48:575, 50:97
Rhoicosphenia
abbreviata, 49:397, 49:401
curvata, 49:397
Rhopalidae, 49:406–408
Rhopalodia
gibba, 49:397, 49:401
gibberula, 49:401
musculus, 49:401
Rhopalus tigrinus, 49:406–408
Rhus, 55:428
aromatica, 48:179, 48:181, 48:183, 48:187, 48:236, 50:268, 54:59
copallina, 56:56, 56:58, 56:59
glabra, 52:264, 56:56, 56:58, 56:59
hirta, 56:58
integrifolia, 51:574
microphylla, 49:6, 49:8, 49:285, 52:355, 54:447, 55:375, 55:496
ovata, 47:579, 52:200, 53:70
radicans, 53:216
tepetate, 50:147
toxocodendron, 49:529
trilobata, 47:63, 49:285, 50:213, 52:110, 52:200, 53:70, 53:153, 53:154, 53:252, 54:201, 55:493, 55:498
virens, 52:117, 55:496, 56:131
Rhyacophila
angelita, 51:334
coloradensis, 51:334, 54:187
Rhyacophilidae, 51:334, 54:187
Rhyacophylax, 50:243
Rhychopsitta pachyrhyncha, 52:272
Rhynchelitrum repens, 56:160
Rhynchocyclus brevirostris, 47:471, 47:473, 47:474, 54:512
Rhynchonycteris naso, 48:574, 50:97
Rhynchopsitta pachyrhyncha, 51:433, 52:279
Rhynchosia, 51:6
americana, 49:180, 49:183, 55:199
difformis, 55:430
longeracemosa, 51:10
minima, 51:10
senna, 51:10
tamaulipensis, 51:4, 51:5, 51:10
Rhynchospora, 55:257
Ribes
californicum, 54:328
cereum, 47:63, 48:493–496, 48:504, 53:153
inerme, 50:213, 53:153
leptanthum, 47:638
quercetorum, 52:200, 52:355, 53:71
tortuosum, 53:71
viscosissimum, 53:151, 53:153–156
Richardsonius balteatus, 53:239
Richman, David B., Sandra L. Brantley, David H-C. Hu, and Mary E. A. Whitehouse, Spiders of the Chihuahuan Desert of southern New Mexico and western Texas, 56:44–53
Ricinus communis, 53:172
Rickart, Eric A., Lawrence R. Heaney, and Robert S. Hoffmann, First record of *Sorex tenellus* from the central Great Basin, 49:132–134
Rickart, Eric A., Rebecca J. Rowe, Shannen L. Robson, Lois F. Alexander, and Duke S. Rogers, Shrews of the Ruby Mountains, northeastern Nevada, 56:95–102
Rickart, Eric A., see Baugh, Alexander T., —
Rico-Gray, Víctor, see Ortiz-Martínez, Teresita, and —
Rico-Gray, Victor, see Ortiz-Pulido, Raúl, and —
Ridens allyni, 48:521
Rideout-Hanzak, Sandra, see Britton, Carlton M., —
Rider, Toure, see McNeely, David L., —
Riedle, J. Daren, Paul A. Shipman, Stanley F. Fox, and David M. Leslie, Jr., Status and distribution of the alligator snapping turtle, *Macrochelys temminckii*, in Oklahoma, 50:79–84
Riedle, J. Daren, Paul A. Shipman, Stanley F. Fox, and David M. Leslie, Jr., Microhabitat use, home range, and movements of the alligator snapping turtle, *Macrochelys temminckii*, in Oklahoma, 51:35–40
Riemann, Hugo, see Bullock, Stephen H., —
Riley, Ryan K., see Rachlow, Janet L., —
Rinne, John N., see Calamusso, Bob, —
Rio Grande cichlid established in the Lake Pontchartrain drainage, Louisiana, Gustavo N. Fuentes and Robert C. Cashner, 47:456–459
Riodinidae, 52:13
Rioja-Paradela, Tamara M., Laura M. Scott-Morales, Mauricio Cotera-Correa, and Eduardo Estrada-Castillón, Reproduction and behavior of the Mexican prairie dog (*Cynomys mexicanus*), 53:520–523
Rios, Evelyn, see Alvarez-Castañeda, Sergio Ticul, and —
Ríos-Casanova, Leticia, see Godínez-Alvarez, Héctor, —
Riparian vegetation of the Lower Rio Grande, Robert I. Lonard and Frank W. Judd, 47:420–432
Risch, Thomas S., see Connior, Matthew B., and —
Rithrogena hageni, 48:30
Ritzer, Alexis L., see Pierce, Benjamin A., —
Ritzi, Christopher M., Brian C. Bartels, and Dale W. Sparks, Ectoparasites and food habits of Elliot's short-tailed shrew, *Blarina hylophaga*, 50:88–93
Ritzi, Christopher M., Ernest W. Valdez, and Dale W. Sparks, New host and locality records of bat ectoparasites from Arizona and New Mexico, 47:453–456
Ritzi, Christopher M., see Leavitt, Daniel J., —
River flow regime on cottonwood leaf litter dynamics in semi-arid northwestern Colorado, effects of, Douglas C. Andersen and S. Mark Nelson, 48:188–201
River shiner, *Notropis blennius*, in Lake Meredith, Texas, occurrence of the, Michael Patrikeev, Timothy H.

Bonner, and G. Matthew Trujillo, 50:488–490
River weed growing epizoically on freshwater mussels, Caryn C. Vaughn, Daniel E. Spooner, and Bruce W. Hoagland, 47:604–605
Riveroll, Hector, Jr., see Hotchkin, Paul, and —
Rivers, James W., and Brett K. Sandercock, Predation by gray catbird on brown thrasher eggs, 49:101–103
Rivina humilis, 47:428, 47:430
Robbins, Lynn W., see Britzke, Eric R., and —
Robel, Robert J., John P. Hughes, Timothy D. Keane, and Kenneth E. Kemp, Do artificial nests reveal meaningful patterns of predation in Kansas grasslands?, 48:460–464
Roberts, Heather R., see Wilkins, Kenneth T., and —
Robinia
neomexicana, 48:17, 51:493, 54:249, 56:194
neomexicanus, 53:151, 53:153–155, 53:158
pseudoacacia, 56:58
Robinson, John D., see Dillon, Robert T., Jr., —
Robinson, Sarah E., and Floyd W. Weckerly, Grouping patterns and selection of forage by the scimitar-horned oryx (*Oryx dammah*) in the Llano Uplift region of Texas, 55:510–516
Robison, Henry W., and Chris T. McAllister, Status and geographic distribution of the endemic Bayou Bodcau crayfish (*Bouchardina robisoni*) in Arkansas, 55:449–452
Robison, Henry W., see McAllister, Chris T., —
Robison, Henry W., see Turner, Thomas F., and —
Robson, Shannen L., see Rickart, Eric A., —
Rock outcrop plant communities (glades) in the Ozarks: a synthesis, Stewart Ware, 47:585–597
Rock squirrel (*Spermophilus variegatus*) in the state of Oaxaca, Mexico, new record of the, Francisco Botello, Patricia Illoldi-Rangel, Miguel Linaje, and Víctor Sánchez-Cordero, 52:326–328
Rodentia, 47:637–639, 48:310–312, 49:125–131, 51:79–86, 52:595–597, 54:546, 54:551, 54:553, 55:1–10
Rodents from Colima, México, new records of, Noé González-Ruiz, José Ramírez-Pulido, and Sergio Ticul Álvarez-Castañeda, 49:519–521
Rodents new to the diet of the western burrowing owl (*Athene cunicularia hypugaea*), Damon L. Williford, Marc C. Woodin, Mary Kay Skoruppa, and Graham C. Hickman, 54:87–90
Rodríguez, Melissa E., see Girón, Luis E., —
Rodríguez, Olivia, see Munguia, Pablo, —
Rodriguez-Romero, Felipe de Jesus, see Ruiz-Gomez, Maria de Lourdes, —
Rodríguez-Romero, Felipe, Geoffrey R. Smith, Fernando Méndez-Sánchez, Oswaldo Hernández-Gallegos, Petra Sánchez Nava, and Fausto R. Méndez de la Cruz, Demography of a semelparous, high-elevation population of *Sceloporus bicanthalis* (Lacertilia: Phrynosomatidae) from the Nevado de Toluca Volcano, Mexico, 56:71–77
Roels, Steven M., see Kraig, Sarah E., —
Roemer, Gary W., see Coonan, Timothy J., —
Roemer, Gary W., see Knowlton, Jessie L., —
Rogers, Duke S., Mark C. Belk, Malinda W. González, and Brent L. Coleman, Patterns of habitat use by bats along a riparian corridor in northern Utah, 51:52–58
Rogers, Duke S., see Coyner, Brandi S., —
Rogers, Duke S., see Rickart, Eric A., —
Rogers, Duke S., see Sanchez, Irma Urbina, —
Rogowski, David L., see Martinez, Michael A., and —
Rojas-Aréchiga, Mariana, Karla Ma. Aguilar, Jordan Golubov, and María C. Mandujano, Effect of gibberellic acid on germination of seeds of five species of cacti from the Chihuahuan Desert, northern Mexico, 56:393–400
Rojas-Aréchiga, Mariana, see Benítez-Rodríguez, J. Leopoldo, —
Rojas-Soto, Octavio R., Luis A. Sánchez-González, and Samuel López de Aquino, New information on the birds of northern Hidalgo, Mexico, 47:471–475
Rojas-Soto, Octavio R., see Almazán-Núñez, R. Carlos, —
Romaleidae, 55:112
Romero-Almaraz, María de Lourdes, Carlos García-Estrada, and Cornelio Sánchez-Hernández, *Peromyscus levipes* (Rodentia: Muridae) in deciduous forest in southeastern Morelos, Mexico, 49:125–131
Romero-Almaraz, María de Lourdes, see Hopkins, Heidi L., —
Romero-Almaraz, María de Lourdes, see Sánchez-Hernández, Cornelio, —
Romero-Almaraz, María de Lourdes, see Schnell, Gary D., —
Romerolagus, 50:366
diazi, 48:574, 50:365
Romey, William L., and C. Barry Knisley, Microhabitat segregation of two Utah sand dune tiger beetles (Coleoptera: Cicindelidae), 47:169–174
Romey, William L., Does the harvester ant, *Pogonomyrmex occidentalis*, shape its mound to catch the morning sun?, 47:175–181
Rondeau, Renee J., see Schorr, Robert A., —
Roost sites of Allen's lappet-browed bats (*Idionycteris phyllotis*), Melissa S. Siders and Wesley Jolley, 54:201–203
Roost sites used by burrowing owls (*Athene cunicularia*) wintering in southern Texas, characteristics of, Damon L. Williford, Marc C. Woodin, Mary K. Skoruppa, and Graham C. Hickman, 52:60–66
Rorabaugh, James C., Jeffrey M. Howland, and Randall D. Babb, Distribution and habitat use of the Pacific treefrog (*Pseudacris regilla*) on the lower Colorado River and in Arizona, 49:94–99
Rorabaugh, James C., Michael J. Sredl, Verma Miera, and Charles A. Drost, Continued invasion by an introduced frog (*Rana berlandieri*): southwestern Arizona, southeastern California, and Río Colorado, México, 47:12–20
Rorippa nasturtium-aquaticum, 49:86, 52:200, 53:71, 56:217
Rosa, 47:630, 56:98
bracteata, 47:566–575
californica, 54:328
carolina, 56:56, 56:59
woodsii, 50:213, 52:498, 52:500, 53:151, 53:153, 53:154
Rosaceae, 48:187, 49:191, 50:475, 50:476, 53:62, 53:72, 55:256, 55:443–447
Rosado, Adolfo, see León-Galván, Miguel A., —
Rosas-Rosas, Octavio C., see Villordo-Galván, J. Agustín, —
Rosas-Valdez, Rogelio, see León-Règagnon, Virginia, —
Rose, Francis L., Annual frequency of clutches of *Pseudemys texana* and *Trachemys scripta* at the headwaters of the San Marcos River in Texas, 56:61–65
Rose, Francis L., see Swannack, Todd M., and —
Rose, Francis L., Thomas R. Simpson, James R. Ott, and Richard W. Manning, Use of space by western cottonmouths (*Agkistrodon piscivorus*) inhabiting a variable-flow stream, 55:160–166

Rose, Francis L., Thomas R. Simpson, James R. Ott, Richard W. Manning, and Julien Martin, Survival of western cottonmouths (*Agkistrodon piscivorus leucostoma*) in a pulsing environment, 55:11–15
Rosenberg, Daniel K., see Catlin, Daniel H., and —
Rosenberg, Daniel K., see LaFever, David H., —
Rosenstock, Steven S., see Rabe, Michael J., —
Ross, Heidi L., see Montgomery, Chad E., —
Roth, Stanley D., see Prendergast, Jeffrey A., —
Roth-Monzón, Andrea J., Andrés Alberto Mendoza-Hernández, and Oscar A. Flores-Villela, *Lampropeltis ruthveni* (Serpentes: Colubridae) from the state of Hidalgo, Mexico, 56:430–431
Rowe, Rebecca J., see Rickart, Eric A., —
Rowell, Kirsten, see Stevens, Lawrence E., —
Rowell-Garvon, Shannon R., and Kim Withers, Behavior and habitat use by shorebirds in an urban wetland complex along the central Gulf Coast of Texas, 54:127–135
Rubiaceae, 48:187, 51:458, 53:72, 55:256, 56:161
Rubin, Esther S., see Boyce, Walter M., —
Rubio-Arias, Héctor O., see Cornell, Jack E., —
Rúbluo-Islas, Abraham, see Castellón-Olivares, José de Jesús, —
Rubus, 47:226, 49:191, 53:148, 53:154, 53:156, 54:347, 54:348
allegheniensis, 56:59
flagellaris, 56:59
hawaiiensis, 52:357
neomexicanus, 53:153
parviflorus, 53:153
setosus, 56:55
trivialis, 55:256, 55:259, 55:260
ursinus, 54:328
Rudbeckia, 47:590
hirta, 53:138, 53:499, 55:256
missouriensis, 47:590
Rudgers, Jennifer A., see Johnson, Sally D., —
Ruella californica, 50:146
Ruellia
californica, 50:136, 50:144
corzoi, 56:159
leucantha, 50:147
nodiflora, 56:159
nudiflora, 47:428
peninsularis, 50:136, 50:146
Ruggles, Anne K., see Meaney, Carron A., —
Ruiter, David E., see Blinn, Dean W., and —
Ruiz-Campos, Gorgonia, see Carmona, Roberto, —
Ruiz-Campos, Gorgonio, Faustino Camarena-Rosales, Salvador Contreras-Balderas, Claudia A. Reyes-Valdez, José de la Cruz-Agüero, and Elias Torres-Balcazar, Distribution and abundance of the endangered killifish *Fundulus lima*, and its interaction with exotic fishes in oases of central Baja California, Mexico, 51:502–509
Ruiz-Campos, Gorgonio, Roberto Martínez-Gallardo, Jorge Alaníz-García, Salvador González-Guzmán, and Ricardo Eaton-González, Recent records of North American badger, *Taxidea taxus*, in Baja California, Mexico, 47:316–319
Ruiz-Campos, Gorgonio, see Carmona, Roberto, —
Ruiz-Campos, Gorgonio, see Castellón-Olivares, José de Jesús, —
Ruiz-Campos, Gorgonio, see Contreras-Balderas, Armando J., and —
Ruiz-Campos, Gorgonio, see Sánchez-Gonzáles, Sergio, —
Ruiz-Carus, Ramon, see Wakida-Kusunoki, Armando, —
Ruiz-Gomez, Maria de Lourdes, J. Fernando Mendez-Sanchez, Felipe de Jesus Rodriguez-Romero, and Christopher M. Taylor, Spatiotemporal changes in fish assemblages of Los Terreros Creek, an isolated stream system in headwaters of the Lerma River, central Mexico, 53:224–229
Rumex
acetosella, 49:191, 56:56
altissimus, 55:256, 55:259, 55:260
crispus, 53:396, 53:462, 55:256, 55:260
hymenosepalus, 53:72
Rumina decollata, 47:463, 47:465
Rupicapra
pyrenaica, 55:514
rupicapra, 51:437
Ruppia maritima, 56:386
Russell, Robin E., see Block, William M., —
Russula, 48:259
Ruta, 49:506
Rutaceae, 48:506, 49:506, 50:476, 55:428, 56:161
Ruthven, Donald C., III, Richard T. Kazmaier, and Michael W. Janis, Short-term response of herpetofauna to various burning regimes in the South Texas plains, 53:480–487
Ruthven, Donald C., III, Richard T. Kazmaier, James F. Gallagher, and David R. Synatzske, Seasonal variation in herpetofauna abundance and diversity in the South Texas plains, 47:102–109
Ruthven, Donald C., III,, see Bradley, Robert D., —
Rutidosis helichrysoides, 48:11
Ruvalcaba-Ortega, Irene, and José I. González-Rojas, New records for Coahuila from a riparian bird community in northern Mexico, 54:501–509
Ryberg, Wade A., and Lee A. Fitzgerald, Herpetofaunal inventory of Fort Wolters in north-central Texas, 50:267–272
Ryberg, Wade A., Lee A. Fitzgerald, Rodney L. Honeycutt, James C. Cathey, and Toby J. Hibbitts, Vertebrate inventory of Richland Creek Wildlife Management Area in eastern Texas, 49:528–534
Ryden, Dale W., and Jude R. Smith, Colorado pikeminnow with a channel catfish lodged in its throat in the San Juan River, Utah, 47:92–94
Rynchops niger, 53:188, 56:388

Sabal
mexicana, 47:423, 47:426, 47:427, 47:429
minor, 55:12, 56:66–70
rosei, 55:318
Saccopteryx
bilineata, 48:574, 50:97
leptura, 48:568, 48:574, 50:97
Sacrophagidae, 56:427
Sada, Donald W., see Trammell, E. Jamie, —
Sadleria cyatheoides, 52:357
Sadoti, Giancarlo, see Johnson, Kristine, —
Saenz, Daniel, see Johnson, James B., —
Safe and selective capture technique for jaguars in the Paraguayan Chaco, R. T. McBride, Jr. and R. T. McBride, 52:570–577
Sagebiel, John C., see Heaton, Jill S., —
Saguaro (*Carnegiea gigantea*, Cactaceae) growth rate over its American range and the link to summer precipitation, Taly Dawn Drezner, 50:65–68
Saguaro spine penetrated bighorn sheep skull, Brian D. Jansen, Paul R. Krausman, James R. Heffelfinger, and James C. deVos, Jr., 50:513–515
Saiki, Michael K., Barbara A. Martin, and Thomas W. Anderson, Unusual dominance by desert pupfish (*Cyprinodon macularius*) in experimental ponds within the Salton Sea Basin, 56:385–392
Saiki, Michael K., see Martin, Barbara A., and —
Saiki, Michael K., see Mejia, Francine, —
Salamandridae, 49:453, 50:365
Salaria pavo, 55:264
Salazar Ceseña, J. Mario, see Bullock, Stephen H., —
Salazar-Bravo, Jorge, see Dunnum, Jonathan L., —

Salazar-Ceseña, Mario, see Franco-Vizcaíno, Ernesto, —
Salazaria mexicana, 53:72
Salceda, Víctor M., Chromosomal polymorphism in a natural population of *Drosophila willistoni* (Diptera: Drosophilidae) from Laguna Verde, Veracruz, Mexico: an eight-year record, 51:320–325
Salceda, Víctor M., Judith Guzmán, Olga Olvera, and Louis Levine, Chromosomal variation in natural populations of *Drosophila pseudoobscura* inhabiting northern Mexico, 52:430–434
Salgado-Maldonado, Guillermo, see Martínez-Aquino, Andrés, —
Salicaceae, 47:464, 56:365
Salicomia virginica, 47:428
Salicornia, 48:465, 52:76
bigelovii, 50:135, 50:398, 54:237–238
virginica, 47:226, 48:302, 50:398, 54:238
Salicornietum bigelovii, 50:135, 50:149
Salix, 47:226, 47:237, 47:430, 47:630, 47:631, 48:384, 48:611, 49:385, 50:199, 50:213, 51:53, 51:326, 51:327, 51:574, 53:86, 54:33, 54:196, 54:202, 54:462, 55:241, 56:97, 56:205
arctica, 54:356
bonplandiana, 51:505, 55:318
exigua, 47:32, 47:423–426, 47:503, 47:598, 48:377, 48:378, 49:97, 52:220
gooddingii, 47:462, 49:25, 49:97, 53:400, 53:459, 55:274
goodingii, 53:252
humilis, 56:58
laevigata, 52:200
lemmonii, 51:109
lucida, 51:109
nigra, 47:373, 47:422–426, 47:434, 47:487, 47:598, 48:307, 49:33, 49:35, 49:86, 49:529, 52:455, 53:96, 53:97, 53:451, 54:68, 54:69, 54:318, 55:181, 55:257
Salmo, 55:551
gairdneri, 53:116
trutta, 48:43, 48:668, 52:22, 52:132, 52:235, 54:183, 55:81, 55:82, 55:230–232, 55:547
Salmonidae, 52:132
Salpinctes obsoletus, 50:442, 54:289
Salsola, 55:480, 55:483
kali, 47:354, 50:141, 54:226, 54:227
tragus, 52:256
Salsugianus, 52:125–127
Saltícidae, 51:557, 53:140, 54:331, 54:332, 54:335, 54:337, 56:45, 56:49, 56:51, 56:52
Salticus, 54:336
peckhamae, 56:50
Saltugilia australis, 53:64, 53:72
Salvadora, 52:113
grahamiae, 48:351, 53:484, 53:485, 55:244–246, 55:253
hexalepis, 48:351, 48:352, 55:244–246, 55:253
Salvelinus fontinalis, 52:132, 55:230–232, 55:547
Salveninus namaycush, 51:260
Salvia, 48:181, 51:574, 54:227
apiana, 52:200
ballotaiflora, 54:120
coccinea, 47:428, 56:160
columbariae, 52:200, 53:72
eremostachya, 53:72
leptophylla, 48:181, 48:187
mellifera, 54:328
spathacea, 49:306
tiliifolia, 48:187
Samaniego-Herrera, Araceli, see Knowlton, Jessie L., —
Samaniego-Herrera, Araceli, see Peralta-García, Anny, —
Sambucus, 53:148, 53:154
coerulea, 48:504
mexicana, 51:574, 54:328
nigra, 52:355
racemosa, 53:153, 53:156
Sanborn, Allen F., and Polly K. Phillips, Elevation of a subspecies of *Tibicen* (Hemiptera: Cicadoidea: Cicadidae) to a full species, 56:363–368
Sanborn, Allen F., James E. Heath, and Maxine S. Heath, Long-range sound distribution and the calling song of the cicada *Beameria venosa* (Uhler) (Hemiptera: Cicadidae), 54:24–30
Sanborn, Allen F., New records of cicacas from Mexico (Hemiptera: Cicadoidea: Cicadidae), 51:255–257
Sánchez Nava, Petra, see Rodríguez-Romero, Felipe, —
Sanchez, Irma Urbina, Ma. Angeles Aguilar Santamaria, Elizabeth Arellano, Francisco X. Gonzalez-Cozatl, and Duke S. Rogers, Karyotypes of three species of harvest mice (*Reithrodontomys*), 51:564–568
Sánchez, Óscar, see Monroy-Vilchis, Octavio, —
Sánchez-Cordero, Víctor, see Botello, Francisco, —
Sánchez-Gonzáles, Sergio, Gorgonio Ruiz-Campos, María de Lourdes Lozano-Vilano, Edith Hilario Torres-Montoya, and Alejandro Herrera-Flores, The mountain clingfish, *Gobiesox fluviatilis* (Teleostei: Gobiesocidae), in the Río Culiacán Basin, Sinaloa, Mexico, 55:599–600
Sánchez-González, Luis A., see Rojas-Soto, Octavio R., —
Sánchez-Hermosillo, Manuel D., see Villordo-Galván, J. Agustín, —
Sánchez-Hernández, Cornelio, and María de Lourdes Romero-Almaraz, Redescription of *Sturnira lilium lilium* and *Sturnira lilium parvidens* (Chiroptera: Phyllostomidae), 48:437–441
Sánchez-Hernández, Cornelio, María de Lourdes Romero-Almaraz, Michael C. Wooten, Gary D. Schnell, and Michael L. Kennedy, Speed in flight of common vampire bats (*Desmodus rotundus*), 51:422–425
Sánchez-Hernández, Cornelio, Sara Beatriz González-Pérez, Gary D. Schnell, María de Lourdes Romero-Almaraz, Michael L. Kennedy, and Troy L. Best, Mammals from Ejido Ranchitos, Colima, Mexico, 54:409–420
Sánchez-Hernández, Cornelio, see Hopkins, Heidi L., —
Sánchez-Hernández, Cornelio, see Romero-Almaraz, María de Lourdes, —
Sánchez-Hernández, Cornelio, see Schnell, Gary D., —
Sander vitreus, 52:133, 55:81, 55:82
Sandercock, Brett K., see Rivers, James W., and —
Sanders, Nathan J., Immediate effects of fire on the invasive Argentine ant, *Linepithema humile*, 49:246–250
Sandoval, Andrew V., see Espinosa-T., Alejandro, —
Sanfilippodyes, 54:357, 54:359, 54:360
Santalum, 52:357
Santander, Francisco J., Sergio A. Alvarado, Piero A. Ramírez, and Ricardo A. Figueroa, Prey of Harris' hawks (*Parabuteo unicinctus*) during autumn and winter in a coastal area of central Chile, 56:417–422
Santos-Moreno, Antonio, Miguel Briones-Salas, Graciela González-Pérez, and Teresita de J. Ortiz, Noteworthy records of two rare mammals in Sierra Norte de Oaxaca, Mexico, 48:312–313
Santos-Moreno, Antonio, see Briones-Salas, Miguel, and —
Santos-Moreno, Antonio, Sergio García Orozco, and Eliécer Efraín Pérez Cruz, Records of bats from Oaxaca, Mexico, 55:454–456
Sanvitalia ocymoides, 56:159
Sapindaceae, 53:72, 55:256
Sapindus, 53:252
saponaria, 47:429, 49:126, 49:529, 54:447, 55:141
Sapium
biloculare, 50:147
sebiferum, 47:247, 47:550–556, 48:302, 54:232, 54:370, 54:546, 54:551, 54:553, 55:144, 55:179–192
Sapotaceae, 48:506, 52:394, 56:161
Sapthilepia clonius, 48:522
Sarcobatum vermiculatus, 48:413
Sarcobatus vermiculatus, 48:192, 51:268, 52:552, 52:553, 56:181
Sarcocornia pacifica, 50:135, 50:138, 56:36
Sarcocornietum pacificae, 50:135, 50:149
Sarcophaga plinthopyga, 56:275
Sarcophagidae, 50:295, 50:299, 55:191, 56:275

Sarcoptes scabiei, 54:497
Sarcostemma
arenarium, 50:139
crispum, 52:355
cynanchoides, 52:355
Sarkozi, David L., and Daniel M. Brooks, Eastern red bat (*Lasiurus borealis*) impaled by a loggerhead shrike (*Lanius ludovicianus*), 48:301–303
Sarota psaros, 48:517
Sarracenia purpurea, 56:78
Sassacus
papenhoei, 56:50
vitis, 54:336
Sassafras albidum, 56:58
Satureja arkansana, 47:587, 47:588
Satyium, 50:298
Satyrinae, 51:552–553
Saugey, David A., see Milanovich, Joseph R., —
Sauria, 48:126–129, 54:226–230, 55:419–425, 56:119–120, 56:128–130
Saurofilaria grassi, 48:212
Sauromalus
ater, 47:44, 47:46, 47:47, 47:52
obesus, 48:106, 48:682, 48:683, 52:601
Saururaceae, 53:72
Savage, Amy M., see Johnson, Sally D., —
Saxifraga, 47:587, 47:588
Sayornis, 54:289, 54:290
nigricans, 52:55–57
phoebe, 50:231, 50:232, 50:234, 55:572
saya, 50:232, 50:234, 50:446, 52:55–57
Scalopus aquaticus, 47:249, 47:251, 47:255, 48:575, 52:444, 56:410, 56:411, 56:413
Scapanus latimanus, 48:570, 48:575
Scaphiella hespera, 54:335, 56:46
Scaphiopus, 52:113
couchii, 47:15, 50:251, 50:252, 50:254, 50:255, 53:483, 55:246, 55:248, 55:252
holbrookii, 55:459
hurteri, 55:459
hurterii, 53:453
Scaphirhynchus platorynchus, 55:79, 55:82
Scarabaedidae, 54:303
Scarabaeidae, 48:198, 48:270, 49:259, 49:517, 51:557, 51:558, 54:170, 54:197, 55:112, 55:344
Scarabeidae, 56:420
Scarabidae, 47:464, 50:91, 52:319, 52:320, 52:322
Scarbaeidae, 48:133
Scavenging behavior in puma, Jim W. Bauer, Kenneth A. Logan, Linda L. Sweanor, and Walter M. Boyce, 50:466–471
Sceloporus, 48:106, 48:122, 54:29
acanthinus, 48:208, 48:211–213
aeneus, 52:258, 56:75
anahuacus, 50:179
arenicolus, 56:315–324
bicanthalis, 50:179, 56:71–77
bulleri, 54:405
clarki, 48:218–220, 56:73, 56:74, 56:93
clarkii, 48:208, 48:211–213, 48:351, 48:352, 51:158, 51:160, 55:244–248, 55:252
consobrinus, 56:319
cozumelae, 51:169
cyanogenys, 54:405
cyanostictus, 52:601, 55:278–279, 56:89
dugesii, 54:400–408
formosus, 48:208–217, 50:179, 50:183, 50:184
gadovae, 48:125
gadoviae, 51:169, 54:404
graciosus, 48:211, 52:248, 52:321, 56:74, 56:75, 56:322
grammicus, 48:208–217, 50:178–187, 52:248, 54:404, 55:98–103, 56:73, 56:131, 56:132
horridus, 51:160
insignis, 54:405
jalapae, 54:404
jarrovi, 47:209, 48:218–222, 48:683, 50:178, 50:179, 50:185, 50:216, 50:217, 56:73–75
jarrovii, 48:208, 48:211–214, 48:351–353, 52:600–608, 54:204–207, 54:400, 54:404, 54:405, 55:249, 55:278–279, 56:89–94, 56:131, 56:132
licki, 55:278
lineolateralis, 54:405
macdougalli, 54:405
magister, 47:35, 47:53, 48:208, 48:212, 48:213, 48:351, 51:160, 52:252, 55:244, 55:246–248, 55:252, 56:73–75
malachiticus, 48:214
megalepidurus, 48:208–217
melanorhinus, 47:206, 51:157–162
merriami, 48:208, 48:211–213, 48:700–705, 52:248, 56:74
minor, 52:601, 56:89, 56:119–120
mucronatus, 48:208–217, 50:184, 50:185, 52:248, 54:400, 54:405, 55:101
nelsoni, 48:208, 48:211–213, 56:93
oberon, 52:601, 56:89
occidentalis, 47:105, 48:211, 55:175, 55:583, 55:584, 56:119, 56:369–377
ochoteranae, 48:123–126
olivaceus, 47:105, 48:211, 50:269, 51:160, 53:483, 53:484, 55:459
orcutti, 47:45, 47:46, 47:53, 51:160, 55:278, 55:583
ornatus, 54:405
palaciosi, 50:179, 56:72, 56:120–124
parvus, 48:208–217
poinsetti, 54:405, 56:73, 56:131, 56:132
poinsettia, 56:74
poinsettii, 48:209, 48:212, 48:213, 56:90
pyrocephalus, 51:134, 51:169, 51:170
rufidorsum, 55:278
scalaris, 50:263, 56:73–75
serrifer, 48:211, 54:404, 54:405
siniferus, 51:169, 51:170, 55:278
slevini, 48:351, 48:353, 55:249
spinosus, 48:208, 48:212, 48:213, 50:263, 51:158, 51:160
sugillatus, 52:601, 52:605, 56:89
teapensis, 48:209, 51:169
torquatus, 47:98–102, 47:614, 48:208–217, 50:184, 52:248, 52:323, 52:325, 54:400, 54:404, 54:405, 55:101
tristichus, 55:244–249, 55:252
undulatus, 47:104–106, 47:108, 47:299, 48:211, 48:351, 50:269, 52:321, 52:606, 53:483, 53:484, 55:101, 55:253, 55:459, 56:73–75, 56:93, 56:321, 56:373, 56:374
utiformis, 47:206, 47:210, 51:160
variabilis, 47:105, 48:208–217, 50:178, 51:163–171, 52:437–438
virgatus, 48:211, 48:218–222, 55:249, 56:73–75, 56:373, 56:374
zosteromus, 47:45–47, 47:53
Scenedesmus
acuminatus, 49:403
acutus, 49:403
ecornis, 49:403
quadricauda, 49:403
soli, 49:403
spinosus, 49:403
Schaefer, Richard R., and Jesse F. Fagan, Commensal foraging by a fin-tailed warbler (*Euthlypis lachrymose*) with a nine-banded armadillo (*Dasypus novemcinctus*) in southwestern Mexico, 51:560–562
Schaefferia, 55:428
Schauffert, Carol A., John L. Koprowski, Vicki L. Greer, Marit I. Alanen, Kelly A. Hutton, and Paul J. Young, Interactions between predators and Mt. Graham red squirrels (*Tamisaciurushudsonicus grahamensis*), 47:498–501
Schauffert, Carol A., see Hutton, Kelly A., —
Schemnitz, Sanford D., see York, Darryl, L., and —
Schenoplectus, 54:332
Schiffmiller, Gary, see Marsh, Paul C., —
Schinopsis quebracho-colorado, 52:571
Schinus
latifolius, 56:418
mole, 48:673
Schismus barbatus, 52:148
Schistocerca, 53:167
nitens, 55:112
Schizacharium scoparium, 55:511, 55:513, 55:514
Schizachyrium, 54:137, 56:317
sanguineum, 48:179, 48:181, 48:182, 48:184, 48:187
scoparium, 47:590, 48:181, 48:182, 48:184, 48:187, 48:420, 48:461, 49:176–178, 49:180–183, 49:185–187, 49:335, 50:268, 50:398, 51:13, 51:359, 51:526, 52:454, 52:469, 53:497, 53:502, 54:20, 54:141, 55:51, 55:180, 55:194, 55:200, 55:290, 56:56, 56:59, 56:434
scoparius, 53:216
Schizacyrium scoparium, 54:238, 54:242
Schizocosa, 51:317
mimula, 56:47

Schizopera, 55:527
Schizothrix friesii, 49:399
Schkuhria anthemoidea, 48:181, 48:187
Schleider, Paul G., see Gillam, Erin H., —
Schmidly, David J., see Hice, Christine L., and —
Schmitt, C. Gregory, see Albert, Steven, —
Schmitt, C. Gregory, see Harrison, Robert L., —
Schmitt, C. Gregory, see Kamler, Jan F., —
Schneider, Scott C., Michael B. Wunder, and Fritz L. Knopf, Relationship between shrubs and foods in mountain plover habitat in Park County, Colorado, 51:197–202
Schnell, Gary D., Michael L. Kennedy, Cornelio Sánchez-Hernández, María de Lourdes Romero-Almaraz, Brooke D. N. Estevez, José A. Guerrero, Troy L. Best, Michael C. Wooten, and Robert D. Owen, Habitat preference of the endemic tawny deermouse (*Peromyscus perfulvus*), a species of conservation concern, 53:9–20
Schnell, Gary D., see Hopkins, Heidi L., —
Schnell, Gary D., see Sánchez-Hernández, Cornelio, —
Schoenoplectus pungens, 53:393, 53:395–397, 53:460–462
Schorr, Robert A., Jeremy L. Siemers, Paul M. Lukacs, James P. Gionfriddo, John R. Sovell, Renee J. Rondeau, and Michael B. Wunder, Using survival of rodents to assess quality of prairie habitats, 52:552–563
Schotborgh, H. Maaike, see King, Kirke A., —
Schotborgh, H. Maaike, see Zaun, Brenda J., —
Schuett, Gordon W., see Repp, Roger A., and —
Schultz, David L., see Hawkins, Lorraine A., —
Schwalbe, Cecil R., see Esque, Todd C., —
Schwalbe, Cecil R., see Goldberg, Caren S., and —
Schwalbe, Cecil R., see Turner, Dale S., —
Schwemm, Catherin A., see Coonan, Timothy J., —
Schwertner, T. Wayne, An observation of the foraging behavior of a great horned owl (*Bubo virginianus*) feeding on field crickets (*Gryllus*), 47:117–118
Schwertner, T. Wayne, John T. Baccus, and Martin R. Heaney, Records of the Texas antelope squirrel (*Ammospermophilus interpres*) in Texas, 56:273–274
Sciaenidae, 49:50, 49:51, 54:392
Sciaenops ocellatus, 49:49
Sciaridae, 56:78–80
Scincella lateralis, 49:531, 50:269, 53:116, 53:287, 53:292, 55:459
Scincidae, 47:45, 47:55, 50:25, 54:404, 55:252, 55:584
Sciomyzidae, 55:191
Scirpus, 47:226, 47:462, 47:464, 47:533, 48:58, 48:130, 48:357, 48:366, 49:86, 49:97, 49:219, 49:220, 49:224, 54:462
acutus, 51:53
americanus, 52:200, 53:396
paludosis, 54:177
robustus, 52:76
Scirtidae, 53:380
Sciuridae, 47:328, 48:270, 48:575, 49:273, 49:376, 54:222, 54:412
Sciurus, 51:71, 53:512, 53:513, 54:481
aberti, 47:273–274, 47:499, 48:257–260, 48:575, 49:113, 50:461–465, 51:64–70, 53:248, 53:249, 53:253, 56:194, 56:401
alleni, 48:575
arizonensis, 48:575, 53:248–255
aureogaster, 48:575, 52:327, 53:103, 56:400–403
carolinensis, 47:255, 49:532, 51:66, 51:533, 55:48, 55:205, 56:410, 56:411, 56:413
colliaei, 48:570, 48:575
deppei, 48:575, 52:327
griseus, 51:534, 55:43, 55:46
nayaritensis, 48:575, 48:723, 49:144, 51:531–535, 52:620, 52:622, 53:251
niger, 47:249, 47:255, 48:575, 48:578, 49:111–116, 49:532, 51:66, 51:534, 53:452, 53:453, 55:42–49, 56:410, 56:411, 56:413
oculatus, 48:575
variegatoides, 48:568, 48:575
yucatanensis, 48:571, 48:575
Scleria
muhlenbergia, 56:55
pauciflora, 56:55
Sclerobuninae, 55:304, 55:470
Sclerocactus
mariposensis, 56:395
polyancistrus, 56:337
Scleropogon, 55:428
brevifolius, 49:6, 51:2, 53:92
Scoliidae, 47:465
Scolopacidae, 54:129, 54:288
Scolopendra polymorpha, 55:112
Scolopendridae, 55:112
Scopoides cambridgei, 56:48
Scotinella pugnata, 56:48
Scotinomys
teguina, 48:574, 50:343, 50:349
xerampelinus, 50:349
Scotophilus heathi, 50:458
Scott M., Laura, see Estrada C., Eduardo, —
Scott, Norman J., Jr., see Rathbun, Galen B., —
Scott, Peter E., see Aigner, Paul A., and —
Scott, Peter E., Timing of *Agave palmeri* flowering and nectar-feeding bat visitation in the Peloncillos and Chiricahua mountains, 49:425–434
Scott-Morales, Laura M., see Rioja-Paradela, Tamara M., —
Scott-Morales, Laura, Jorge Nocedal, Mauricio Cotera, and Julio Canales-Delgadillo, Worthen's sparrow (*Spizella wortheni*) in the northern Mexican Plateau, 53:91–95
Scoville, Alison, see Crooks, Kevin R., —
Scoville, Gerald, see Crooks, Kevin R., —
Scrophularia montana, 47:9
Scrophulariaceae, 49:191, 51:458
Scudday, James Franklin (Jim), 1929–2009, 55:299–303
Scytonema
crispum, 49:399
densum, 49:399
hofmanni, 49:399
rivulare, 49:397, 49:399
tolypotrichoides, 49:399
Seaside sparrows, *Ammodramus maritimus*, breeding in the Rio Grande Delta, southern Texas, Stephen M. Phillips and Gerald E. Einem, 48:465–467
Season and sex of host affect intensities of ectoparasites in western fence lizards (*Sceloporus occidentalis*) on the central coast of California, Anthony S. Lumbad, Larisa K. Vredevoe, and Emily N. Taylor, 56:369–377
Seasonal activity, relative abundance, and size-class structure of the American alligator (*Alligator mississippiensis*) in a highly disturbed inland lake, William I. Lutterschmidt and Dennis K. Wasko, 51:346–351
Seasonal and ontogenetic changes in the sex ratio of a population of stinkpots (Kinosternidae: *Sternotherus odoratus*), Todd M. Swannack and Francis L. Rose, 48:543–549
Seasonal and spatial variation in diversity and abundance of tardigrades in leaf litter from Louisiana and Florida, Juliana G. Hinton, Harry A. Meyer, and Aaron W. Sweeney, 55:539–543
Seasonal breeding in the western Mexican whiptail lizard *Aspidoscelis costata* on Isla Isabel, Nayarit, Mexico, Jaime Zaldívar-Rae, Hugh Drummond, Sergio Ancona-Martínez, Norma L. Manríquez-Morán, and Fausto R. Méndez-De La Cruz, 53:175–184
Seasonal changes in 17-β estradiol of the Rio Grande chub (*Gila pandora*) in

south-central New Mexico, Colleen A. Caldwell, S. Adam Fuller, William R. Gould, Paul R. Turner, and Dennis M. Hallford, 49:311–315

Seasonal changes in waterbird habitat and occurrence in Laguna de Sayula, western Mexico, Pablo Munguia, Paola López, and Iris Fortes, 50:318–322

Seasonal dynamics of small mammals and vegetation in a Gulf cordgrass community, Guy N. Cameron, Jan M. Williams, and Beth L. Kruchek, 54:237–247

Seasonal forage use by desert mule deer in southeastern California, Jason P. Marshal, Vernon C. Bleich, Nancy G. Andrew, and Paul R. Krausman, 49:501–505

Seasonal movement patterns of pickerel frogs (*Rana palustris*) in an Ozark cave and tropic implications supported by stable isotope evidence, Danté B. Fenolio, G. O. Graening, and Jim F. Stout, 50:385–389

Seasonal movements of native and introduced catostomids in the Big Sandy River, Wyoming, Diana E. Sweet and Wayne A. Hubert, 55:382–389

Seasonal ranges and site fidelity of adult male white-tailed deer (*Odocoileus virginianus*) in southern Texas, Mickey W. Hellickson, Tyler A. Campbell, Karl V. Miller, R. Larry Marchinton, and Charles A. DeYoung, 53:1–8

Seasonal variation in herpetofauna abundance and diversity in the South Texas plains, Donald C. Ruthven, III, Richard T. Kazmaier, James F. Gallagher, and David R. Synatzske, 47:102–109

Seasonality and movements of the Gulf Coast waterdog (*Necturus beyeri*) in eastern Texas, Roberto Brenes and Neil B. Ford, 51:152–156

Sebastiana pavoniana, 52:117

Sebidae, 53:79

Sebrgia
hershleri, 53:82
minima, 53:82
relicta, 53:78, 53:79, 53:82

Sedum, 47:587, 47:602
nuttallianum, 47:588, 52:120–124
pulchellum, 47:588, 52:120, 52:121, 52:124

Seed age, germination substrate, gibberelic acid, light, and temperature on seed germination in *Flourensia cernua* (Asteraceae), a Chihuahuan Desert shrub, effects of, Susana Valencia-Díaz and Carlos Montaña, 48:1–13

Seed dispersal and germination of the epiphyte *Tillandsia brachycaulos* (Bromeliaceae) in a tropical dry forest, Mexico, Demetria Mondragon and Maria Calvo-Irabien L., 51:462–470

Seed dispersal of *Bursera fagaroides* (Burseraceae): the effect of linking environmental factors, Raúl Ortiz-Pulido and Victor Rico-Gray, 51:11–21

Seedbank of Bingham Cienega, a spring-fed marsh in southeastern Arizona, Jonathan H. Titus and Priscilla J. Titus, 53:393–399

Segregates of *Acacia farnesiana* (L.) Willd. (Fabaceae: Mimosoideae) and related species in North America, notes on the, John E. Ebinger, David S. Seigler, and H. David Clarke, 47:86–91

Seigler, David S., see Clarke, H. David, —

Seigler, David S., see Ebinger, John E., —

Seiurus
aurocapilla, 54:506
aurocapillus, 47:473
motacilla, 49:107

Selaginella
bigelovii, 53:70
eremophila, 53:70
rupestris, 47:588

Selaginellaceae, 53:70

Selasphorus, 47:1
platycercus, 47:2, 52:277, 52:304
rufus, 47:2, 52:304

Selection of microhabitat by the introduced Mediterranean gecko, *Hemidactylus turcicus*: influence of ambient light and distance to refuge, Steven C. Williams and Lance D. McBrayer, 52:578–585

Selenastrum minutum, 49:403

Selenia aurea, 47:587, 47:588

Sellaginella bigelovii, 52:200

Sellaphora
bacillum, 49:397, 49:401
pupula, 49:397, 49:401

Seminoff, Jeffrey A., Javier Alvarado, Carlos Delgado, Jose Luis Lopez, and Gabriel Hoeffer, First direct evidence of migration by an East Pacific green seaturtle from Michoacán, México to a feeding ground on the Sonoran coast of the Gulf of California, 47:314–316

Semotilus atromaculatus, 47:190, 47:191, 51:22–27, 54:389

Senecio, 49:503, 55:480, 55:483
angulifolius, 51:458
aquaticus, 48:13
gregorii, 48:11
jacobaea, 48:11
lemmonii, 53:70
magnificus, 48:11
mohavensis, 53:70
multilobatus, 48:504
praecox, 47:623
riddellii, 49:186
salignus, 51:455–460, 54:440–444
spartioides, 48:504
squalidus, 48:12
stoechadiformis, 51:455–460, 54:440
sylvaticus, 48:12
viscosus, 48:11
vulgaris, 48:11

Senegalia peninsularis, 47:90

Senna, 51:1, 51:4–7, 55:426–428, 55:430
bauhinioides, 51:9
crotalarioides, 51:9
demissa, 51:4, 51:6, 51:9
lindchimeriana, 51:6, 51:9
occidentalis, 53:10
pallida, 53:10
pumilio, 51:6, 51:9
wislizeni, 51:6, 51:9, 52:117

Sensory modality used by coyotes in responding to antipredator compounds in the blood of Texas horned lizards, Wade C. Sherbrooke and J. Russell Mason, 50:216–222

Senticolis triaspis, 55:249

Septentrinna bicalcarata, 56:48

Sepúlveda-Betancourt, Jorge, see Castellón-Olivares, José de Jesús, —

Serborgia schieckei, 53:82

Sergiolus
angustus, 56:48
stella, 56:49

Sericostomatidae, 51:334, 54:184, 54:187, 54:189, 54:190

Serinus canarius, 55:595

Seriocostomatidae, 53:381

Serjania brachycarpa, 47:426

Serpentes, 48:705–707, 49:409–412, 49:457–464, 50:390–392, 53:108–114, 53:261–264, 56:430–431

Serpinema trispinosum, 52:127, 52:128

Serratula tinctoria, 48:13

Servín, Jorge, Elías Chacón, Nicolás Alonso-Pérez, and Carmen Huxley, New records of mammals from Durango, Mexico, 48:136–138

Sesbania, 51:8
drummondii, 47:426, 47:487
exaltata, 48:307

Sesubium verrucosum, 54:177

Sesuvium
portulaca, 55:421
verrucosum, 53:328

Setaria
geniculata, 55:257
leucopila, 47:428, 55:498
parviflora, 55:257
reverchonii, 55:257
scheelei, 53:500
viridis, 48:187

Seuratum cancellatum, 52:597–599

Seven-month survey of *Allocorrigia filiformis* (Trematoda: Dicrocoeliidae)

infection in the crayfish *Procambarus clarkii*, Hugh M. Turner, 49:256–257
Sex ratio variation of *Myotis velifer* (Chiroptera: Vespertilionidae) in Oklahoma, Lynda M. Samanie Loucks and William Caire, 52:67–74
Sex-ratio disparity of the endangered Houston toad (*Bufo houstonensis*), possible cause for the, Todd M. Swannack and Michael R. J. Forstner, 52:386–392
Shannon, Joseph P., see Haden, G. Allen, —
Shaw, Hayley J., see Montgomery, Chad E., —
Shear, William A., see McAllister, Chris T., —
Shelley, Rowland M., see McAllister, Chris T., —
Shenk, Tanya M., see Bain, Matthew R., and —
Sherbrooke, Wade C., and J. Russell Mason, Sensory modality used by coyotes in responding to antipredator compounds in the blood of Texas horned lizards, 50:216–222
Sherbrooke, Wade C., and Michael F. Westphal, Responses of greater roadrunners during attacks on sympatric venomous and nonvenomous snakes, 51:41–47
Sherman, Alison R., and Chester O. Martin, Rediscovery of the gray bat (*Myotis grisescens*) in northeastern Mississippi, 51:418–420
Sherwin, Richard E., and William L. Gannon, Documentation of an urban winter roost of the spotted bat (*Euderma maculatum*), 50:402–407
Sherwood, Sherri, see Biggs, James, —
Shipman, Paul A., see Riedle, J. Daren, —
Shohfi, Hanna E., Chris J. Conroy, Alan R. Wilhelm, and James L. Patton, New records of *Sorex preblei* and *S. tenellus* in California, 51:108–111
Short-term effects of riparian disturbance on *Desmognathus brimleyorum* (Plethodontidae) at a natural spring in Oklahoma, Lance R. Williams, Doyle L. Crosswhite, and Marsha G. Williams, 47:611–613
Short-term response of herpetofauna to various burning regimes in the South Texas plains, Donald C. Ruthven, III, Richard T. Kazmaier, and Michael W. Janis, 53:480–487
Shrews (Mammalia, Soricomorpha) from Colima, Mexico, Fernando A. Cervantes, Ana Montiel, and Andrés García, 53:101–104
Shrews of the Ruby Mountains, northeastern Nevada, Eric A. Rickart, Rebecca J. Rowe, Shannen L. Robson, Lois F. Alexander, and Duke S. Rogers, 56:95–102
Sialia
  currucoides, 49:106, 55:25
  mexicana, 51:427, 52:276, 54:248–252, 54:289, 54:353, 55:25, 55:26
  sialis, 50:231, 52:277
Sialidae, 50:242, 53:524–528
Sialis, 50:242
  americana, 53:524–528
  infumata, 53:524
  itsaca, 53:524–528
  joppa, 53:524
  mohri, 53:524, 53:526–528
  vagans, 53:524, 53:526–528
  velata, 53:524–527
Sibbaldia procumbens, 54:356
Sicariidae, 54:336, 54:337, 56:46
Sicydium, 52:372
Sida
  abutifolia, 55:497
  abutilifolia, 53:499
  filicaulis, 48:187
  neomexicana, 56:160
  spinosa, 48:487
Siderone galanthis, 48:515
Sideroxylon
  capiri, 55:141
  celastrinum, 47:423, 49:34
  lanuginosa, 54:91
  lanuginosum, 52:355
Sideroxylum celastrinum, 56:161
Siders, Melissa S., and Wesley Jolley, Roost sites of Allen's lappet-browed bats (*Idionycteris phyllotis*), 54:201–203
Sides, Aaron R., see Bahm, Matt A., —
Sieckenius, Shane S., see Cooper, Susan M., —
Siegel, Rodney B., see Wilkerson, Robert L., and —
Siemers, Jeremy L., see Schorr, Robert A., —
Siemers, Jeremy L., Yiju R. Chen, K. Max Canestorp, John R. Sovell, and Kimberly L. Cornelisse, Range expansion of the least shrew (*Cryptotis parva*) in Colorado, 51:267–269
Sierra-Corona, Rodrigo, see Pelz-Serrano, Karla, —
Sieurus aurocapillus, 48:294
Sigara, 48:31
Sigmidon hispidus, 54:302
Sigmodon, 50:342–349, 50:364, 51:233
  alleni, 47:639, 48:574, 50:342, 50:344–347, 50:349, 53:303–305, 53:309, 54:413, 54:417
  alstoni, 50:342, 50:344–346, 50:349, 53:302, 53:303, 53:309
  arizonae, 47:491–493, 48:574, 50:342–344, 50:346, 50:349, 53:302, 53:303, 53:305, 53:309
  fulviventer, 47:491, 47:496, 47:560, 47:562, 47:637, 48:574, 50:273–277, 50:342, 50:344–346, 50:349, 53:302, 53:309, 55:379
  hirsutus, 50:342, 50:344–347, 50:349, 53:301–310
  hispidus, 47:249, 47:250, 47:255, 47:321–323, 47:325, 47:329, 47:491, 47:492, 47:495–497, 47:637–639, 48:306, 48:308, 48:311, 48:419–426, 48:430, 48:467–471, 48:571, 48:574, 49:532, 49:533, 50:276, 50:342, 50:344–347, 50:349, 50:397–402, 50:450, 51:88–92, 52:76, 52:77, 52:79–81, 52:403, 52:405, 52:406, 52:442, 52:444, 52:506, 52:555, 52:556, 53:87–89, 53:187, 53:301–310, 54:88, 54:104–106, 54:143, 54:237–243, 54:245, 54:246, 54:303, 55:50, 55:52–54, 55:205, 55:206, 55:288–290, 55:366, 55:371, 55:379, 55:458, 55:459, 56:9–11, 56:226, 56:260, 56:261, 56:415
  inopinatus, 47:639, 50:342
  leucotis, 47:639, 48:574, 50:342, 50:344, 50:346, 50:349, 53:302, 53:310
  mascotensis, 48:574, 50:342–344, 50:346, 50:349, 53:302, 53:303, 53:305, 53:310, 54:413, 54:417
  ochrognathus, 47:491, 47:492, 47:494–497, 47:522, 47:523, 48:574, 50:95, 50:342–344, 50:346, 50:349, 52:110, 52:112, 52:113, 53:302, 53:303, 53:310, 56:260–262
  peruanus, 50:342, 53:302, 53:303, 53:310
  toltecus, 47:496, 50:342, 50:344–347, 50:349, 53:301–310
  zanjonensis, 53:307
Sigmodon ochrognathus is a monotypic species: evidence from DNA sequences, Darin S. Carroll, Lottie L. Peppers, Clyde Jones, and Robert D. Bradley, 47:494–497
Sikes, Robert S., see DeVries, M. Susan, and —
Silene laciniata, 53:71
Silver-haired bat, *Lasionycteris noctivagans* (Chiroptera: Vespertilionidae), in Presidio County, Texas, noteworthy record of the, Joel G. Brant, Jana L. Higginbotham, and Clyde Jones, 47:633–635
Silverstein, Robin P., Germination of native and exotic plant seeds dispersed by coyotes (*Canis latrans*) in southern California, 50:472–478
Silvilagus floridanus, 49:360
Silvius, 48:31
Simandle, Eric T., see Murphy, John F., —
Simmondsia chinensis, 47:450, 47:579, 50:132, 50:142, 50:143, 52:200, 52:355, 52:419, 52:565, 53:73, 54:152, 54:431, 56:353
Simmondsiaceae, 53:73
Simmons, Mark T., see Johnson, Sally D., —
Simpson, Thomas R., see Rose, Francis L., —

Simpson, Thomas R., see Small, Michael F., —
Simuliidae, 48:31, 48:288, 50:241, 51:147, 55:236, 55:553, 56:79
Simulium, 50:241, 55:553, 55:555
Sinha, Aditi, Jeffrey G. Kopachena, and Jim Eidson, Plant diversity in an imperiled gamagrass community in northeastern Texas, 55:254–262
Siphlonuridae, 51:24, 51:25, 53:380, 55:236
Siphlonurus, 53:380
Sipos, Michael P., Mark C. Andersen, Walter G. Whitford, and William R. Gould, Graminivory by *Dipodomys ordii* and *Dipodomys merriami* on four species of perennial grasses, 47:276–281
Siproeta
epaphus, 48:513
stelenes, 48:513
Siren intermedia, 48:534–542, 53:115–117, 54:521
Sirenidae, 50:365
Sisidae, 53:412–414
Sistrurus, 53:112
catenatus, 47:36, 47:37, 49:321–326, 53:197, 53:199
miliarius, 53:197
miliarus, 49:323
Sisymbrium, 49:407
altissimum, 53:202
irio, 53:71, 53:396, 53:462
Sisyrinchium atlanticum, 56:55
Site tenacity and homing in the Rich Mountain salamander, *Plethodon ouachitae* (Caudata: Plethodontidae), Carl D. Anthony, Jill A. Wicknick, and Robert G. Jaeger, 47:401–408
Sitta
canadensis, 55:24
carolinensis, 48:380, 52:275, 52:276, 55:24, 55:26
pygmaea, 55:25, 55:26
pygmyaea, 52:275, 52:276
Sittasomus griseicapillus, 54:91, 54:94, 54:512
Sitticus
dorsatus, 56:50
juniperi, 56:50
Six, Sheri K., see Young, Paul J., —
Size and fidelity of home ranges of male white-tailed deer (*Odocoileus virginianus*) in southern Texas, Stephen L. Webb, Stephen Demarais, Robert E. Zaiglin, Matthew T. Pollock, and Donald G. Whittaker, 55:269–273
Size of home ranges and movements determine size and configuration of management units and potential spread of disease in white-tailed deer (*Odocoileus virginianus*), Stephen L. Webb, Stephen Demarais, and David G. Hewitt, 55:488–492
Size of males and competition for females induces homosexual behavior in the western mosquitofish (*Gambusia affinis*) under laboratory conditions, relative, James C. Cureton, II, Jason L. Randall, and Raelynn Deaton, 55:263–268
Size-mediated performance of a generalist herbivore feeding on mixed diets, Lynn S. Adler, 49:189–196
Size-selective predation by inland silversides on an exotic cladoceran, *Daphnia lumholtzi*, Philip W. Lienesch and Moshe Gophen, 50:158–165
Ski slope vegetation of Lee Canyon, Nevada, USA, Jonathan H. Titus and Fred Landau, 48:491–504
Skiles, Raymond S., see Mora, Miguel A., —
Skoruppa, Mary K., see Williford, Damon L., —
Skoruppa, Mary Kay, Marc C. Woodin, and Gene Blacklock, Species richness, relative abundance, and habitat associations of nocturnal birds along the Rio Grande in southern Texas, 54:317–323
Skoruppa, Mary Kay, see Williford, Damon L., —
Skrjabinodon scelopori, 48:212
Skrjabinoptera
phrynosoma, 48:212
scelopori, 48:212, 48:214
Skwala, 53:381
Slade, Norman A., see Cummins, Tiffany, and —
Slate-throated redstarts (*Myioborus miniatus*) breeding in Maderas del Carmen, Coahuila, Mexico, John E. McCormack, Gabriela Castañeda Guayasamin, Borja Milá, and Feliciano Heredia Pineda, 50:501–503
Slay, Michael E., see Graening, G. O., —
Slay, Michael E., William R. Elliott, and Ronald Sluys, Cavernicolous Missouri triclad (Platyhelminthes: Turbellaria) records, 51:251–252
Slobodchikoff, Constantine N., see Verdolin, Jennifer L., —
Sluys, Ronald, see Slay, Michael E., —
Small mammals and ground-dwelling invertebrates associated with active and controlled colonies of black-tailed prairie dogs (*Cynomys ludovicianus*), Rachel E. McCaffrey, Mark C. Wallace, and James D. Ray, 54:300–306
Small mammals associated with colonies of black-tailed prairie dogs (*Cynomys ludovicianus*) in the southern High Plains, Alison L. Pruett, Clint W. Boal, Mark C. Wallace, Heather A. Whitlaw, and James D. Ray, 55:50–56
Small, Michael F., John T. Baccus, and Gary L. Waggerman, Mobile anesthesia unit for implanting radiotransmitters in birds in the field, 49:279–282
Small, Michael F., John T. Baccus, Thomas R. Simpson, and Michael C. Frisbie, Home ranges of two populations of urban-nesting white-winged doves (*Zenaida asiatica*) in Texas, 55:29–34
Small, Michael F., see Breeden, Jeff B., —
Small, Randall L., see Estep, M. C., —
Smerinthus jamaicensis, 50:299
Smicridea, 48:30, 50:243, 53:381
arizonensis, 51:332, 54:185
dispar, 51:332, 54:185
fasciatella, 51:326, 51:329, 51:332, 54:185
signata, 51:326, 51:332
Smicronyx
profusus, 48:7
spretus, 48:7
Smilacina racemosa, 56:59
Smilax, 53:386
bona-nox, 49:529, 51:359
bonanox, 50:268
rotundifolia, 56:411
Smilisca
baudinii, 47:293, 47:294, 53:116
cyanosticta, 47:293, 47:294, 47:296, 47:297
Smith, B. Hamilton, see Johnson, Kristine, —
Smith, Deborah A., Katherine Ralls, Brian L. Cypher, Howard O. Clark, Jr., Patrick A. Kelly, Daniel F. Williams, and Jesús E. Maldonado, Relative abundance of endangered San Joaquin kit foxes (*Vulpes macrotis mutica*) based on scat-detection dog surveys, 51:210–219
Smith, Douglas G., Brian K. Lang, and Mark E. Gordon, Gametogenetic cycle, reproductive anatomy, and larval morphology of *Popenaias popeii* (Unionoida) from the Black River, New Mexico, 48:333–340
Smith, Elizabeth H., see Lonard, Robert I., —
Smith, Geoffrey R., Julio A. Lemos-Espinal, and Royce E. Ballinger, Body size, sexual dimorphism, and clutch size in two populations of the lizard *Sceloporus ochoterenae*, 48:123–126
Smith, Geoffrey R., Julio A. Lemos-Espinal, Christopher J. Dibble, and J. Peter Iverson, Natural history of *Procinura aemula* (Serpentes: Colubridae) from Chinipas, Chihuahua, Mexico, 53:261–264
Smith, Geoffrey R., see Lemos-Espinal, Julio A., —
Smith, Geoffrey R., see Ramírez-Bautista, Aurelio, —
Smith, Geoffrey R., see Rodríguez-Romero, Felipe, —
Smith, Hobart M., Julio A. Lemos-Espinal, and David Chiszar, New sub-

species of *Sceloporus merriami* (Reptilia: Lacertilia) and the derivation of its subspecies, 48:700–705
Smith, Hobart M., see Axtell, Ralph W., and —
Smith, Hobart M., see Bryson, Robert W., Jr., —
Smith, Hobart M., see García-Vázquez, Uri Omar, —
Smith, Hobart M., see Taylor, Harry L., —
Smith, Jude R., see Hoagstrom, Christopher W., —
Smith, Jude R., see Ryden, Dale W., and —
Smith, Kimberly G., see Prather, John W., and —
Smith, Loren M., Matthew D. Sprenger, and John P. Taylor, Effects of discing saltcedar seedlings during riparian restoration efforts, 47:598–601
Smith, Loren M., Matthew J. Gray, and Abiqail Quarles, Diets of newly metamorphosed amphibians in West Texas playas, 49:257–263
Smith, Loren M., see Conway, Warren C., —
Smith, Paul T., see Germano, David J., —
Smith, Steven A., see Mirowsky, Katy-Marie, —
Smith, Thomas P., see Dillon, Robert T., Jr., —
Smith, Thomas, and Theresa Piccin, Algal taxonomic survey of Zion National Park and Cedar Breaks National Monument, Utah, and Pipe Spring National Monument, Arizona, 49:395–406
Smith, Thorry W., see McKinney, Ted, and —
Smolensky, Nicole L., and Lee A. Fitzgerald, Population variation in dune-dwelling lizards in response to patch size, patch quality, and oil and gas development, 56:315–324
Smyrna blomfildia, 48:514
Smythe, Lindsay A., and David A. Haukos, Nesting success of grassland birds in shinnery oak communities treated with tebuthiuron and grazing in eastern New Mexico, 54:136–145
Snake (Colubridae: *Thamnophis*) predatory responses to chemical cues from native and introduced prey species, Stephen J. Mullin, Hélène Imbert, Jennifer M. Fish, Edward L. Ervin, and Robert N. Fisher, 49:449–456
Snider, Scott, see Platt, Steven G., —
Soil type tolerance in rock outcrop plants: species of non-calcareous substrates, Susan E. Crow and Stewart Ware, 52:120–125
Solanaceae, 48:187, 48:581, 50:475, 51:458, 53:73, 55:256, 56:160
Solano-Zavaleta, Israel, see Gûizado-Rodríguez, Anahí, —
Solanum, 52:522, 52:523
douglasii, 53:73
eleagnifolium, 48:187, 52:211
hindsianum, 50:142, 50:143, 50:145, 50:147, 52:200, 52:355, 53:73
lycocarpum, 50:477
melongena, 50:3
nigrescens, 51:458
ptycanthum, 53:499
rostratum, 56:160
xanti, 50:147
Solenopsis
invicta, 48:275, 48:307, 48:419–426, 49:530, 50:302–306, 53:386, 54:238, 54:314, 55:203–206, 55:458, 56:63
molesta, 49:248
Solidago, 47:590, 48:307, 54:242, 55:260
californica, 52:200
confinis, 49:219
gattingeri, 47:590
gigantea, 48:13
nemoralis, 56:59
odora, 55:256, 55:259
sparsiflora, 48:496, 48:504
virga-aurea, 48:13
Sonchus, 53:386
asper, 48:12, 53:396, 53:462
oleraceus, 48:12, 52:200, 53:70
Sonora semiannulata, 47:105–107, 48:351, 50:269, 53:263, 53:483, 53:484, 55:135, 55:136, 55:253
Sonorella baboquivariensis, 48:205
Sophora, 47:602, 55:421, 55:427, 55:431
juanhintoniana, 55:429
nuttalliana, 51:6, 51:10
secundiflora, 53:244, 55:511, 56:327
Sorex, 49:493–500, 50:92, 51:59, 53:350, 53:512
arcticus, 47:64
arizonae, 48:575, 48:577
cinereus, 47:62, 47:65–67, 47:134, 49:494–497, 49:499, 50:94, 51:109, 51:111, 52:412, 52:417, 54:354
cinerus, 54:356
emarginatus, 48:575
hoyi, 47:64–66
longirostris, 56:243, 56:244, 56:410, 56:412
lyelli, 54:354–357
macrodon, 48:575, 51:115
merriami, 47:64–67, 47:134–137, 56:95, 56:97, 56:99, 56:101
milleri, 48:567–569, 48:575, 50:94–95
monticolus, 47:62, 47:64–67, 47:134, 47:135, 48:575, 49:494–497, 49:499, 54:356, 56:96–99, 56:101
nanus, 47:62–67, 47:134–137, 49:132, 49:133, 49:494–497, 49:500, 51:109, 51:111, 54:356, 56:98
neomexicanus, 47:134, 47:135, 53:435
oreopolus, 48:575, 53:103
ornatus, 48:575, 48:578, 52:530, 52:534, 52:535
palustris, 47:62, 47:64–67, 47:134, 49:494–497, 49:500, 51:109, 54:356, 56:98, 56:99, 56:102
preblei, 47:62, 47:64–68, 47:134, 49:494–497, 49:500, 51:108–111, 56:95, 56:99, 56:102
saussurei, 48:575, 53:101–103
sclateri, 48:575, 48:576
stizodon, 48:568, 48:570, 48:575
tenellus, 49:132–134, 51:108–111, 54:356, 56:98, 56:99, 56:102
trowbridgii, 51:108, 51:109
vagrans, 47:64, 49:132–133, 49:494–497, 49:500, 51:108, 51:109, 54:356, 56:96–99, 56:102
ventralis, 48:575
veraepacis, 48:575
Sorex preblei and *S. tenellus* in California, new records of, Hanna E. Shohfi, Chris J. Conroy, Alan R. Wilhelm, and James L. Patton, 51:108–111
Sorex tenellus from the central Great Basin, first record of, Eric A. Rickart, Lawrence R. Heaney, and Robert S. Hoffmann, 49:132–134
Sorgastrum nutans, 50:268
Sorghastrum nutans, 48:461, 51:526, 52:454, 52:542, 53:216, 53:497, 53:502, 55:180, 55:260, 56:59, 56:225
Sorghum
bicolor, 50:476, 53:386, 54:20
halapense, 48:307, 55:204
halepense, 47:354, 48:420, 55:499, 56:434
halpense, 55:257
Soricidae, 47:62–69, 48:575, 51:233, 51:269, 51:271, 54:412, 56:95–102
Soricomorpha, 53:101–104
Sosa, Vinicio J., see Galindo-González, Jorge, and —
Sostrata nordica, 48:522
Soto, Luz Marina, see López, Carlos, —
Sound production and spawning behavior in *Cyprinella lepida*, the Edwards Plateau shiner, Catherine T. Phillips, Carol E. Johnston, and Andrew R. Henderson, 55:129–135
Southwestern Association of Naturalists Constitution, 49:147–162, 50:107–121
Southwestern Association of Naturalists, acta de la Reunion de Negocios, The University of Memphis, Memphis, Tennessee, Fogelman Executive Center, Viernes, 11 abril 2008, the, Loren K. Ammerman, 53:562–567
Southwestern Association of Naturalists, acta de la Reunion del Consejo Directivo y Oficialis, Overton Room, Holiday Inn, Memphis, Tennessee, Jueves, 10 abril 2008, the, Loren K. Ammerman, 53:549–556
Southwestern Association of Naturalists, actas de la 57ª Reunión del Consejo

Directivo y Oficiales, Texas Tech University, Packard North, Llano River Field Station, Junction, Texas, Jueves, 22 de abril 2010, the, Priscilla H. C. Crawford, 55:605–610
Southwestern Association of Naturalists, actas de la 58ª Reunión del Consejo Directivo y Oficiales, University of Texas at Tyler, Tyler, Texas, Jueves, 21 de abril 2011, the, Priscilla H. C. Crawford, 56:444–451
Southwestern Association of Naturalists, actas de la Reunión Annual de Negocios, 56ava reunión anual, Universidad Autónoma de Nuevo León, Monterrey, Nuevo León, México, Viernes 24 de abril 2009, the, Priscilla H. C. Crawford, 54:547–552
Southwestern Association of Naturalists, actas de la Reunión de Negocios, Texas Tech University, Llano River Field Station, Junction, Texas, Viernes-Sábado, 23 y 24 de abril 2010, the, Priscilla H. C. Crawford, 55:615–621
Southwestern Association of Naturalists, actas de la Reunión de Negocios de la 58ª reunión anual, University of Texas at Tyler, Tyler, Texas, Viernes y Sábado, 22 y 23 de abril 2011, the, Priscilla H. C. Crawford, 56:458–466
Southwestern Association of Naturalists, actas de la Reunión del Consejo Directivo y Oficiales, 56ava reunión anual, Universidad Autónoma de Nuevo León, Monterrey, Nuevo León, México, Biblioteca Magna, Jueves 23 de abril 2009, the, Priscilla H. C. Crawford, 54:533–542
Southwestern Association of Naturalists, minutes for the Business Meeting, 56th annual meeting, Universidad Autónoma de Nuevo León, Monterrey, Nuevo León, México, Friday 24 April 2009, the, Priscilla H. C. Crawford, 54:542–547
Southwestern Association of Naturalists, minutes of the Business Meeting, Cuernavaca, México, Friday, 26 April 2002, the, David L. McNeely, 47:649–652
Southwestern Association of Naturalists, minutes of the Business Meeting, Norman, Oklahoma, Friday, 18 April 2003, the, David L. McNeely, 49:141–146
Southwestern Association of Naturalists, minutes of the Business Meeting, San Antonio, Texas, Friday, 16 April 2004, the, David L. McNeely, 49:545–549
Southwestern Association of Naturalists, minutes of the Business Meeting, Olsen Auditorium, Huntsville, Texas, Friday, 15 April 2005, the, Loren K. Ammermann, 51:131–136
Southwestern Association of Naturalists, minutes of the Business Meeting, Casa de la Cultura, Colima, Colima, Mexico, Friday, 14 April 2006, the, Loren K. Ammerman, 52:176–180
Southwestern Association of Naturalists, minutes of the Business Meeting, Tarleton State University, Stephenville, Texas, 20 April 2007, the, Loren K. Ammerman, 53:284–288
Southwestern Association of Naturalists, minutes of the Business Meeting, The University of Memphis, Memphis, Tennessee, Fogelman Executive Center, Friday, 11 April 2008, the, Loren K. Ammerman, 53:557–562
Southwestern Association of Naturalists, minutes of the Business Meeting, Texas Tech University, Llano River Field Station, Junction, Texas, Friday–Saturday, 23–24 April 2010, the, Priscilla H. C. Crawford, 55:610–615
Southwestern Association of Naturalists, minutes of the Business Meeting, 58th annual meeting, University of Texas at Tyler, Tyler, Texas, Friday–Saturday, 22–23 April 2011, the, Priscilla H. C. Crawford, 56:451–458
Southwestern Association of Naturalists, minutes of the Meeting of the Board of Governors and Officers, Cuernavaca, Morelos, México, Thursday, 25 April 2002, the, David L. McNeely,47:643–648
Southwestern Association of Naturalists, minutes of the Meeting of the Board of Governors and Officers, Norman, Oklahoma, Thursday, 17 April 2003, the, David L. McNeely, 49:135–141
Southwestern Association of Naturalists, minutes of the Meeting of the Board of Governors and Officers, San Antonio, Texas, Thursday, 15 April 2004, the, David L. McNeely, 49:539–544
Southwestern Association of Naturalists, minutes of the Meeting of the Board of Governors and Officers, Huntsville, Texas, Thursday, 14 April 2005, the, Loren K. Ammermann, 51:127–131
Southwestern Association of Naturalists, minutes of the Meeting of the Board of Governors and Officers, Colima, Colima, Mexico, Thursday, 13 April 2006, the, Loren K. Ammerman, 52:168–171
Southwestern Association of Naturalists, minutes of the Meeting of the Board of Govenors and Officers, 56th annual meeting, Universidad Autónoma de Nuevo León, Monterrey, Nuevo León, México, Biblioteca Magna, Thursday 23 April 2009, the, Priscilla H. C. Crawford, 54:525–533
Southwestern Association of Naturalists, minutes of the Meeting of the Board of Governors and Officers, Stephenville, Texas, Thursday, 19 April 2007, the, Loren K. Ammerman, 53:273–277
Southwestern Association of Naturalists, minutes of the Meeting of the Board of Governors and Officers, Overton Room, Holiday Inn, Memphis, Tennessee, Thursday, 10 April 2008, the, Loren K. Ammerman, 53:542–549
Southwestern Association of Naturalists, minutes of the Meeting of the Board of Governors and Officers, Texas Tech University, Packard North, Llano River Field Station, Junction, Texas, Thursday, 22 April 2010, the, Priscilla H. C. Crawford, 55:601–605
Southwestern Association of Naturalists, minutes of the Meeting of the Board of Governors and Officers at the 58th annual meeting, University of Texas at Tyler, Tyler, Texas, Thursday, 21 April 2011, the, Priscilla H. C. Crawford, 56:438–444
Sovell, John R., see Schorr, Robert A., —
Sovell, John R., see Siemers, Jeremy L., —
Sovell, John, see Cordeiro, James R., —
Sowka, Patricia A., see Marsh, Paul C., —
Space by western cottonmouths (*Agkistrodon piscivorus*) inhabiting a variable-flow stream, use of, Francis L. Rose, Thomas R. Simpson, James R. Ott, and Richard W. Manning, 55:160–166
Sparassidae, 54:336, 54:337, 56:49
Sparganium, 51:53
Sparks, Dale W., and Ernest W. Valdez, Food habits of *Nyctinomops macrotis* at a maternity roost in New Mexico, as indicated by analysis of guano, 48:132–135
Sparks, Dale W., and Ritzi, Christopher M., —
Spartina, 48:465, 55:260
  alterniflora, 47:428, 47:533, 50:398, 54:237
  bakeri, 55:199
  foliosa, 50:135, 50:138
  patens, 47:533, 48:302, 48:465, 52:76, 55:194, 55:197, 55:198
  spartinae, 48:302, 50:398, 54:121, 54:237–247
Spartinetum foliosae, 50:135, 50:149
Spartium, 51:8

Spatial and temporal patterns of xylem water potential in *Juniperus ashei* seedlings, Rob Wayne and O. W. Van Auken, 47:153–161

Spatial and temporal variation in fishes of the upper Red River drainage (Oklahoma-Texas), Chad W. Hargrave and Christopher M. Taylor, 55:149–159

Spatial distribution of three globose cacti in relation to different nurse-plant canopies and bare areas, María C. Mandujano, Arturo Flores-Martínez, Jordan Golubov, and Exequiel Ezcurra, 47:162–168

Spatial patterns and dynamic interactions among raccoons in eastern Kansas, Stanley D. Gehrt and Lloyd B. Fox, 49:116–221

Spatial variation in predation attempts on artificial snakes in a fire-disturbed tallgrass prairie, Dustin J. Wilgers and Eva A. Horne, 52:263–270

Spatiotemporal changes in fish assemblages of Los Terreros Creek, an isolated stream system in headwaters of the Lerma River, central Mexico, Maria de Lourdes Ruiz-Gomez, J. Fernando Mendez-Sanchez, Felipe de Jesus Rodriguez-Romero, and Christopher M. Taylor, 53:224–229

Spauligodon
giganticus, 48:208–211, 48:213–215, 48:217, 52:243, 52:245, 52:246, 52:248
oxkutzcabiensis, 48:208–211, 48:213, 48:214, 48:217

Spawning behavior and nest association by *Dionda diaboli* in the Devils River, Texas, Catherine T. Phillips, J. Randy Gibson, and Joe N. Fries, 56:108–112

Spawning behavior of the slim minnow, *Pimephales tenellus*, Jeremy S. Tiemann, 52:137–141

Spea, 52:113
bombifrons, 53:116
multiplicata, 48:351, 48:673, 49:257, 49:258, 55:248, 55:252

Spears, Richard Kirk, Jr., 1920–2004, Laurence M. Hardy and Amanda Crnkovic, 51:583–584

Species richness, relative abundance, and habitat associations of nocturnal birds along the Rio Grande in southern Texas, Mary Kay Skoruppa, Marc C. Woodin, and Gene Blacklock, 54:317–323

Speed and accuracy of methods for obtaining measurements of forests, C. Joan Patterson and Douglas A. James, 54:279–283

Speed and endurance of *Thamnophis hammondii* are not affected by consuming the toxic frog *Xenopus laevis*, C. Drew Foster and Stephen J. Mullin, 53:370–373

Speed in flight of common vampire bats (*Desmodus rotundus*), Cornelio Sánchez-Hernández, María de Lourdes Romero-Almaraz, Michael C. Wooten, Gary D. Schnell, and Michael L. Kennedy, 51:422–425

Spelobia tenebrarum, 51:95

Spencer, Stephen R., see Cameron, Guy N., and —

Spermophilus, 48:270, 49:270, 50:364, 51:581, 52:506, 53:512, 53:513, 54:86, 54:301, 54:481, 56:189, 56:405
adocetus, 48:575
annulatus, 48:575, 53:102, 54:412, 54:415, 54:417
armatus, 48:430
atricapillus, 48:575
atripicallus, 48:568
beecheyi, 47:141, 48:568, 48:570, 48:575, 49:523, 51:263–267, 52:530, 53:349, 53:350, 55:43, 55:44
beldingi, 50:192–194
columbianus, 50:192, 50:193
elegans, 47:63, 47:64, 50:193
franklinii, 54:214
lateralis, 47:528, 53:346, 53:349–352, 53:354, 56:193–203
madrensis, 48:575, 52:620, 52:622
mexicanus, 47:249, 47:250, 47:255, 48:575, 51:88, 51:89, 52:402, 53:88, 53:89, 54:275
mohavensis, 50:188–196
parryii, 50:192, 50:193
perotensis, 48:575, 51:114
richardsonii, 50:193, 53:354
spilosoma, 47:249, 47:250, 47:255, 47:328, 48:569, 48:575, 49:272, 49:273, 52:402, 52:405, 52:406, 52:555, 52:556, 54:143
tereticaudus, 47:132, 48:570, 48:575, 50:189
townsendii, 50:193
tridecemlineatus, 47:255, 47:322, 47:328, 48:616, 49:272, 49:273, 49:350–358, 50:193, 50:209, 51:195, 54:302–304, 55:52, 55:53, 56:11, 56:226–227
variegatus, 47:325, 47:328, 48:106, 48:386, 48:569, 48:575, 49:79, 49:80, 49:113, 49:272, 49:273, 50:193, 52:113, 52:326–328, 52:403, 53:435, 54:249, 55:379, 56:193–203

Sperry, Jinelle H., and Christopher A. Taylor, Habitat use and seasonal activity patterns of the Great Plains ratsnake (*Elaphe guttata emoryi*) in central Texas, 53:444–449

Speyeria
cybele, 52:6, 52:13
hesperis, 52:6, 52:8, 52:13
mormonia, 52:6, 52:13

Sphaeralcea, 49:503, 52:99, 52:100
ambigua, 52:200, 52:522, 52:523, 53:72
coccinea, 52:542
fulva, 50:139, 50:145
hastulata, 49:6

Sphaeriacea, 52:424–430

Sphaeridae, 48:101

Sphaeriidae, 51:232

Sphaeropthalma
blakeii, 55:442
hyalina, 55:442
orestes, 55:442
unicolor, 55:442

Sphalloplana evaginata, 51:251–252

Sphecidae, 47:465, 52:564

Sphenodon punctatus, 51:404

Sphenomorphus
assatus, 52:437
incertus, 52:437

Sphenopholis intermedia, 53:498, 53:499

Sphiggurus mexicanus, 55:139–142

Sphincterochila boissieri, 48:205, 48:206

Sphingidae, 47:1, 47:2, 50:295–298, 53:405, 55:112

Sphyrapicus
nuchalis, 55:24
thyroideus, 55:24
varius, 47:110, 49:106

Spider monkeys (*Ateles geoffroyi vellerosus*) in a tropical deciduous forest in Tehuantepec, Oaxaca, Mexico, Teresita Ortiz-Martínez and Víctor Rico-Gray, 52:393–399

Spiders of Ash Meadows National Wildlife Refuge, Nevada, Sarah C. Crews and Lawrence E. Stevens, 54:331–340

Spiders of the Chihuahuan Desert of southern New Mexico and western Texas, David B. Richman, Sandra L. Brantley, David H-C. Hu, and Mary E. A. Whitehouse, 56:44–53

Spilogale, 52:113
gracilis, 47:329, 49:79, 49:80, 52:530, 52:532, 53:87, 53:350, 53:512, 55:16–21, 56:189, 56:232
putorius, 47:256, 48:574, 52:329, 52:331, 52:402
pygmaea, 48:574

Spilopsyllus inaequalis, 54:493, 54:495, 54:496

Spinturnix
americanus, 47:454
carloshoffmani, 47:454

Spiny lizard *Sceloporus jarrovii* in the central Chihuahuan Desert, ecology of the, Héctor Gadsden and José L. Estrada-Rodríguez, 52:600–608

Spiranthes delitescens, 53:460

Spirinchus thaleichthys, 53:338, 53:339

Spirobolidae, 56:424

Spirocerca, 50:32, 50:37, 50:38

Spirogyra, 47:434, 49:397, 49:403

Spiroxys, 47:294–297, 52:125, 52:127, 52:128
susanae, 48:213, 48:214

Spirulina, 52:379

Spiruridae, 52:243

Spiza americana, 48:460, 48:461, 51:527, 51:528, 52:457, 55:462, 56:434

Spizella
breweri, 47:287, 48:290, 50:520
pallida, 50:443
passerina, 49:32, 50:442, 52:277, 56:205
pusilla, 51:527, 51:528, 53:466–468, 55:462, 56:434
wortheni, 53:91–95
Spondias
purpurea, 55:141
radlkoferi, 52:394
Spool-and-line tracking on small desert mammals, effects of, Mary C. Steinwald, Bradley J. Swanson, and Peter M. Waser, 51:71–78
Spooner, Daniel E., see Galbraith, Heather S., —
Spooner, Daniel E., see Vaughn, Caryn C., —
Sporobolus, 47:300, 47:354, 47:638, 51:173, 52:522, 52:523, 55:257, 55:477, 55:480–482, 55:510, 55:513–515
airioides, 54:332
airoides, 49:6, 50:275, 51:268, 52:211, 52:555, 52:556, 55:283, 55:375
arkansana, 47:589
asper, 52:455, 55:261
cryptandrus, 49:335, 52:506, 52:555, 52:556, 54:20, 55:51, 55:478, 55:498, 56:59
flexuosus, 47:277–279, 52:211, 56:45
giganteus, 52:211
nealleyi, 52:211
neglectus, 47:589
ozarkana, 47:589
vaginiflorus, 47:589
virginicus, 50:141
wrightii, 53:395, 53:460
Sprenger, Matthew D., see Smith, Loren M., —
Spring migration and summer destinations of northern pintails from the coast of southern California, Michael R. Miller, John Y. Takekawa, Daniel S. Battaglia, Richard T. Golightly, and William M. Perry, 55:501–509
Sprobolus pyramidatus, 55:421
Spyreas, Greg R., see Phillippe, Loy R., —
Squamata, 48:550–556, 48:680–684, 48:685–692, 48:692–700, 50:178–187, 50:258–262, 52:243–250, 54:345–346, 54:400–408, 54:453–460, 55:98–103, 56:180–186
Sredl, Michael J., see Rorabaugh, James C., —
Stable isotope ratios ($\delta^{15}N$ and $\delta^{13}C$) of syntopic shrews (*Sorex*), Alexander T. Baugh, Adam G. West, Eric A. Rickart, Thure E. Cerling, James R. Ehleringer, and M. Denise Dearing, 49:493–500
Stacey, Clovis A., and Diane M. Post, Effects of disturbance by humans on small mammals in a Chihuahuan Desert ecosystem, 54:272–278
Stachys
crenata, 53:499
rigida, 49:191
Stafford, Peter J., Record of the colubrid snake *Dendrophidion nuchale* (Peters) from Nicaragua, 47:615–616
Stahlecker, Dale W., Grand Canyon rattlesnake preys on juvenile spotted sandpipers, 49:412–414
Stahlecker, Dale W., see Hafner, David J., and —
Stake, Mike M., see Summers, Scott G., —
Standesia meadensis, 51:232
Staphylinidae, 49:259, 50:294, 50:295, 55:344
Staphylococcus xylosus, 51:300
Staphylus
lenis, 48:522
vulgata, 48:522
Stapp, Paul, and Darcee A. Guttilla, Population density and habitat use of mule deer (*Odocoileus hemionus*) on Santa Catalina Island, California, 51:572–578
Stark, Dan W., see Merkle, Jerod A., —
Starnes, Wayne C., see McAllister, Chris T., —
Stator
beali, 51:497
limbatus, 51:490–501
vachelliae, 51:497, 51:498
Status and distribution of the alligator snapping turtle, *Macrochelys temminckii*, in Oklahoma, J. Daren Riedle, Paul A. Shipman, Stanley F. Fox, and David M. Leslie, Jr., 50:79–84
Status and geographic distribution of the endemic Bayou Bodcau crayfish (*Bouchardina robisoni*) in Arkansas, Henry W. Robison and Chris T. McAllister, 55:449–452
Stauroneis smithii, 49:401
Staurosira construens, 49:397, 49:402
Staurosirella
leptostauron, 49:402
pinnata, 49:402
Steadman, David W., see Mead, Jim I., —
Steatoda
fulva, 54:336, 56:52
medialis, 54:336
pulcher, 54:336
variata, 56:46
Stegnosperma halimifolium, 53:72
Stegomastodon barbouri, 50:363
Steidl, Robert J., see Ober, Holly K., and —
Steier, Jan E., see Hickman, Karen R., —
Steinwald, Mary C., Bradley J. Swanson, and Peter M. Waser, Effects of spool-and-line tracking on small desert mammals, 51:71–78
Stelgidopteryx serripennis, 52:55–57, 54:507
Stellaria
cuspidata, 51:458, 51:459
media, 51:458, 51:459, 55:256, 55:260
Stemodia lanata, 49:180
Stenacron
floridense, 51:147
interpunctatum, 51:147
Stenaria nigricans, 55:498
Stenelmis, 50:240, 51:147, 53:380
sexlineata, 53:79
Stenistomera alpina, 48:721
Stenocereus, 55:348
beneckei, 49:126
chrysocarpus, 55:318
griseus, 47:79, 47:81, 47:83
gummosus, 47:41, 50:135, 50:141, 50:143, 50:144, 50:146, 50:484, 52:200, 53:67, 53:71
stellatus, 49:126, 50:375–380
thurberi, 49:11, 50:136, 50:144, 50:146, 50:379, 50:484, 55:317, 56:394
Stenocypris, 51:232
Stenoderma rufum, 47:505, 47:506
Stenolophus, 52:223
Stenonema, 51:147
Stenopematus, 55:111
Stenoponia americana, 50:89, 50:91
Stenosialis, 53:524
Stephanomeria
tenuifolia, 52:200
virgata, 53:70
Stephens, Scott L., see Amacher, Andrew J., —
Stephenson, Thomas R., see Bleich, Vernon C., —
Stephopaedes, 48:676
Sterna
albifrons, 47:620
antillarum, 47:617–623, 51:562–564, 52:435, 54:176–181
elegans, 52:285
forsteri, 54:510, 54:513
maxima, 52:285
nilotica, 53:188
paradisea, 54:288
Sternella
magna, 47:285
neglecta, 54:289
Sternotherus, 52:609
carinatus, 47:215–224
minor, 55:137
odoratus, 48:543–549
Stevens, Lawrence E., Bryan T. Brown, and Kirsten Rowell, Foraging ecology of peregrine falcons (*Falco peregrinus*) along the Colorado River, Grand Canyon, Arizona, 54:284–299
Stevens, Lawrence E., see Crews, Sarah C., and —
Stevens, Richard T., Michael L. Kennedy, and Victor R. Kelley, Genetic structure of American mink (*Mustela vison*) populations, 50:350–355
Stevenson, Michael M., see Buchanan, Thomas M., and —

Stevia, 48:181
micrantha, 48:181
rhombifolia, 48:184, 48:187
salicifolia, 48:187
serrata, 48:184, 48:187
Stewart, George C., see Krausman, Paul R., —
Stictotarsus, 53:380
Stiger, Mark, see Emslie, Steven D., —
Stillingia linearifolia, 50:139, 50:145, 52:200, 53:71
Stipa, 51:311
clandestina, 53:92
comata, 52:555, 52:556
coronatum, 53:73
leucotricha, 53:386, 55:513–515
sarothrae, 48:626
speciosum, 53:73
Stizolobium, 51:8
Stockoceros, 50:370, 51:233, 51:234
onusrosagris, 50:369
Stockwell, Craig A., see Kritsky, Delane C., and —
Stoleson, Scott H., see Woodward, Hope D., and —
Stolley, Dorie S., Samuel T. Edmonds, and Carol U. Meteyer, Mortality of ducklings of the black-bellied whistling duck (*Dendrocygna autumnalis*) during their premier swim in a hypersaline lake in South Texas, 53:230–235
Stolley, Dorie S., see Edmonds, Samuel T., and —
Stomoxys calcitrans, 48:639
Stone, Dennis M., David R. Van Haverbeke, David L. Ward, and Teresa A. Hunt, Dispersal of nonnative fishes and parasites in the intermittent Little Colorado River, Arizona, 52:130–137
Stone, Matt D., and Don Moll, Abundance and diversity of seeds in digestive tracts of *Terrapene carolina* and *T. ornata* in southwestern Missouri, 54:346–350
Stone, Paul A., Sara M. Powers, and Marie E. Babb, Freshwater turtle assemblages in central Oklahoma farm ponds, 50:166–171
Storeria
dekayi, 47:37, 49:531
occipitomaculata, 55:175
Stout, Jim F., see Fenolio, Danté B., —
Stout, Jim F., see Graening, G. O., —
Strakosh, Suzanne C., and Carolyn J. Ferguson, Pollination biology of four southwestern species of *Phlox* (Polemoniaceae): insect visitation in relation to corolla tube length, 50:291–301
Stratiomyidae, 50:241, 53:380, 53:401
Stratiomys, 50:241
Strauss, Richard E., see Abuzeineh, Alisa A., —
Streptanthus
campestris, 52:200, 53:71
polygaloides, 51:481–489
tortuosus, 51:484–486
Streptoglossa odora, 48:11
Streptopelia risoria, 48:361
Strigidae, 51:233, 53:512
Striped neonate with additional notes on polymorphism in the western long-nosed snake (*Rhinocheilus lecontei lecontei*), Hugh K. McCrystal and Craig S. Ivanyi, 50:494–496
Strix
aluco, 50:498
brea, 51:233, 51:234
occidentalis, 47:498–500, 49:478–486, 50:323–333, 52:157, 52:272, 53:21, 53:34–38, 53:347, 53:357, 56:194
rufipes, 56:421
Strohmeyer, Brenda E., see Ganey, Joseph L., —
Strong, Anna W., and Paula S. Williamson, Breeding system of *Astrophytum asterias*: an endangered cactus, 52:341–346
Strong-billed woodcreeper (*Xiphyocolaptes promeropirhynchus*) attempting to capture a mouse, Rebecca G. Peak, Selvin E. Peréz, and Pablo Herrera, 54:362–363
Strongyloides, 47:294–297
Strongyluris, 47:294, 47:296, 47:297
acaudata, 48:213, 48:214
ranae, 47:295
similis, 48:208–211, 48:213, 48:214, 48:217, 52:243, 52:245, 52:246, 52:248
Strophitus undulatus, 53:46
Strophostyles, 51:8
Structure of assemblages and recent distribution of riverine fishes in Oklahoma, Randy W. Parham, 54:382–399
Struthio camelus, 53:385
Strymon
alea, 48:519
bazochii, 48:519
bebrycia, 48:519
cestri, 48:519
istapa, 48:519
megarus, 48:519
melinus, 48:519, 52:13
mellinus, 52:568
mulucha, 48:519
serapio, 48:519
yojoa, 48:519
ziba, 48:519
Sturna vulgaris, 48:362
Sturnella, 47:391, 48:270, 50:450, 54:139
loyca, 56:420
magna, 51:527, 51:528, 52:458, 54:137, 55:462, 56:433–435
neglecta, 51:527, 51:528, 54:86
Sturnira
aratathomasi, 48:440
bidens, 48:440
bogotensis, 48:440
erythromos, 48:440
hondurensis, 48:440
koopmanhilli, 56:436, 56:437
lilium, 48:143, 48:437–441, 48:575, 48:582, 48:583, 50:97, 51:271, 54:412–414, 55:350, 55:354, 55:456
ludovici, 47:137, 48:437, 48:440, 48:575, 49:123, 50:97, 55:456
luisi, 48:440
magna, 48:440
mordax, 48:440
nana, 48:440
oporophylum, 48:440
spectrum, 48:437
thomasi, 48:440
tildae, 48:440
Sturnus vulgaris, 47:142, 51:207, 54:86, 54:91, 54:94, 54:251
Stygobromus, 50:386, 50:387, 51:251
alabamensis, 51:95
bifurcatus, 53:81
flagellatus, 53:74, 53:78, 53:81
longipes, 53:74, 53:78, 53:81
onondagaensis, 51:95
ozarkensis, 51:95, 54:358
pecki, 53:74, 53:76–81
russelli, 53:78–81
Stygoparnus comalensis, 53:74, 53:76–79
Stylocline gnaphalioides, 53:70
Stylosanthes mexicana, 51:10
Stylurus, 48:30
Styphelia tameiameiae, 52:357
Styrax ramirezii, 56:401
Suaeda, 50:137
conferta, 53:188
esteroa, 50:135
linearis, 47:428
moquinni, 50:134
nigrescens, 52:251–256, 52:462, 52:465
tampicensis, 53:188
taxifolia, 50:140, 50:142, 50:143
Suaedetum moquinii, 50:134, 50:149
Suaedo taxifoliae, 50:129, 50:134, 50:138, 50:140
Suárez, Noemí Salas, see Pozo, Carmen, —
Suárez, Pedro, see Monroy-Vilchis, Octavio, —
Suárez-Gracida, Gabriela, see Gallo-Reynoso, Juan-Pablo, —
Suárez-Morales, Eduardo, Martha A. Gutiérrez-Aguirre, and Elizabeth J. Walsh, Freshwater Copepoda (Crustacea) from the Chihuahuan Desert with comments on biogeography, 55:525–531
Suazo-Ortuño, Ireri, Javier Alvarado-Díaz, Elizabeth Raya-Lemus, and Miguel Martinez-Ramos, Diet of the Mexican marbled toad (*Bufo marmoreus*) in conserved and disturbed tropical dry forest, 52:305–309
Suazo-Ortuño, Ireri, see Alvarado-Diaz, Javier, —

Subpiloceryus
horrispinus, 47:79, 47:83
repandus, 47:79, 47:83
Subspecies of *Sceloporus merriami* (Reptilia: Lacertilia) and the derivation of its subspecies, new, Hobart M. Smith, Julio A. Lemos-Espinal, and David Chiszar, 48:700–705
Subtle recent distributional shifts in Great Plains bird species, A. Townsend Peterson, 48:289–292
Subulascaris falcaustriformis, 47:294, 47:296, 47:297
Subulinidae, 47:465
Success of artificial bird nests in burned Gulf Coast Chenier Plain marshes, Steven W. Gabrey, Barry C. Wilson, and Alan D. Afton, 47:532–538
Succineidae, 54:338
Suchecki, John R., see Bradley, Robert D., —
Sudman, Philip D., see McAliley, L. Rex, and —
Sue, Min Chung, see King, Julie L., —
Suirella, 49:402
Sula
leucogaster, 55:570
sula, 55:570
Sullivan, Brian D., see Ray, James D., —
Sullivan, Brian L., see Bahm, Matt A., and —
Summer captures of *Reithrodontomys megalotis* in elevated traps, Tiffany Cummins and Norman A. Slade, 52:79–82
Summer diet of the Mexican gray wolf (*Canis lupus baileyi*), Jerod A. Merkle, Paul R. Krausman, Dan W. Stark, John K. Oakleaf, and Warren B. Ballard, 54:480–485
Summer diets of feral hogs in the Davis Mountains, Texas, Roger N. Adkins and Louis A. Harveson, 51:578–580
Summer food habits and trophic overlap of roundtail chub and creek chub in Muddy Creek, Wyoming, Michael C. Quist, Michael R. Bower, and Wayne A. Hubert, 51:22–27
Summer foraging range of Mexican free-tailed bats (*Tadarida brasiliensis mexicana*) from Carlsbad Cavern, New Mexico, Troy L. Best and Kenneth N. Geluso, 48:590–596
Summers, Scott G., Mike M. Stake, Gilbert H. Eckrich, Richard M. Kostecke, and David A. Cimprich, Reducing cowbird parasitism with minimal-effort shooting: a pilot study, 51:409–411
Summers, Scott G., see Kostecke, Richard M., —
Sumner, Misty L., see Mills, Brandon H., —
Supercooling of the red imported fire ant (Hymenoptera: Formicidae) on a latitudinal temperature gradient in Texas, Abigail Quarles, Richard M. Kostecke, and Sherman A. Phillips, Jr., 50:302–306
Surface density and nocturnal activity in a West Texas assemblage of scorpions, Christopher A. Brown, John M. Davis, Daniel J. O'Connell, and Daniel R. Formanowiz, Jr., 47:409–419
Surface mining and ecology of desert bighorn sheep, Brian D. Jansen, Paul R. Krausman, Kirby D. Bristow, James R. Heffelfinger, and James C. deVos, Jr., 54:430–438
Surirella patela, 49:402
Survey and distribution of invertebrates from selected springs of the Edwards Aquifer in Comal and Hays counties, Texas, James R. Gibson, Scott J. Harden, and Joe N. Fries, 53:74–84
Survival and abundance of three species of mice in relation to density of shrubs and prescribed fire in understory of an oak woodland in California, William D. Tietje, Derek E. Lee, and Justin K. Vreeland, 53:357–369
Survival and mortality of cougars in the Trans-Pecos region, John H. Young, Michael E. Tewes, Aaron M. Haines, Gilbert Guzman, and Stephen J. DeMaso, 55:411–418
Survival and movement of chicks of the least tern (*Sterna antillarum*) on an alkaline flat, Joanna B. Whittier and David M. Leslie, Jr., 54:176–181
Survival and movements of fledgling western bluebirds, Catherine S. Wightman, 54:248–252
Survival and sources of mortality of cougars in hunted populations in north-central Arizona, rates of, Ted McKinney, Thorry W. Smith, and Robert B. Waddell, 54:151–155
Survival of rodents to assess quality of prairie habitats, using, Robert A. Schorr, Jeremy L. Siemers, Paul M. Lukacs, James P. Gionfriddo, John R. Sovell, Renee J. Rondeau, and Michael B. Wunder, 52:552–563
Survival of western cottonmouths (*Agkistrodon piscivorus leucostoma*) in a pulsing environment, Francis L. Rose, Thomas R. Simpson, James R. Ott, Richard W. Manning, and Julien Martin, 55:11–15
Survival, condition, habitat use, and predation on stocked bonytails (*Gila elegans*) in the Green River, Colorado and Utah, Kevin R. Bestgen, Koreen A. Zelasko, Robert I. Compton, and Tom E. Chart, 53:488–494
Sus scrofa, 47:528, 49:532, 50:104, 50:515–519, 51:368, 51:369, 51:371, 51:578–580, 52:532, 53:88, 55:57–68, 55:71–74, 55:138, 55:564–567, 56:40
Sutherlandia, 51:8
Suwallia, 53:380
Svastra duplocincta, 53:427
Swanger, Kim, see Minton, Russell L., —
Swann, Don E., see Flesch, Aaron D., —
Swann, Don E., see Morrison, Michael L., —
Swannack, Todd M., and Francis L. Rose, Seasonal and ontogenetic changes in the sex ratio of a population of stinkpots (Kinosternidae: *Sternotherus odoratus*), 48:543–549
Swannack, Todd M., and Michael R. J. Forstner, Possible cause for the sex-ratio disparity of the endangered Houston toad (*Bufo houstonensis*), 52:386–392
Swanson, Bradley J., see Steinwald, Mary C., —
Sweanor, Linda L., see Bauer, Jim W., —
Sweeney, Aaron W., see Hinton, Juliana G., —
Sweet, Diana E., and Wayne A. Hubert, Seasonal movements of native and introduced catostomids in the Big Sandy River, Wyoming, 55:382–389
Sweltsa, 53:380
Swietenia macrophylla, 48:505
Swift fox demography, movements, denning, and diet in New Mexico, Robert L. Harrison, 48:261–273
Swift, Pamela K., see Galentine, Steve P., and —
Swift, Sandra L., see Mead, Jim I., —
Syagrus romanzoffiana, 50:476
Sykes, Catherine, see Watson, Jacqueline M., —
Sylviidae, 47:553
Sylvilagus, 47:528, 47:530, 50:330, 51:119, 51:120, 51:122, 51:233, 52:444, 52:506, 52:546, 54:481, 54:497, 56:301
aquaticus, 47:255, 49:532
auduboni, 48:106
audubonii, 47:128, 47:132–133, 47:328, 47:558, 48:570, 48:574, 49:79, 49:80, 49:270, 49:272, 49:273, 49:535, 49:537, 50:365, 50:366, 51:121, 51:352–357, 52:112, 52:403, 53:87, 53:312, 53:512, 55:374, 55:378, 55:379, 56:189, 56:405
bachmani, 48:570, 48:574, 50:365, 50:366, 52:531, 52:537
bachmanni, 48:568
brasiliensis, 48:574
cognatus, 52:112, 53:434, 53:439
cunicularius, 48:574
floridanus, 47:249, 47:250, 47:255, 48:424, 48:574, 49:79, 49:80, 49:532, 51:60, 51:121, 51:273, 51:352–357, 51:581, 52:110, 52:112, 52:113, 52:403, 52:405, 53:87, 53:434, 53:453, 53:455, 53:512, 56:26, 56:410, 56:412

graysoni, 48:574, 48:577
insonus, 48:574, 48:577
leonensis, 50:365
mansuetus, 48:574, 48:578
nuttallii, 50:365, 50:366, 51:121, 52:112
palustrellus, 50:365, 50:366
robustus, 53:434
Symmachia accusatrix, 48:517
Sympetrum
corruptum, 48:446, 54:98
occidentale, 48:447
semicinctum, 48:446, 48:447
Symphoricarpos, 47:63, 53:148, 53:347
longiflorus, 48:504
occidentalis, 47:630
oreophilus, 48:17
rotundifolius, 53:151, 53:153, 53:154, 53:156
Symphoricarpus rotundifolius, 52:495, 52:498
Symplocos prionophylla, 56:401
Synageles noxiosus, 56:50
Synale cynaxa, 48:524
Synapte pecta, 48:523
Synargis calyce, 48:518
Synatzske, David R., see Ruthven, Donald C., III, —
Synechococcus aeruginosus, 49:399
Synedra ulna, 49:396, 49:397, 49:402
Synema neomexicanum, 56:49
Syngnathidae, 53:339
Syngnathus leptorhynchus, 53:335, 53:338, 53:339
Synthliboramphus craveri, 52:285, 52:286
Syringa vulgaris, 52:348
Syrphidae, 50:295, 50:296, 56:353–357
Syrphus, 50:294, 50:295, 50:299
Syrrhophus
cystignathoides, 49:263–266
guttilatus, 49:264
marnocki, 49:264
Syrrhophus (Anura: Leptodactylidae) in Louisiana, genus, Laurence M. Hardy, 49:263–266
Systpira, 54:335
analytica, 56:45, 56:47, 56:50, 56:52
eclectica, 54:333
Systasea pulverulenta, 48:522
Systematics of the genus *Sigmodon*: DNA sequences from beta-fibrinogen and cytochrome *b*, Darin S. Carroll and Robert D. Bradley, 50:342–349

Tabanidae, 48:31, 50:241
Tabanus, 48:635, 50:241
Tabebuia
chrysantha, 55:141
donnell-smithii, 55:141
rosea, 55:141
Tabor, Stephen P., see Germano, David J., —
Tacha, Thomas C., see Anderson, James T., and —
Tachinidae, 54:197, 55:191, 56:275
Tachybaptus dominicus, 49:103
Tachycineta
albilinea, 54:91, 54:94
bicolor, 50:272–273, 54:472, 55:572
thalassina, 50:446, 54:289, 55:24, 55:27
Tachypeza, 50:291, 50:294, 50:297, 50:299
Tachytes, 52:568
Tadarida, 48:302, 49:80
brasiliensis, 47:328, 47:633, 48:132, 48:138, 48:141–143, 48:574, 48:590–596, 48:713, 50:200–203, 51:53–56, 51:414–417, 51:421, 52:402, 52:482, 52:483, 52:485–491, 53:243–247, 54:222, 54:421, 54:422, 54:424–428, 55:114, 55:210, 55:340–346, 55:351, 55:353, 55:354, 56:104, 56:112–115
Taenia, 54:495–497
Taenionema, 48:30
Taeniopterygidae, 48:30
Taeniopygia guttata, 52:458
Tagetes
lunulata, 56:162–171
micrantha, 51:458
papposa, 48:187
Tail measurements of *Bubo virginianus* from Texas, unusual, Daniel M. Brooks and Keith A. Arnold, 50:498–501
Takekawa, John Y., see Herring, Garth, —
Takekawa, John Y., see Mejia, Francine, —
Takekawa, John Y., see Miller, Michael R., —
Talent, Larry G., see Coppedge, Bryan R., —
Talinum, 47:587
calycinum, 47:588, 52:121
parviflorum, 47:588
Talpidae, 48:575
Taltridae, 48:101, 50:238
Tamandua mexicana, 48:574
Tamaricaceae, 56:276
Tamarindus indica, 53:16
Tamarix, 48:366, 49:113, 49:220, 49:502, 51:326, 51:327, 51:505, 51:547, 53:86, 53:87, 53:99, 53:312, 53:328, 53:332, 54:177, 54:202, 54:422, 54:446, 54:447, 54:551, 55:315, 55:335, 56:276
aphylla, 54:227
chinensis, 47:32, 48:373, 48:374, 48:377, 49:86, 49:97, 53:387, 55:274, 56:386
gallica, 47:247
ramosissima, 47:237, 47:598–601, 52:196, 52:200, 53:96, 53:97, 53:400, 54:193, 55:375, 56:386
Tamias, 47:528, 47:529, 48:386, 50:364, 54:481, 56:25
amoenus, 53:354
bulleri, 48:575
canipes, 53:431, 53:435–438, 56:26
cinereicollis, 56:193–203
dorsalis, 48:575, 50:505, 53:512, 53:513, 56:193–203
durangae, 48:575
merriami, 48:575
obscurus, 48:570, 48:575
quadrimaculatus, 53:346, 53:347, 53:349–354
quadrivittatus, 47:328
senex, 53:346, 53:349–354
striatus, 51:71, 56:410, 56:413
Tamiasciurus, 51:64, 51:531, 54:481
douglasii, 51:426, 51:427, 53:349–351
hudsonicus, 47:267–275, 47:498–501, 48:257, 48:258, 50:464, 51:59–63, 51:427, 52:155–157, 52:553, 53:248, 53:253, 53:431, 53:434–436, 53:438, 53:439, 55:123–124, 55:217–224, 56:24–28
mearnsi, 48:568, 48:570, 48:575, 51:426–430
Tamnosma montana, 47:579
Tampchthys dichromus, 54:343
Tanacetum vulgare, 48:13
Tanner, David A., see Wilson, Joseph S., —
Tantilla
andinista, 49:457
capistrata, 49:457
coronata, 55:175
equatoriana, 49:457–464
gracilis, 47:105–107, 50:269, 50:270, 53:483, 53:484
hobartsmithi, 48:350–352, 55:247, 55:253
insulamontana, 49:457
lempira, 49:457
melanocephala, 49:457–464
miyatai, 49:457
nigriceps, 47:105, 47:107, 48:350, 53:483, 53:484
wilcoxi, 55:249
yaquia, 55:249
Tapinocyba, 56:46
Tapiridae, 48:575, 51:233
Tapirus, 51:227, 51:233, 51:234
bairdii, 48:575, 52:310, 52:311, 52:313, 52:314
merriami, 49:232–234
terrestris, 52:571
Tarango-Arámbula, Luis A., see Villordo-Galván, J. Agustín, —
Taraxacum
officinale, 48:13, 52:497, 53:386, 54:442
officinalis, 48:494, 48:504
Tarebia granifera, 55:115, 55:116
Taricha, 49:453
Tarrant, Billy, see Perlichek, Kory B., —
Tatman, Nicole M., Warren B. Ballard, Mark C. Wallace, Shawn P. Haskell, Paul R. Krausman, James deVos, Jr., and Ole J. Alcumbrac, Evaluation of use of vaginal-implant transmitters in mule deer (*Odocoileus hemionus*), 56:247–251
Tawny-bellied cotton rat (*Sigmodon fulviventer*) in west-central New Mexico, westward expansion of the, Keith Geluso, Justin D. Hoffman, Vikki A.

Ashe, Jeremy A. White, and Michael A. Bogan, 50:273–277
Taxidea taxus, 47:249, 47:256, 47:316–319, 47:329, 48:263, 48:574, 49:55, 49:109–111, 49:377, 49:535, 49:537, 51:194, 51:289–291, 52:64, 52:329, 52:331, 52:402, 52:546, 53:113, 53:203, 56:189, 56:232, 56:433
Taxodium
distichum, 49:62, 54:69, 55:12, 55:161, 55:318
mucronatum, 47:430, 53:518, 54:91, 54:502
Taxonomic assessment of the black bear (*Ursus americanus*) in the eastern United States, Michael L. Kennedy, Phyllis K. Kennedy, Michael A. Bogan, and Juliann L. Waits, 47:335–347
Taxonomic status and species limits of *Perognathus* (Rodentia: Heteromyidae) in the southern Great Plains, Brandi S. Coyner, Thomas E. Lee, Jr., Duke S. Rogers, and Ronald A. Van Den Bussche, 55:1–10
Taxonomic status of *Tantilla equatoriana* Wilson and Mena 1980 (Serpentes: Colubridae), Eli Greenbaum, John L. Carr, and Ana Almendáriz, 49:457–464
Taxonomic status of the Madrean alligator lizard (Lacertilia: Anguidae) of the Sierra del Nido, Chihuahua, México, Robert W. Bryson, Jr., Hobart M. Smith, and Julio Lemos-Espinal, 50:497–498
Taxus, 51:5, 51:6, 55:428
globosa, 51:2
Tayassu
pecari, 47:527–531, 48:575, 52:571
tajacu, 47:249, 47:256, 47:527–531, 50:104, 50:515–519, 51:369, 51:579, 52:98
Tayassuidae, 48:575, 49:524, 50:366, 51:233
Taygetis
thamyra, 48:516
virgilia, 48:516
Taylor, Christopher A., see Sperry, Jinelle H., and —
Taylor, Christopher A., Shane N. Jones, and Elizabeth A. Bergey, Crayfishes of Oklahoma revisited: new state records and checklist of species, 49:250–255
Taylor, Christopher M., see Hargrave, Chad W., and —
Taylor, Christopher M., see Ruiz-Gomez, Maria de Lourdes, —
Taylor, Emily N., see Lumbad, Anthony S., —
Taylor, Harry L., and Yadira Caraveo, Comparison of life history characteristics among syntopic assemblages of parthenogenetic species: two color pattern classes of *Aspidoscelis tesselata*, *A. exsanguis*, *A. flagellicauda*, and three color pattern classes of *A. sonorae* (Squamata: Teiidae), 48:685–692
Taylor, Harry L., James M. Walker, James E. Cordes, and Glenn J. Manning, Life history characteristics support separate origins of D-designation color pattern classes in parthenogenetic *Aspidoscelis tesselata* (Squamata: Teiidae), 50:258–262
Taylor, Harry L., Julio A. Lemos-Espinal, and Hobart M. Smith, Morphological characteristics of a newly discovered population of *Aspidoscelis tesselata* (Squamata: Teiidae) from Chihuahua, México, the identity of an associated hybrid, and a pattern of geographic variation, 48:692–700
Taylor, Harry L., Mark A. Paulissen, James M. Walker, and James E. Cordes, Breadth and overlap of diet between syntopic populations of parthenogenetic *Aspidoscelis tesselata* C and gonochoristic *Aspidoscelis sexlineata* (Squamata: Teiidae) in southeastern Colorado, 56:180–186
Taylor, Harry L., Phenotypic and reproductive responses of *Aspidoscelis tigris* (Squamata: Teiidae) to shifts in winter precipitation across the southern Sierra Nevada Range, Kern County, California, 48:680–684
Taylor, Harry L., see Paulissen, Mark A., —
Taylor, Jimmy D., see Fischer, Justin W., —
Taylor, John P., see Smith, Loren M., —
Taylor, Robert V., Factors influencing expansion of the breeding distribution of Bewick's wren into riparian forests of the Rio Grande in central New Mexico, 48:373–382
Tecoma stans, 48:180, 48:187, 50:146, 52:99, 52:100, 52:355
Teiidae, 47:21–29, 47:45, 47:55, 47:211, 48:126–129, 48:680–684, 48:685–692, 48:692–700, 50:25, 50:172, 50:258–262, 52:38–45, 54:226–230, 54:453–460, 55:252, 55:278, 55:280, 55:419–425, 55:584, 56:128–130, 56:180–186
Telebasis, 53:381
salva, 48:446
Teleostei, 48:451–453, 49:85–87, 52:371–377, 54:107–111, 55:599–600
Telorchis, 47:294–297
corti, 50:13, 50:14
Telosiphonia macrosiphon, 55:497
Temenis laothoe, 48:514
Temoridae, 55:525–527
Temperature on behavior of *Trimerotropis pallidipennis* (Orthoptera, Acrididae), effects of, Casey A. Gilman, Eric C. Toolson, and Blair O. Wolf, 53:162–168
Temperature-caused fish kill in a flowing Great Plains river, Bart W. Durham, Gene R. Wilde, and Kevin L. Pope, 51:397–401
Temporal and maternal effects on reproductive ecology of the giant gartersnake (*Thamnophis gigas*), Brian J. Halstead, Glenn D. Wylie, Michael L. Casazza, and Peter S. Coates, 56:29–34
Temporal assessment of a West Texas stream fish assemblage, Timothy H. Bonner, Chad Thomas, Casey S. Williams, and John P. Karges, 50:74–78
Temporal patterns of DDE in burrowing owl eggs from the Imperial Valley, California, Jennifer A. Gervais and Daniel H. Catlin, 49:509–512
Temporal shift in diet in a population of American bullfrog (*Rana catesbriana*) in Carlsbad Caverns National Park, James J. Krupa, 47:461–467
Tenebrio molitor, 51:312
Tenebrionidae, 48:198, 51:314, 51:557, 52:319, 52:320, 52:322, 54:338, 55:111, 55:112
Tenhumberg, Brigitte, see Keeler, Kathleen H., and —
Tennesseellum formica, 56:46
Tephritidae, 49:259, 51:314, 53:140, 55:191, 56:275
Tephrosia virginiana, 56:59
Terminalia, 54:105
Ternstroemia pringlei, 49:124, 56:401
Terralonus shaferi, 56:50
Terrapene, 55:560
carolina, 49:530–532, 53:218, 53:453, 53:473, 54:346–350, 55:135, 55:137, 56:427
ornata, 48:107, 48:350, 48:351, 53:218, 54:346–350, 55:247, 55:252
Terrepene, 52:609
Terrestrial habitat use by Pacific pond turtles in a Mediterranean climate, Galen B. Rathbun, Norman J. Scott, Jr., and Thomas G. Murphey, 47:225–235
Territorial preferences of the hilltopping wasp *Hemipepsis ustulata* (Pompilidae) remain stable from year to year, John Alcock, 53:190–195
Tershy, Bernie R., see Knowlton, Jessie L., —
Tescum, Santiago Uc, see Pozo, Carmen, —
Testing a vicariance model to explain haplotype distribution in the psammophilic scorpion *Paruroctonus utahensis*, M. C. Estep, Mary U. Connell, Richard N. Henson, Zack E. Murrell, and Randall L. Small, 50:150–157
Testudinella, 48:342
Testudinidae, 55:252, 55:560

Tethysbaena texana, 53:74, 53:78–80, 53:82
Tetraclea coulteri, 55:498
Tetracoccus capensis, 50:146
Tetradymia spinosa, 52:617
Tetragnatha, 56:52
laboriosa, 54:332–333, 54:336, 56:46
nitens, 54:336
Tetragnathidae, 53:137, 53:140, 53:142, 53:143, 54:331, 54:332, 54:336, 54:337, 56:46
Tetragnatidae, 49:318
Tetragoneuria costalis, 48:446
Tetrigidae, 55:192
Tettigoniidae, 51:557, 51:558, 53:386–387, 55:112, 55:113, 55:192
Teucrium canadense, 55:256
Tewes, Michael E., see Gilad, Oranit, —
Tewes, Michael E., see Horne, Jon S., —
Tewes, Michael E., see Janečka, Jan E., —
Tewes, Michael E., see Young, John H., —
Texas alderflies (Megaloptera: Sialidae): new records, distributions, and a key to adults in Texas, Jason L. Locklin, 53:524–528
Texas antelope squirrel (*Ammospermophilus interpres*) in Texas, records of the, T. Wayne Schwertner, John T. Baccus, and Martin R. Heaney, 56:273–274
Texas tortoise (*Gopherus berlandieri*) consumed by a mountain lion (*Puma concolor*) in southern Texas, R. Bill Adams, James C. Pitman, and Louis A. Haverson, 51:581–582
Thalasseus elegans, 54:510
Thalassina tachycineta, 54:286
Thalictrum
bipinnatifidum, 48:184
fendleri, 52:495
Thamnophilus doliatus, 47:473
Thamnophis, 47:467, 48:386, 48:552, 52:113, 54:503, 55:137, 55:176
butleri, 56:33
couchii, 49:453, 54:368, 55:280–282
cyrtopsis, 48:351, 48:352, 55:136, 55:244–246, 55:253, 56:33
elegans, 52:261, 54:368, 55:175, 55:280, 56:33
eques, 52:258, 52:260, 52:261, 53:460, 55:249
gigas, 56:29–34
hammondii, 49:449–456, 53:370–373, 55:583
marcianus, 47:105, 53:483, 53:485, 55:280
melanogaster, 52:258, 52:260, 52:261
ordinoides, 55:280–282
proximus, 49:531, 50:269, 52:261, 53:115–118, 55:421, 55:459
radix, 52:261
rufipunctatus, 54:461–467
sauritus, 53:115
scalaris, 52:258–262
scaliger, 52:258
sirtalis, 49:453, 52:261, 54:353, 55:281, 56:433
Thamnosma montana, 52:355
Thanatus
altimontis, 56:49
coloradensis, 56:49, 56:52
Thecadactylus rapicaudus, 48:214
Thecla
echelta, 48:519
galliena, 48:519
heraclides, 48:518
ligurina, 48:519
lyde, 48:519
Thelairia bryantii, 49:194
Thelesperma megapotamicum, 55:497
Thelocactus bicolor, 52:344, 53:425
Thelypodium lasiophylla, 53:71
Themidaceae, 53:73
Theope
eupolis, 48:518
publius, 48:518
virgilius, 48:518
Theraphosidae, 54:303, 54:336, 54:337, 56:46
Theridiidae, 53:140
Theridiidae, 54:331, 54:332, 54:336, 54:337, 56:46, 56:52
Theridion
dilutum, 54:336
leviorum, 56:46
yuma, 54:336
Theritas hemon, 48:518
Thermal environment on food habits of female cave myotis (*Myotis velifer*), influence of, Shauna R. Marquardt and Jerry R. Choate, 54:166–175
Thermal regimes of Mexican spotted owl nest stands, Joseph L. Ganey, 49:478–486
Thermocyclops
hyalinus, 48:345
tenuis, 55:526
Thermoregulation by a population of *Sceloporus palaciosi* from Sierra del Ajusco, Distrito Federal, Mexico, Anahí Güizado-Rodríguez, Uri Omar García-Vázquez, and Israel Solano-Zavaleta, 56:120–124
Thermus aquaticus, 50:335, 51:301, 51:307
Thessalia theona, 48:514
Thessia jalapus, 48:521
Thiara granifera, 50:244, 50:245
Thiaridae, 50:244, 50:245, 55:115
Thibaudeau, Anne, see Bulté, Grégory, —
Thibault, Katherine M., see Perry, Travis W., —
Thien, Leonard B., see Devall, Margaret S., and —
Thies, Monte L., Extreme periodontal disease in a Brazilian free-tailed bat (Molossidae: *Tadarida brasiliensis*) from eastern Texas, 56:112–115
Thies, Monte L., see Kraig, Sarah E., —
Thisbe
irenea, 48:518
lycorias, 48:518
Thomas, Chad, see Bonner, Timothy H., —
Thomas, R. Brent, see House, William J., —
Thomasson, Joseph R., *Eleofimbris svensonii* (Cyperaceae) from the late Miocene Ogallala group of western Kansas, 48:442–444
Thomisidae, 51:557, 53:140, 54:331, 54:332, 54:336, 54:337, 56:45, 56:49, 56:52
Thomomys, 49:232, 50:364, 54:304, 54:496
bottae, 47:327, 47:328, 47:546, 48:574, 49:79, 49:80, 49:270, 49:272, 49:273, 49:523, 50:94, 52:83–88, 52:113, 52:403, 52:406, 52:531, 52:537, 53:51–60, 53:87, 53:202, 55:379
talpoides, 47:63, 47:64
umbrinus, 48:574
Thompson, Bruce C., see Kroll, Andrew J., —
Thorybes
mexicana, 52:14
pylades, 52:14
Thouinia paucidentata, 48:506
Thouinidium decandrum, 55:141
Thrassis francisi, 49:378
Thraulodes, 50:241
Thraupidae, 47:553
Thraupis episcopus, 55:573
Threskiornithidae, 51:232
Thripidae, 50:294
Thronbrugh, Darren, see Mueller, Gordon A., —
Thryomanes bewickii, 48:373–382, 49:32, 50:442, 53:468
Thryothorus ludovicianus, 48:296, 49:104, 50:231, 53:468, 54:377
Thubunaea
iguanae, 48:213
intestinalis, 48:208–211, 48:213, 48:214, 48:217
Thymallus arcticus, 52:132
Thymophylla
acerosa, 49:6, 49:8, 55:497
pentacharta, 53:70, 55:497
Thyroptera tricolor, 48:575
Thyropteridae, 48:575, 48:601, 55:355, 55:356
Thysanocarpus curvipes, 53:71
Tiaris olivacea, 48:710
Tiaroga cobitis, 48:666–669
Tibellus chamberlini, 54:335, 56:49, 56:52
Tibicen
bifidus, 56:363–368
parallelus, 51:256
simplex, 56:364–366
townsendii, 55:112, 55:113
Tidestromia, 52:522, 52:523
lanuginosa, 48:487, 52:252, 52:253
oblongifolia, 49:503, 55:315

Tiemann, Jeremy S., Spawning behavior of the slim minnow, *Pimephales tenellus*, 52:137–141
Tietje, William D., Derek E. Lee, and Justin K. Vreeland, Survival and abundance of three species of mice in relation to density of shrubs and prescribed fire in understory of an oak woodland in California, 53:357–369
Tietje, William D., see Vreeland, Justin K., and —
Tigoma
nigrescens, 54:109
pulchella, 54:109
Tigridia acesta, 48:508, 48:514
Tigrisoma mexicanum, 54:93
Tilapia zillii, 51:502, 54:156, 54:157, 56:385, 56:386
Tillaea erecta, 53:71
Tillandsia, 48:673, 48:674, 54:505, 55:318
brachycaulos, 51:462–470
guatemalensis, 51:467
recurvata, 50:144, 54:95
usneoides, 47:423, 47:428
Timing of *Agave palmeri* flowering and nectar-feeding bat visitation in the Peloncillos and Chiricahua mountains, Peter E. Scott, 49:425–434
Timing of prescribed burns affects abundance and composition of arthropods in the Texas Hill Country, Sally D. Johnson, Katherine C. Horn, Amy M. Savage, Steve Windhager, Mark T. Simmons, and Jennifer A. Rudgers, 53:137–145
Timochares
ruptifasciatus, 48:523
trifasciata, 48:523
Timson, Jamie E., and Greg H. Farley, Intraspecific helping behavior exhibited by hatch-year house wren, 48:300–301
Timulla
navasota, 51:538
oajaca, 51:538
subhyalina, 51:538
suspense, 51:539
vagans, 51:539
Tingidae, 55:191
Tinnin, David S., see Dunnum, Jonathan L., —
Tinodes provo, 51:334, 54:187, 54:192
Tipula, 48:31, 51:147
Tipulidae, 48:31, 48:198, 50:241, 51:147, 53:140, 53:379, 53:380, 54:170, 55:191, 55:236
Tiquilia
canescens, 49:6, 53:71, 55:496
greggii, 55:496
hispidissima, 55:496
plicata, 51:518
Titanoeca, 54:336
nigrella, 56:47, 56:51
Titanoecidae, 54:336, 54:337, 56:47
Titus, Jonathan H., and Fred Landau, Ski slope vegetation of Lee Canyon, Nevada, USA, 48:491–504
Titus, Jonathan H., and Priscilla J. Titus, Seedbank of Bingham Cienega, a spring-fed marsh in southeastern Arizona, 53:393–399
Titus, Jonathan H., see Titus, Priscilla J., and —
Titus, Priscilla J., and Jonathan H. Titus, Ecological monitoring of the endangered Huachuca water umbel (*Lilaeopsis schaffneriana* ssp. *recurva*: Apiaceae), 53:458–465
Titus, Priscilla J., see Titus, Jonathan H., and —
Tityra semifasciata, 54:94
Tlacuatzin canescens, 54:412, 54:413, 54:417
Tmarus angulatus, 56:49, 56:51
Tmolus echion, 48:505, 48:508, 48:509, 48:519
Tobler, Michael, Reversed sexual dimorphism and courtship by females in the Topaz cichlid, *Archocentrus myrnae* (Cichlidae, Teleostei), from Costa Rica, 52:371–377
Todirostrum cinereum, 55:572
Tolerance values of stream caddisflies (Trichoptera) in the lower Colorado River Basin, USA, Dean W. Blinn and David E. Ruiter, 51:326–337
Tolley-Jordan, Lori R., and Paula Power, Effects of water temperature on growth of the federally endangered Texas wild rice (*Zizania texana*), 52:201–208
Tolley-Jordan, Lori, see Oxley, F. M., —
Tolypothrix conglutinata, 49:397, 49:399
Tomarus, 55:112
Tonatia
brasiliense, 47:137–138, 48:575
evotis, 48:575
Tonatia brasiliense (Chiroptera, Phyllostomidae) in Oaxaca, México, first record of, Miguel Briones-Salas and Antonio Santos-Moreno, 47:137–138
Toolson, Eric C., see Gilman, Casey A., —
Tornado damage on forest bird populations in the Arkansas Ozarks, effects of, John W. Prather and Kimberly G. Smith, 48:292–297
Tornado on birds in a cross timbers community, effects of a, Daniel J. McGlinn, Roy T. Churchwell, and Michael W. Palmer, 55:460–466
Torres-Ayala, José Ma., see Contreras-Balderas, Armando J., —
Torres-Balcazar, Elias, see Ruiz-Campos, Gorgonio, —
Torres-Montoya, Edith Hilario, see Sánchez-González, Sergio, —
Torres-Morales, Laura, Diego F. García-Mendoza, Celia López-González, and Raúl Muñiz-Martínez, Bats of northwestern Durango, Mexico: species richness at the interface of two biogeographic regions, 55:347–362
Torymidae, 53:140
Toxascaris, 54:496, 54:497
Toxicodendron
diversilobum, 47:230, 49:306, 51:574, 53:358, 54:327, 54:328
radicans, 47:631, 52:355
Toxocara, 54:493–497
Toxolasma, 53:386
parvus, 53:46
texasensis, 53:46
Toxoplasma gondii, 55:380
Toxostoma
cinereum, 50:442
crissale, 49:107
longirostre, 52:440
rufum, 47:553, 49:101–103
Trachelas pacificus, 54:334
Trachemys, 49:535, 52:609, 55:560
gaigeae, 49:537
scripta, 48:544, 49:531, 50:14, 50:15, 50:166, 50:168–170, 50:269, 54:82–85, 55:95, 55:137, 55:407, 55:408, 56:61–65, 56:124–127
venusta, 56:427
Trachops cirrhosus, 48:575, 50:97
Trachypogon
gouinii, 51:13
secundus, 48:181
Trachyzelotes lyonneti, 54:333, 54:334
Track count calibration to estimate density of white-tailed deer (*Odocoileus virginianus*) in Mexican dry tropical forest, Salvador Mandujano, 50:223–229
Tracy, C. Richard, see Gienger, C. M., and —
Tradescantia crassifolia, 48:181
Tragapogon
dubius, 56:56
pratensis, 52:497
Tragelaphus strepsiceros, 55:511
Tragia ramosa, 48:181, 56:160
Tragopogon
dubius, 48:13
porrifolius, 48:494, 48:504
pratensis, 48:13
Tramea
lacerata, 48:446, 54:98
onusta, 48:446, 54:98
Trammell, E. Jamie, Kate Berry, Scott Bassett, and Donald W. Sada, Distribution and recovery of vegetational assemblages in Ash Meadows National Wildlife Refuge, Nevada, 53:326–334
Trapdoor spider (Cyrtaucheniidae; *Aptostichus*) depredates western snowy

plover chick (*Charadrius alexandrinus*), Walter Wehtje, 52:435–436
Trauth, Stanley E., see Milanovich, Joseph R., —
Travel of pollen in experimental raceways in the endangered Texas wild rice (*Zizania texana*), F. M. Oxley, Alison Echlin, Paula Power, Lori Tolley-Jordan, and Mara L. Alexander, 53:169–174
Traverella, 48:30, 50:241
Treated versus new traps: does chronic application of disinfectant to live traps reduce trappability of rodents?, Glennis A. Kaufman, Dawn M. Kaufman, and Donald W. Kaufman, 56:224–230
Tree climbing by the San Joaquin kit fox, two observations of, James D. Murdoch, Katherine Ralls, and Brian L. Cypher, 49:522–523
Tree roosts of Rafinesque's big-eared bat and southeastern bat in northeastern Louisiana, characteristics of, Gypsy Gooding and James R. Langford, 49:61–67
Tree swallow entangled on teddy bear cholla spines, James W. Cain, III and Brian D. Jansen, 50:272–273
Trematoda, 49:256–257, 52:597–600
Tremblay, Thomas A., William A. White, and Jay A. Raney, Native woodland loss during the mid 1900s in Cameron County, Texas, 50:479–482
Trepobates, 50:241
Trevoa trinervis, 56:418
Triadica sebifera, 55:180
Triakidae, 53:339
Triakis semifasciata, 53:338, 53:339
Trianthema portulacastrum, 52:252, 52:253
Trichechus manatus, 47:545
Trichocereus
pasacana, 49:15
terscheckii, 56:395
Trichocorixa, 48:31
Trichocorixia, 50:241
Trichomonas gallinae, 56:20
Trichoptera, 51:326–337, 54:182–194
Trichoptilium incisum, 53:70
Trichorthidae, 48:30
Trichostema brachiata, 47:589
Trichuris vulpis, 54:495, 54:496
Tricuroides myoti, 52:599
Tricorthodes, 48:30
Tricorythodes, 50:241, 52:223
Tricorythodidae, 50:241
Tridax
bicolor, 48:181
coronopifolia, 54:441, 54:442
procumbens, 48:12
Tridens, 51:311, 56:160
flavus, 51:359, 55:257
muticus, 53:86, 55:498
pulchellum, 53:73
Tridentiger
bifasciatus, 53:338, 53:339
trigonocephalus, 53:339
Trifolium, 49:191, 51:6, 51:7, 53:386, 55:427, 55:429
amabile, 48:187, 51:10, 51:458, 51:459
schneideri, 55:431
tridentatum, 53:71
willdenovii, 53:64, 53:71
wormskiikoldii, 48:187
wormskioldii, 51:10
Trigenotyla blacki, 51:95
Trimeratopis californica, 52:320
Trimeresurus, 47:467, 47:469
stejnegeri, 56:358
Trimerotropis pallidipennis, 52:557, 53:162–168, 55:112
Trimorphodon, 55:176
biscutatus, 50:24–27, 50:29, 55:253
Tringa, 47:376
flavipes, 47:374, 50:320, 54:129
melanoleuca, 47:374, 54:129
solitaria, 47:374
Trinycteris nicefori, 51:269, 51:270
Triodanis perfoliata, 53:499
Trionychidae, 49:537, 55:137, 55:560
Triomyx spiniferus, 48:86, 49:535, 49:537
Triphysaria pusilla, 49:191
Triplasis purpurea, 49:179, 49:184, 49:185
Tripleurospermum maritimum, 48:12
Tripsacum dactyloides, 55:254–262
Tripterocalyx carneus, 53:403–406
Tripterocalyx carneus (Nyctaginaceae) is self-compatible, Norman A. Douglas, 53:403–406
Trisetum spicatum, 54:356
Triticum aestivum, 50:3, 50:476, 51:359, 56:10
Tritogonia verrucosa, 53:46
Trixis
angustifolia, 52:200
californica, 50:136, 50:143, 50:144, 52:200, 53:70
Trochilidae, 47:623–626
Trochoidea seetzeni, 48:205, 48:206
Troglodytes aedon, 48:300–301, 48:374, 50:231, 50:280
Troglodytidae, 49:101, 54:289
Trogolodytes aedon, 52:276
Trogon
collaris, 54:512
elegans, 52:276
mexicanus, 52:276
violaceus, 47:473
Troilides torquatus, 48:512
Tromba xanthura, 48:524
Trombicula myotis, 47:454
Trombiculidae, 50:90, 56:131–133
Trophic ecology of the free-tailed bats *Nyctinomops femorosaccus* and *Tadarida brasiliensis* (Chiroptera: Molossidae) in Big Bend National Park, Texas, A. K. Matthews, S. A. Neiswenter, and L. K. Ammerman, 55:340–346
Trophic relationships of small nonnative fishes in a natural creek and several agricultural drains flowing into the Salton Sea, and their potential effects on the endangered desert pupfish, Barbara A. Martin and Michael K. Saiki, 54:156–165
Tropical marsh and savanna of the late Pleistocene in northeastern Sonora, Mexico, Jim I. Mead, Arturo Baez, Sandra L. Swift, Mary C. Carpenter, Marci Hollenshead, Nicholas J. Czaplewski, David W. Steadman, Jordon Bright, and Joaquin Arroyo-Cabrales, 51:226–239
Tropisternus lateralis, 50:240
Tropocyclops
extensus, 55:526
prasinus, 48:341–346, 55:526
Truesdale, Harold D., see McClenaghan, Leroy R., Jr., and —
Truett, Joe C., Aplomado falcons and grazing: invoking history to plan restoration, 47:379–400
Truett, Joe C., see Frey, Jennifer K., —
Trujillo, G. Matthew, see Patrikeev, Michael, —
Truncilla
donaciformis, 53:46
macrodon, 55:297–298
truncata, 53:46
Tryblionella hungarica, 49:402
Trypsacum, 50:398
Tsuga mertensiana, 51:109
Tubifex tubifex, 53:268–272
Tucker, Paul B., see Cooley, Christopher R., —
Tull, John C., and Paul R. Krausman, Habitat use of a fragmented landscape by females in a small population of desert mule deer, 52:104–109
Tull, John C., see Krausman, Paul R., —
Tumlison, Renn, and George R. Cline, Association between the Oklahoma salamander (*Eurycea tynerensis*) and Ordovician-Silurian strata, 48:93–95
Tumlison, Renn, Breeding by cliff swallows (*Petrochelidon pyrrhonota*) in southern Arkansas, 54:208–210
Turbellaria, 51:251–252
Turdidae, 47:553
Turdus
falcklandii, 56:420
grayi, 54:505
merula, 48:385
migratorius, 49:32, 49:106, 52:155, 52:275, 52:276, 54:377, 55:25
rufopalliatus, 55:390, 55:391
Turner, Dale S., Peter A. Holm, Elizabeth B. Wirt, and Cecil R. Schwalbe, Amphibians and reptiles of the Whetstone Mountains, Arizona, 48:347–355

Turner, Dale S., see Flesch, Aaron D., —
Turner, Hugh M., Seven-month survey of *Allocorrigia filiformis* (Trematoda: Dicrocoeliidae) infection in the crayfish *Procambarus clarkii*, 49:256–257
Turner, Paul R., see Calamusso, Bob, —
Turner, Paul R., see Caldwell, Colleen A., —
Turner, Sandra J., Alan R. Johnson, and Walter G. Whitford, Pairwise species associations in the perennial vegetation of the northern Chihuahuan Desert, 49:1–10
Turner, Thomas F., and Henry W. Robison, Genetic diversity of the Caddo madtom, *Noturus taylori*, with comments on factors that promote genetic divergence in fishes endemic to the Ouachita Highlands, 51: 338–345
Turner, Thomas F., see McPhee, Megan V., and —
Tussilago farfara, 48:13
Tutelina similis, 56:50
Tylomys
bullaris, 48:574
nudicaudus, 48:574, 50:343, 50:349
tumbalensis, 48:568, 48:574
Tympanistalna gastrica, 54:24
Tympanuchus
cupido, 55:478
pallidicinctus, 49:334–343, 54:137, 55: 477–487
pallidinuchus, 48:290
Typha, 48:58, 48:131, 48:366, 49:25, 49:219, 49:221, 50:398, 51:53, 51:415, 53:396, 54:104, 54:507, 55:341
domingensis, 47:247, 49:86, 49:502, 49: 503, 51:505, 52:200, 53:312, 53:328, 53:393, 53:395, 53:397, 53:460, 53: 462, 54:121, 55:318
dominguensis, 50:245
latifolia, 47:237, 52:142
Typhedanus
ampyx, 48:520
salas, 48:520
unudlatus, 48:520
Typhlops braminus, 56:267
Typhus, 47:226, 49:97
Tyrannidae, 47:553, 54:289, 54:290
Tyrannus
couchii, 54:505
forficatus, 48:290, 48:291, 50:231, 51: 16, 54:94, 55:572
savana, 55:572
tyrannus, 47:553, 49:101, 51:528
verticalis, 48:709, 49:32, 49:106, 51: 528, 52:155–156, 54:91, 54:94, 56:205
vociferans, 52:276
Tyto alba, 48:221, 48:717, 48:718, 49:55, 49:270, 49:272, 49:274, 51:575, 52: 284–290, 52:443, 54:86, 54:88, 54: 104–107, 54:320, 55:455
Tyus, Harold M., see Hawkins, Lorraine A., —
Udranomia kikkawai, 48:520
Uenoidae, 51:334, 53:381
Ulmaceae, 48:443, 51:463, 55:256, 56:161
Ulmus, 47:427, 47:482, 54:33
alata, 55:256, 55:259
americana, 52:455, 53:216, 55:180, 55: 181
crassifolia, 47:420, 47:422–426, 47:429, 49:33, 49:34, 49:529, 51:101, 51:359, 55:256, 55:257, 55:259, 55:260
pulmia, 54:196
pumila, 48:377, 53:252
rubra, 54:223, 55:256, 55:259, 55:260
Uloboridae, 54:332, 54:336, 54:337, 56:46
Ulorborus, 54:336
diversus, 56:46, 56:51
Ulothrix, 49:403
Uma
exsul, 52:251–257
inornata, 51:28–34, 51:514–523, 52:255, 54:312
Umbelliferae, 48:6
Umbellularia californica, 54:367
Uncinaria stenocephala, 50:32, 50:37, 50:38
Understory communities of warm-dry, mixed-conifer forests in southwestern Colorado, Julie E. Korb, Mark L. Daniels, Daniel C. Laughlin, and Peter Z. Fulé, 52:493–503
Uniola paniculata, 49:182–187, 55:194, 55: 421
Uniomerus tetralasmus, 52:427, 52:428
Unionidae, 47:604, 51:232, 53:45, 55:297–298
Unionoida, 48:333–340
Unmack, Peter J., see Brown, David E., —
Urban winter roost of the spotted bat (*Euderma maculatum*), documentation of an, Richard E. Sherwin and William L. Gannon, 50:402–407
Urbanus
albimargo, 48:521
belli, 48:521
dorantes, 48:521
doryssus, 48:521
esmeraldus, 48:521
evona, 48:521
procne, 48:521
proteus, 48:521
simplicius, 48:521
tanna, 48:521
teleus, 48:521
viterboana, 48:521
Urios, Vicente, see Monroy-Vilchis, Octavio, —
Urocyon, 49:232
cinereoargenteus, 47:128, 47:255, 47:329, 47:366, 47:499, 47:500, 48:574, 48:626, 48:720, 49:522, 50:32, 50:468, 51:210, 51:213, 51:216, 51:412, 51:570, 51:581, 52:113, 52:329, 52:330, 52:402, 52:521, 53:87, 53:440, 53:452–454, 53:512, 54:1, 54:497, 55:397, 56:26, 56:35, 56:38, 56:231, 56:232, 56:404
cinereoargenteus, 52:64
littoralis, 48:435, 49:522, 50:32–41, 51: 575, 52:530, 52:532, 52:534–536
Uroderma
bilobatum, 48:575, 48:583, 50:97
magnirostrum, 48:575, 50:97
Uropappus lindleyi, 53:70
Urosaurus, 51:167
bicarinatus, 47:206, 51:159
graciosus, 55:583, 55:584
microscutatus, 47:45, 47:53
nigricaudus, 47:45–47, 47:53, 55:278, 55:583
ornatus, 47:299, 48:218–221, 48:351, 48:352, 52:606, 55:105, 55:112, 55: 114, 55:244–246, 55:248, 55:252
Urospermum picroides, 48:12
Urozelotes rusticus, 56:49
Ursidae, 48:575
Ursinia anthemoides, 48:12
Ursus, 49:535
americanus, 47:257–266, 47:335–347, 48:303–306, 48:575, 48:651, 50: 278–281, 51:579, 52:402, 52:405, 52: 521, 53:87, 53:88, 53:257, 53:258, 53: 436, 53:437, 53:512, 54:1, 54:152, 56: 26, 56:232
arctos, 48:575, 50:278, 50:281, 52:402–404, 53:256–260, 56:232, 56:415
floridanus, 47:337
horribilis, 51:29
kennerleyi, 53:256, 53:258
luteolus, 47:335, 47:337
nelsoni, 53:256
Urtica dioica, 56:160
Urticaceae, 53:73, 56:160
Use and apparent partitioning of habitat by an imperiled springsnail (Hydrobiidae) and a cosmopolitan pond snail (Physidae), Michael A. Martinez and David L. Rogowski, 56:216–223
Use and pollination of a hawkmoth plant, *Nicotiana attenuata*, by migrant hummingbirds, Paul A. Aigner and Peter E. Scott, 47:1–11
Use of urban landscape by coyotes, Shannon E. Grubbs and Paul R. Krausman, 54:1–12
Uta, 54:86
palmeri, 52:465
stansburiana, 47:45, 47:46, 47:54, 47: 299, 47:300, 48:106, 48:683, 52:320, 52:321, 52:464–466, 52:616–619, 54: 228, 55:173, 55:245, 55:246, 55:252, 55:583, 56:318
stejnegeri, 52:251–257, 52:461–467
Utricularia, 55:451, 56:78
Utterbackia imbecillis, 53:46

Vaccinium, 54:348
arboreum, 53:451
calycinum, 52:357
madrense, 48:181
Vacerra litana, 48:525

Vachellia
insularis, 47:90
peninsularis, 47:90
Vaejovidae, 47:410, 47:411
Vaejovis
coahuilae, 47:411, 47:414
crassimanus, 47:411, 47:414
russelli, 47:411, 47:414
spinigerus, 50:392
waueri, 47:409–419
Vaginal-implant transmitters in mule deer (*Odocoileus hemionus*), evaluation of use of, Nicole M. Tatman, Warren B. Ballard, Mark C. Wallace, Shawn P. Haskell, Paul R. Krausman, James deVos, Jr., and Ole J. Alcumbrac, 56:247–251
Valdez, Ernest W., and Paul M. Cryan, Food habits of the hoary bat (*Lasiurus cinereus*) during spring migration through New Mexico, 54:195–200
Valdez, Ernest W., and Ritzi, Christopher M., —
Valdez, Ernest W., see Sparks, Dale W., and —
Valdez-Villavicencio, Jorge H., see Peralta-García, Anny, —
Valdéz-Villavicencio, Jorge H., see Welsh, Hartwell H., Jr., —
Valdivia, Talía, see Vega Rivera, Jorge H., —
Valencia-Díaz, Susana, and Carlos Montaña, Effects of seed age, germination substrate, gibberelic acid, light, and temperature on seed germination in *Flourensia cernua* (Asteraceae), a Chihuahuan Desert shrub, 48:1–13
Valenzuela-Galván, David, see Orozco-Lugo, Carmen Lorena, —
Valeriana
sorbifolia, 48:181, 48:187
urticifolia, 51:458
Valerianaceae, 48:187, 51:458
Vallisneria americana, 52:202
Valone, Thomas J., Examination of interaction effects of multiple disturbances on an arid plant community, 48:481–490
Valone, Thomas J., Shawn E. Nordell, and S. K. Morgan Ernest, Effects of fire and grazing on an arid grassland ecosystem, 47:557–565
Vampirolepis gertschi, 52:599
Vampyressa
bidens, 47:505, 47:506
pusilla, 48:575
Vampyrodes caraccioli, 48:575, 48:583, 48:586
Vampyrum spectrum, 48:575, 55:454, 55:455
Van Auken, O. W., and J. K. Bush, Photosynthetic rates of two species of Malvaceae, *Malvaviscus arboreus* var. *drummondii* (wax mallow) and *Abutilon theophrasti* (velvetleaf), 56:325–332
Van Auken, O. W., see Wayne, E. R., and —
Van Auken, O. W., see Wayne, Rob, and —
Van Deelen, Timothy R., Judy D. Parrish, and Edward J. Heske, A nine-banded armadillo (*Dasypus novemcinctus*) from central Illinois, 47:489–491
Van Den Bussche, Ronald A., see Coughlin, Warren D., —
Van Den Bussche, Ronald A., see Coyner, Brandi S., —
Van Den Bussche, Ronald A., see Ditchkoff, Stephen S., —
Van Devender, Thomas, see Gallo-Reynoso, Juan-Pablo, —
Van Gelder's bat (*Bauerus dubiaquercus*) from El Salvador, Central America, Luis E. Girón, James G. Owen, and Melissa E. Rodríguez, 55:585–587
Van Haverbeke, David R., see Stone, Dennis M., —
Van Vuren, Dirk H., see Wilson, James A., —
Vander Lee, Bruce A., see Hansen, Leslie A., —
Vanellus
chilensis, 56:420
vanellus, 56:41
Vanessa, 50:296
atalanta, 52:14
cardui, 52:5–9, 52:14
virginiensis, 52:14
VanLeeuwen, Dawn M., see Wampler, Christina R., —
VanOverbeke, Dustin R., see Neff, Paula K. Kleintjes, —
Varacosa
gosiuta, 54:335, 56:47
parthenus, 56:47
Varanidae, 50:25
Varanus
komodoensis, 55:280
panoptes, 55:280
Varela-Romero, Alejandro, Dean A. Hendrickson, Gloria Yepiz-Plascencia, James E. Brooks, and David A. Neely, Status of the Yaqui catfish (*Ictalurus pricei*) in the United States and northwestern Mexico, 56:277–285
Vareuptychia
similis, 48:516
usitata, 48:516
Vargas, Carlos F., and Victor Parra-Tabla, Floral abundance, territoriality, and the importance of *Echeveria gibbiflora* to *Cynanthus latirostris* (Apodiformes: Trochilidae) during winter, 47:623–626
Vargas, Julieta, see Lorenzo, Consuelo, —
Vargas, María del Carmen Corona, see Fernández, Jesús A., —
Vargas-Contreras, Jorge A., see Garza-Torres, Héctor A., —
Vargas-Contreras, Jorge A., see Pérez-Ramos, Edmundo, —
Variable response of butterflies and vegetation to elk herbivory: an exclosure experiment in ponderosa pine and aspen-mixed conifer forests, Paula K. Kleintjes Neff, Stephen M. Fettig, and Dustin R. VanOverbeke, 52:1–14
Variable role of aquatic macroinvertebrates in initial breakdown of seasonal leaf litter inputs to a cold-desert river, S. Mark Nelson and Douglas C. Andersen, 52:219–228
Variation in the dental formula of the Ipanema bat, *Pygoderma bilabiatum*, Carl W. Dick, 47:505–508
Variation in Zapotitlán coralsnake, *Micrurus pachecogili* (Serpentes: Elapidae), Luis Canseco-Marquez and Jonathan A. Campbell, 48:705–707
Varilla texana, 52:343, 53:425
Varroa destructor, 50:308
Vaseyochloa multinervosa, 49:179, 49:186
Vaughn, Caryn C., Daniel E. Spooner, and Bruce W. Hoagland, River weed growing epizoically on freshwater mussels, 47:604–605
Vaughn, Caryn C., see Galbraith, Heather S., —
Vauquelinia californica, 53:72
Vázquez, Luis Bernardo, see Orozco-Lugo, Carmen Lorena, —
Vega Rivera, Jorge H., Fernando Alvarado, Talía Valdivia, and John Rappole, First report of cowbird parasitism on the black-capped gnatcatcher in western Mexico, 49:277–278
Vega Rivera, Jorge H., see Mendoza-Rodríguez, Víctor H., —
Vegetation of forest and savanna communities on glacial sand deposits in northeastern Illinois, Loy R. Phillippe, Mary A. Feist, Daniel T. Busemeyer, Paul B. Marcum, Connie J. Carroll, Greg R. Spyreas, and John E. Ebinger, 56:54–60
Vegetation of tephra deposits 50 years after the end of the eruption of the Paricutín Volcano, Mexico, Roberto Lindig-Cisneros, Sabastiana Galindo-Vallejo, and Sabina Lara-Cabrera, 51:455–461
Vegetation patterns as affected by aspect and elevation in small desert mountains, Ricardo Mata-González, Rex D. Pieper, and Manuel M. Cárdenas, 47:440–448
Vegetation-index models predict areas vulnerable to purple loosestrife

(*Lythrum salicaria*) invasion in Kansas, Robert P. Anderson, A. Townsend Peterson, and Stephen L. Egbert, 51:471–480
Vegetative and reproductive phenology of African rue (*Peganum harmala*) in the northern Chihuahuan Desert, Laurie B. Abbott, Dominika Lepak, and David L. Daniel, 52:209–218
Vegetative characteristics of active and abandoned leks of lesser prairie-chickens (*Tympanuchus pallidicinctus*) in southeastern New Mexico, John L. Hunt and Troy L. Best, 55:477–487
Vegetative composition of areas with and without breeding red-billed pigeons (*Patagioenas flavirostris*) in Texas, Jeff B. Breeden, Michael F. Small, John T. Baccus, and Jack C. Eitniear, 54:68–73
Vegetative structure of woodland-grassland edges in coastal central California, Justin K. Vreeland and William D. Tietje, 49:305–310
Vehilius
illudens, 48:524
inca, 48:524
Velarde, Enriqueta, Rafael Avila-Flores, and Rodrigo A. Medellín, Endemic and introduced vertebrates in the diet of the barn owl (*Tyto alba*) on two islands in the Gulf of California, Mexico, 52:284–290
Veliidae, 50:237, 50:242
Velvet ants (Hymenotera: Mutillidae) of the Bitter Lake National Wildlife Refuge, New Mexico, with descriptions of new species, Donald G. Manley and William R. Radke, 51:536–541
Velvety fruit-eating bat (*Enchistenes hartii*; Phyllostomidae) in Morelos, Mexico, Carmen Lorena Orozco-Lugo, David Valenzuela-Galván, Luis Bernardo Vázquez, Andrew John Rhodes, Alejandra De León-Ibarra, Ariana Hernández, María Eugenia Copa-Alvaro, Luis Gerardo Avila-Torres Agatón, and Marines De La Peña-Domene, 53:517–520
Venegas-Barrera, Crystian S., see Manjarrez, Javier, —
Veniliornis
affinis, 48:69
callonotus, 48:69
cassini, 48:69
chocoensis, 48:69
dignus, 48:69
frontalis, 48:69
fumigatus, 48:69, 54:512
kirkii, 48:69
maculifrons, 48:69
nigriceps, 48:69
passerinus, 48:69
sanguineus, 48:69
spilogaster, 48:69
Verbena, 52:522, 52:523
halei, 53:498, 53:499
neomexicana, 53:73
Verbenaceae, 48:187, 50:1, 53:73, 55:256, 56:160
Verbesina
enceliodes, 48:11
encelioides, 56:159
virgata, 56:162–171
virginica, 56:329
Verdade, Luciano M., see Azevedo, Fernando C. C., —
Verdolin, Jennifer L., Kara Lewis, and Constantine N. Slobodchikoff, Morphology of burrow systems: a comparison of Gunnison's (*Cynomys gunnisoni*), white-tailed (*C. leucurus*), black-tailed (*C. ludovicianus*), and Utah (*C. parvidens*) prairie dogs, 53:201–207
Vermivora
celata, 47:553, 50:442, 50:520
luciae, 47:283, 49:32
pinus, 48:296
ruficapilla, 49:107
virginiae, 49:32, 52:276
Veronica americana, 53:397
Vertebrate inventory of Richland Creek Wildlife Management Area in eastern Texas, Wade A. Ryberg, Lee A. Fitzgerald, Rodney L. Honeycutt, James C. Cathey, and Toby J. Hibbitts, 49:528–534
Vespertilionidae, 47:328, 47:633–635, 48:575, 48:582, 48:583, 48:600–602, 48:715–717, 50:97, 50:453–460, 52:67–74, 52:597–600, 54:223, 54:412, 54:413, 55:110–115, 55:323–330, 55:347, 55:353, 55:355, 55:356, 55:585
Vespidae, 47:465, 52:319, 52:320, 52:322, 55:112
Vettius
fantasos, 48:524
onaca, 48:524
tertianus, 48:524
Vicia, 51:6–8, 53:499, 55:427, 55:429–431
americana, 47:63
faba, 51:1
humilis, 51:10
ludoviciana, 48:181, 51:10
pulchella, 51:10
Vigna, 51:6
angularis, 51:492, 51:494, 51:497
populnea, 51:10
radiata, 51:492, 51:494, 51:497
unguiculata, 51:492, 51:494, 51:497
Viguiera
chenopodina, 50:138
cordifolia, 48:184, 48:187
deltoidea, 50:139, 50:142, 50:145
laciniata, 52:198, 52:200, 53:70
lanata, 50:138
longifolia, 48:184
microphylla, 50:136, 50:142, 50:143, 50:145
stenoloba, 48:11, 53:244, 56:159
triangularis, 52:200, 53:65, 53:66, 53:70
Viguiera stenoloba, 55:496
Villarreal Q., J. Ángel, see Estrada C., Eduardo, —
Villarreal Q., José A., see Estrada C., Eduardo, —
Villepique, Jeffrey T., Becky M. Pierce, Vernon C. Bleich, and R. Terry Bowyer, Diet of cougars (*Puma concolor*) following a decline in a population of mule deer (*Odocoileus hemionus*): lack of evidence for switching prey, 56:187–192
Villordo-Galván, J. Agustín, Octavio C. Rosas-Rosas, Fernando Clemente-Sánchez, J. Felipe Martínez-Montoya, Luis A. Tarango-Arámbula, Germán Mendoza-Martínez, Manuel D. Sánchez-Hermosillo, and Louis C. Bender, The jaguar (*Panthera onca*) in San Luis Potosí, Mexico, 55:394–402
Villosa
arkansasensis, 53:46
iris, 53:46
lienosa, 53:46
Vinius tryhana, 48:523
Vinson, Mark R., and Eric C. Dinger, Aquatic invertebrates of the Grand Staircase-Escalante National Monument, Utah, 53:374–384
Vinson, Mark R., see Caires, Andrea M., —
Vinson, S. Bradleigh, see Pedersen, Ellen K., —
Viola, 52:498
pedata, 56:59
primulifolia, 56:55
villosa, 55:256, 55:259
Violaceae, 55:256
Viotto, Karen, see Laacke, Robert J., —
Vipera verus, 50:25
Viperidae, 47:330, 47:514, 51:41, 51:264, 53:108–114, 55:253
Vireo, 55:391
atricapilla, 51:99–102, 51:409, 51:410, 53:466
atricapillus, 49:45
bellii, 47:236–243, 49:32, 50:446, 54:352–353
brevipennis, 54:512, 54:513
flavoviridis, 49:278, 55:390
gilvus, 49:32, 50:231, 50:232, 56:205
griseus, 48:296, 51:11, 51:16, 51:17, 51:19, 53:468
huttoni, 49:32, 52:276
olivaceous, 48:294
olivaceus, 47:553, 53:468, 55:464

plumbeus, 48:385, 49:32, 52:276, 54:58, 54:59
vicinior, 54:507
Vireonidae, 47:553
Virga
clenchi, 48:523
virginius, 48:523
Virginia
striatula, 50:269, 55:175
valeriae, 55:175
Virgoiulus minutus, 56:423
Virtual bats and real insects: effects of echolocation on pheromone-tracking behavior of male corn earworm moths, *Helicoverpa zea*, Erin H. Gillam, John K. Westbrook, Paul G. Schleider, and Gary F. McCracken, 56:103–107
Viscaceae, 53:73
Visual evidence of Mogollon voles (*Microtus mogollonensis*) to predict their presence in northern Arizona, using, R. Fenner Yarborough and Carol L. Chambers, 52:511–519
Vitaceae, 50:475
Vitex agnus-castus, 49:522
Vitis, 50:472, 50:474, 50:475, 53:386, 54:347, 54:348
arizonica, 48:181, 48:235
mustangensis, 55:204
Vitt, Laurie J., see Braun, Janet K., —
Vittadinia eremaea, 48:11
Vogesella indigofera, 51:300
Vogt, Bryan D., see Mills, Brandon H., —
Vredevoe, Larisa K., see Lumbad, Anthony S., —
Vreeland, Justin K., and William D. Tietje, Vegetative structure of woodland-grassland edges in coastal central California, 49:305–310
Vreeland, Justin K., see Tietje, William D., —
Vulpes, 52:113
corsac, 53:119
macrotis, 47:366, 48:269, 48:432–436, 48:626, 48:720, 49:522–523, 50:216, 51:210–219, 51:569, 52:292, 52:338, 52:450, 52:541, 52:628, 53:118–124, 53:134, 53:221, 53:267, 53:286, 53:291, 53:390, 53:473, 54:496, 55:276
rueppellii, 53:119
velox, 47:329, 48:261–273, 48:574, 48:720, 51:194, 51:213, 51:569, 52:402, 52:405, 52:504–510, 52:541–551, 53:118, 53:221, 53:391, 54:492–498
vulpes, 47:255, 48:624–634, 48:720, 49:55, 49:522, 50:100–101, 51:210, 51:213, 51:216, 51:289, 51:290, 51:569, 52:541, 53:119, 53:215, 54:1, 54:249, 54:277, 54:497, 56:36
Vulpia octoflora, 53:73

Waddell, Robert B., see McKinney, Ted, —
Wade, Cara E., see McNeely, David L., and —
Waggerman, Gary L., see Small, Michael F., —
Wagner, Brian K., see Graening, G. O., —
Wait, D. Alexander, see Cornell, Jack E., —
Waits, Juliann L., see Kennedy, Michael L., —
Wakefield, Carl K., and Daniel W. Beckman, Life history attributes of white sucker (*Catostomus commersoni*) in Lake Taneycomo and associated tributaries in southwestern Missouri, 50:423–434
Wakida-Kusunoki, Armando, Ramon Ruiz-Carus, and Enrique Amador-del-Angel, Amazon sailfin catfish, *Pterygoplichthys pardalis* (Castelnau, 1855) (Loricariidae), another exotic species established in southeastern Mexico, 52:141–144
Walde, Andrew D., Angela M. Walde, David K. Delaney, and Larry L. Pater, Burrows of desert tortoises (*Gopherus agassizii*) as thermal refugia for horned larks (*Eremophila alpestris*) in the Mojave Desert, 54:375–381
Walde, Andrew D., David K. Delaney, Meagan L. Harless, and Larry L. Pater, Osteophagy by the desert tortoise (*Gopherus agassizii*), 52:147–149
Walde, Angela M., see Walde, Andrew D., —
Walford, Cameron D., and Kevin R. Bestgen, The nonnative Iowa darter (*Etheostoma exile*) established in the Yampa River, Colorado, and Green River, Utah, 53:529–533
Walker, Chris W., see Janečka, Jan E., —
Walker, James M., and James E. Cordes, Can parthenogenetic *Cnemidophorus tesselatus* (Sauria: Teiidae) occasionally produce offspring markedly different from the mother?, 48:126–129
Walker, James M., see Cordes, James E., and —
Walker, James M., see Montgomery, Chad E., —
Walker, James M., see Newby, Jennifer L., —
Walker, James M., see Paulissen, Mark A., —
Walker, James M., see Pérez-Ramos, Edmundo, —
Walker, James M., see Taylor, Harry L., —
Wall, Michael A., and Robert S. Boyd, *Melanotrichus boydi* (Hemiptera: Miridae) is a specialist on the nickel hyperaccumulator *Streptanthus polygaloides* (Brassicaceae), 51:481–489
Wallace, Mark C., see Avey, Josh T., —
Wallace, Mark C., see Brunjes, Kristina J., —
Wallace, Mark C., see Butler, David A., —
Wallace, Mark C., see Kamler, Jan F., —
Wallace, Mark C., see McCaffrey, Rachel E., —
Wallace, Mark C., see Pruett, Alison L., —
Wallace, Mark C., see Tatman, Nicole M., —
Wallengrenia otho, 48:525
Walsh, Elizabeth J., see Suárez-Morales, Eduardo, —
Wambach, Ellen, see Emslie, Steven D., —
Wampler, Christina R., Jennifer K. Frey, Dawn M. VanLeeuwen, Jon C. Boren, and Terrell T. Baker, Mammals in mechanically thinned and nonthinned mixed-coniferous forest in the Sacramento Mountains, New Mexico, 53:431–443
Ward, David L., and Scott A. Bonar, Effects of cold water on susceptibility of age-0 flannelmouth sucker to predation by rainbow trout, 48:43–46
Ward, David L., see Stone, Dennis M., —
Ward, James P., Jr., see Ganey, Joseph L., —
Ward, Melody S., and R. William Mannan, Habitat model of urban-nesting Cooper's hawks (*Accipiter cooperii*) in southern Arizona, 56:17–23
Ware, Stewart, Rock outcrop plant communities (glades) in the Ozarks: a synthesis, 47:585–597
Ware, Stewart, see Crow, Susan E., and —
Warnecke, Dana, see Brown, David E., —
Warner, Monica, see Ducey, Peter K., —
Warner, Morgan J., see Bleich, Vernon C., —
Warnock, Bonnie J., see Perlichek, Kory B., —
Warren, Andrew D., see Contreras-Balderas, Armando J., and —
Warriner, Michael D., First Arkansas record of the robber fly *Microstylum morosum* (Diptera: Asilidae), 49:83–84
Waser, Peter M., see Steinwald, Mary C., —
Washingtonia, 55:582
filifera, 49:516, 50:472, 50:473, 50:475, 50:476, 51:515, 52:192
robusta, 51:505, 52:192, 55:581
Wasko, Dennis K., see Lutterschmidt, William I., and —
Water quality and summer use of sources of water in Texas, Stephen L. Webb, Cody J. Zabransky, Rebbecca

S. Lyons, and David G. Hewitt, 51:368–375

Water relations and community composition in three blue fan palm oases across the Californian-Sonoran biome transition, Ernesto Franco-Vizcaíno, Ana Cecilia López-Beltrán, and Mario Salazar-Ceseña, 52:191–200

Water temperature on growth of the federally endangered Texas wild rice (*Zizania texana*), effects of, Lori R. Tolley-Jordan and Paula Power, 52:201–208

Watson, Jacqueline M., Catherine Sykes, and Timothy H. Bonner, Foods of age-0 Rio Grande silvery minnows (*Hybognathus amarus*) reared in hatchery ponds, 54:475–479

Wayne, E. R., and O. W. Van Auken, Herbaceous cover and biomass of *Carex planostachys* in *Juniperus ashei* woodlands of central Texas, 55: 434–441

Wayne, Rob, and O. W. Van Auken, Spatial and temporal patterns of xylem water potential in *Juniperus ashei* seedlings, 47:153–161

Weatherby, Cole, see Goldsmith, Steven, —

Weathering on fecal nitrogen stability, effects of, Robert G. Osborn, Tim F. Ginnett, and Rebecca A. Gonzalez, 47:640–642

Weaver, Robert E., Activty patterns of the desert nightsnake (*Hypsiglena chlorophaea*), 55:172–178

Webb, Stephen L., Cody J. Zabransky, Rebbecca S. Lyons, and David G. Hewitt, Water quality and summer use of sources of water in Texas, 51:368–375

Webb, Stephen L., Stephen Demarais, and David G. Hewitt, Size of home ranges and movements determine size and configuration of management units and potential spread of disease in white-tailed deer (*Odocoileus virginianus*), 55:488–492

Webb, Stephen L., Stephen Demarais, Robert E. Zaiglin, Matthew T. Pollock, and Donald G. Whittaker, Size and fidelity of home ranges of male white-tailed deer (*Odocoileus virginianus*) in southern Texas, 55:269–273

Weckerly, Floyd W., see Ferguson, Adam W., —

Weckerly, Floyd W., see Robinson, Sarah E., and —

Wehtje, Walter, Trapdoor spider (Cyrtaucheniidae; *Aptostichus*) depredates western snowy plover chick (*Charadrius alexandrinus*), 52:435–436

Welsh, Hartwell H., Jr., William H. Clark, Ernesto Franco-Vizcaíno, and Jorge H. Valdéz-Villavicencio, Herpetofauna associated with palm oases across the Californian-Sonoran transition in northern Baja California, Mexico, 55:581–585

Werler, John E., and Jonathan A. Campbell, New lizard of the genus *Diploglossus* (Anguidae: Diploglossinae) from the Tuxtlan Faunal Region, Veracruz, Mexico, 49:327–333

West, Adam G., see Baugh, Alexander T., —

West, Lori-Jeanne, see Ducey, Peter K., —

Westbrook, John K., see Gillam, Erin H., —

Western diamondback rattlesnake (*Crotalus atrox*) in Kansas, status of the, Raymond S. Matlack and Ryan L. Rehmeier, 47:312–314

Western diamond-backed rattlesnakes, *Crotalus atrox* (Serpentes: Viperidae), gain water by harvesting and drinking rain, sleet, and snow, Roger A. Repp and Gordon W. Schuett, 53:108–114

Western harvest mouse (Muridae: *Reithrodontomys megalotis*) on the Baja California Peninsula, noteworthy record of, Sergio Ticul Alvarez-Castañeda and Evelyn Rios, 48:471–472

Western harvest mouse, *Reithrodontomys megalotis* (Rodentia: Muridae), on Magdalena Island, Mexico, Anny Peralta-García, Araceli Samaniego-Herrera, and Jorge H. Valdez-Villavicencio, 52:595–597

Western yellow bat (*Lasiurus xanthinus*) in southern Nevada, Michael J. O'Farrell, Jason A. Williams, and Bruce Lund, 49:514–518

Westphal, Michael F., see Sherbrooke, Wade C., and —

Westward expansion of the eastern fox squirrel (*Sciurus niger*) in northeastern New Mexico and southeastern Colorado, Keith Geluso, 49:111–116

Wethington, Amy R., see Dillon, Robert T., Jr., —

Wheeler, A. G., Jr., First records of a Eurasian scentless plant bug, *Rhopalus tigrinus* (Hemiptera: Rhopalidae), from New Mexico, Texas, and Utah, 49:406–408

Whelchel, Adam W., and Kevin C. Lansford, California least tern chick predation by greater roadrunner, 51:562–564

White desertsnail, *Eremarionta immaculata* (Gastropoda: Pulmonata), activity during daylight after winter rainfall, William D. Wiesenborn, 48:202–207

White ocelot (*Leopardus pardalis*), first record of a, Rocky T. McBride and Anthony J. Giordano, 55:567–568

White, Ethan P., Factors affecting bat house occupancy in Colorado, 49:344–349

White, Gary C., see Martin, Daniel J., —

White, Jeremy A., Paul R. Moosman, Jr., Charles H. Kilgore, and Troy L. Best, First record of the eastern pipistrelle (*Pipistrellus subflavus*) from southern New Mexico, 51:420–422

White, Jeremy A., see Geluso, Keith, —

White, P. J., see Ralls, Katherine, and —

White, William A., see Tremblay, Thomas A., —

White-faced ibis, *Plegadis chihi*, nesting in Arizona, first record of, Brenda J. Zaun, Kirke A. King, Carla Hurt, and H. Maaike Schotborgh, 48:130–131

Whitehouse, Mary E. A., see Richman, David B., —

Whiteley, Marvin, see Bates, Christa L., —

Whitford, Walter G., see Sipos, Michael P., —

Whitford, Walter G., see Turner, Sandra J., —

Whitlaw, Heather A., see Kamler, Jan F., —

Whitlaw, Heather A., see Pruett, Alison L., —

Whittaker, Donald G., see Webb, Stephen L., —

Whittier, Joanna B., and David M. Leslie, Jr., Survival and movement of chicks of the least tern (*Sterna antillarum*) on an alkaline flat, 54:176–181

Wicknick, Jill A., see Anthony, Carl D., —

Wieder, William R., and Nathan W. Bower, Fire history of the Aiken Canyon grassland-woodland ecotone in the southern foothills of the Colorado Front Range, 49:239–243

Wiesenborn, William D., White desertsnail, *Eremarionta immaculate* (Gastropoda: Pulmonata), activity during daylight after winter rainfall, 48: 202–207

Wightman, Catherine S., Survival and movements of fledgling western bluebirds, 54:248–252

Wilcoxia poselgeri, 53:425

Wilde, Gene R., see Durham, Bart W., —

Wildfire and desert bighorn sheep habitat, Santa Catalina Mountains, Arizona, James W. Cain, III, Heather E. Johnson, and Paul R. Krausman, 50:506–513

Wildfire on the Jemez Mountains salamander (*Plethodon neomexicanus*): microhabitat temperatures, size dis-

tributions, and a historical locality perspective, three case studies of the effect of, Michelle R. Cummer and Charles W. Painter, 52:26–37
Wilgers, Dustin J., and Eva A. Horne, Spatial variation in predation attempts on artificial snakes in a fire-disturbed tallgrass prairie, 52:263–270
Wilhelm, Alan R., see Shohfi, Hanna E., —
Wilkerson, Robert L., and Rodney B. Siegel, Distribution and abundance of western burrowing owls (*Athene cunicularia hypugaea*) in southeastern California, 56:378–384
Wilkins, Kenneth T., and Heather R. Roberts, Comparative analysis of burrow systems of seven species of pocket gophers (Rodentia: Geomyidae), 52:83–88
Wilkins, Kenneth T., see Green, Nicholas S., and —
Wilkinson, Robert, see Frese, Paul W., —
Williams, Casey S., see Bonner, Timothy H., —
Williams, Daniel F., see Germano, David J., and —
Williams, Daniel F., see Smith, Deborah A., —
Williams, Jan M., see Cameron, Guy N., —
Williams, Jason A., see O'Farrell, Michael J., —
Williams, Kevin A., see Wilson, Joseph S., —
Williams, Lance R., Doyle L. Crosswhite, and Marsha G. Williams, Short-term effects of riparian disturbance on *Desmognathus brimleyorum* (Plethodontidae) at a natural spring in Oklahoma, 47:611–613
Williams, Marsha G., see Williams, Lance R., —
Williams, Steven C., and Lance D. McBrayer, Selection of microhabitat by the introduced Mediterranean gecko, *Hemidactylus turcicus*: influence of ambient light and distance to refuge, 52:578–585
Williamson, Paula S., see Blair, Andrew W., and —
Williamson, Paula S., see Goodson, Jacqueline J., and —
Williamson, Paula S., see Strong, Anna W., and —
Williford, Damon L., Marc C. Woodin, Mary K. Skoruppa, and Graham C. Hickman, Characteristics of roost sites used by burrowing owls (*Athene cunicularia*) wintering in southern Texas, 52:60–66
Williford, Damon L., Marc C. Woodin, Mary Kay Skoruppa, and Graham C. Hickman, Rodents new to the diet of the western burrowing owl (*Athene cunicularia hypugaea*), 54: 87–90
Wilmes, Anthony, see Newby, Jennifer L., —
Wilson, Barry C., see Gabrey, Steven W., —
Wilson, James A., Douglas A. Kelt, and Dirk H. Van Vuren, Home range and activity of northern flying squirrels (*Glaucomys sabrinus*) in the Sierra Nevada, 53:21–28
Wilson, James A., Douglas A. Kelt, Dirk H. Van Vuren, and Michael L. Johnson, Population dynamics of small mammals in relation to production of cones in four types of forests in the northern Sierra Nevada, California, 53:346–356
Wilson, Joseph S., Kevin A. Williams, David A. Tanner, and James P. Pitts, Nectaring by nocturnal velvet ants (Hymenoptera: Mutillidae), 55: 441–443
Wilson, Kenneth R., see Miller, Michael S., —
Wilson, Kevin P., see Haden, G. Allen, —
Wilson, R. F., see Everitt, J. H., —
Wilson, Ryan R., Paul R. Krausman, and John R. Morgart, Behavior and timing of life-history events in a semi-captive population of the Sonoran pronghorn (*Antilocapra americana sonoriensis*), 53:389–393
Wilson, Ryan R., Paul R. Krausman, and John R. Morgart, Behavior and activity budgets of Sonoran pronghorns (*Antilocapra americana sonoriensis*), 54:45–54
Wilsonia citrina, 47:474, 47:553, 48:295
Windhager, Steve, see Johnson, Sally D., —
Winemiller, Kirk O., see López-Fernández, Hernán, and —
Wing-tail measurements of *Bubo virginianus* from Texas, Robert W. Dickerman and Andrew B. Johnson, 53: 128–129
Winston, Matthew R., Distribution and abundance of the goldstripe darter (*Etheostoma parvipinne*) in Missouri, 47:187–194
Winter activity of bats over water and along flyways in New Mexico, Keith Geluso, 52:482–492
Winter activity of Brazilian free-tailed bats (*Tadarida brasiliensis*) at Carlsbad Cavern, New Mexico, Keith Geluso, 53:243–247
Winter precipitation and recruitment of pronghorns in Arizona, Ted McKinney, David E. Brown, and Linda Allison, 53:319–325
Wintering bald eagle trends in northern Arizona, 1975–2000, Teryl G. Grubb, 48:223–230
Wirt, Elizabeth B., see Turner, Dale S., —
Wissadula amphissima, 47:426
Withers, Kim, and Tammy S. Brooks, Diet of double-crested cormorants (*Phalacrocorax auritus*) wintering on the central Texas coast, 49:48–53
Withers, Kim, see Gibbons, Richard E., and —
Withers, Kim, see Rowell-Garvon, Shannon R., and —
Wolf, Blair O., see Gilman, Casey A., —
Wood, Bill, see Knowlton, Jessie L., —
Wood, Dustin A., see Lovich, Jeff, —
Woodin, Marc C., see Skoruppa, Mary Kay, —
Woodin, Marc C., see Williford, Damon L., —
Woodrat (*Neotoma*) depredation of a yellow-eyed junco (*Junco phaeonotus*) nest, Chris Kirkpatrick and Courtney J. Conway, 51:412–414
Woodward, Hope D., and Scott H. Stoleson, Brown-headed cowbird attacks southwestern willow flycatcher nestlings, 47:626–628
Woody plant effects on soil seed banks in a central Texas savanna, Lana E. D'Souza and Paul W. Barnes, 53:495–506
Wooten, Michael C., see Sánchez-Hernández, Cornelio, —
Wooten, Michael C., see Schnell, Gary D., —
Wormaldia, 51:147, 53:381
arizonensis, 51:334, 54:184, 54:187, 54:189, 54:190
Worm-eating warbler (*Helmintheros vermivorus*) in intensive agricultural landscape in northeastern Arkansas, unusual occurrence of, Jonathan D. Maul and Jerry L. Farris, 48:297–299
Worthen's sparrow (*Spizella worthenі*) in the northern Mexican Plateau, Laura Scott-Morales, Jorge Nocedal, Mauricio Cotera, and Julio Canales-Delgadillo, 53:91–95
Wunder, Michael B., see Schneider, Scott C., —
Wunder, Michael B., see Schorr, Robert A., —
Wylie, Glenn D., see Halstead, Brian J., —

Xanthocephalum gymnospermoides, 48:181
Xanthoxylum, 49:506
Xantusia vigilis, 47:46, 47:48, 47:55
Xantusiidae, 47:46, 47:55, 52:325, 55:280
Xenarthra, 49:229–238
Xenomys nelsoni, 48:574, 48:576
Xenophanes tryxus, 48:522
Xenopus, 49:453
laevis, 49:450–452, 49:454, 53:370–373

Xenosaurus, 52:604, 52:606
grandis, 48:119–122
newmanorum, 48:119–122
platyceps, 48:119–122
Xiphocolaptes promeropirhynchus, 54:362–363
Xiphophorus hellerii, 51:502, 51:503
Xiphorhynchus flavigaster, 47:473, 54:94
Xiphorynchus flavigaster, 48:709
Xolmis pyrope, 56:420
Xylococcus bicolor, 50:473, 50:476, 50:477
Xylocopa, 50:294, 50:297–299
Xyrauchen texanus, 48:667, 51:22, 51:258–261, 53:106, 53:236–242, 53:532, 54:487, 54:488
Xysticus
aprilinus, 56:49
cunctator, 56:49
lassanus, 56:49
lutzi, 56:49
paiutus, 54:336

Yang, C., see Everitt, J. H., —
Yang, Chenghai, see Lonard, Robert I., —
Yaqui catfish (*Ictalurus pricei*) in the United States and northwestern Mexico, status of the, Alejandro Varela-Romero, Dean A. Hendrickson, Gloria Yepiz-Plascencia, James E. Brooks, and David A. Neely, 56:277–285
Yarborough, R. Fenner, and Carol L. Chambers, Using visual evidence of Mogollon voles (*Microtus mogollonensis*) to predict their presence in northern Arizona, 52:511–519
Yates, Terry L., see Dunnum, Jonathan L., —
Yellow-nosed cotton rat (*Sigmodon ochrognathus*), a long-time inhabitant of Trans-Pecos Texas and New Mexico, Arthur H. Harris and Jonena Hearst, 56:260–262
Yen M., Carmen, see Estrada C., Eduardo, —
Yepiz-Plascencia, Gloria, see Varela-Romero, Alejandro, —
Yersinia pestis, 48:263, 48:266, 49:376, 54:493
Ylodes, 53:381
reuteri, 51:326, 51:333
York, Darryl L., and Sanford D. Schemnitz, Home range, habitat use, and diet of Gould's turkeys, Peloncillo Mountains, New Mexico, 48:231–240
Young, John H., Michael E. Tewes, Aaron M. Haines, Gilbert Guzman, and Stephen J. DeMaso, Survival and mortality of cougars in the Trans-Pecos region, 55:411–418
Young, John H., see Neiswenter, Sean A., —
Young, Kirk L., see Porath, Mark T., —
Young, Paul J., see Hutton, Kelly A., —
Young, Paul J., see Schauffert, Carol A., —
Young, Paul J., Vicki L. Greer, and Sheri K. Six, Characteristics of bolus nests of red squirrels in the Pinaleño and White mountains of Arizona, 47:267–275
Yphthimoides renata, 48:516
Yucatan deer mouse, *Peromyscus yucatanicus* (Rodentia: Muridae) from Guatemala, first record of the, Heliot Zarza, Rodrigo A. Medellín, and Sergio Pérez, 48:310–312
Yucca, 47:45, 47:46, 47:380, 47:389, 48:114, 48:262, 48:646, 50:476, 51:2, 51:283, 52:273, 54:93, 54:254, 54:262, 55:126, 55:428, 55:480, 55:483, 56:45
arizonica, 47:576
baccata, 47:445, 48:636
brevifolia, 47:576, 48:105, 48:684, 50:192
capensis, 50:147
carnerosana, 53:92
constricta, 52:85
elata, 47:300, 47:354, 47:389, 47:392, 47:576, 49:6, 49:25, 49:72, 51:221, 52:110, 55:496, 56:365
filifera, 52:601, 54:454
glauca, 50:213, 51:173, 51:176
rostrata, 50:95
schidigera, 47:576–584, 52:196, 52:200
schottii, 47:576
torreyi, 54:226, 54:227, 55:496
treculeana, 54:120
valida, 47:41, 50:133, 50:139, 50:142–145, 53:73
whipplei, 52:200, 53:73
Yucco validae, 50:133, 50:141, 50:144, 50:147

Zabransky, Cody J., see Webb, Stephen L., —
Zaiglin, Robert E., see Webb, Stephen L., —
Zaldívar-Rae, Jaime, Hugh Drummond, Sergio Ancona-Martínez, Norma L. Manríquez-Morán, and Fausto R. Méndez-De La Cruz, Seasonal breeding in the western Mexican whiptail lizard *Aspidoscelis costata* on Isla Isabel, Nayarit, Mexico, 53:175–184
Zaluzania discoidea, 48:181
Zammara
calochroma, 51:256
smaragdula, 51:256
Zamora-Orozco, Margarita, see Carmona, Roberto, —
Zanoxylum fagara, 47:71
Zanthoxyllum, 55:428
Zanthoxylum fagara, 47:424–426, 47:429, 47:430, 49:34, 50:479, 53:481, 56:161
Zapada, 53:380
Zapoteca, 51:7
formosa, 52:355
media, 51:9
Zapus, 56:189
hudsonius, 47:630–633, 48:610–623, 54:31–44, 56:243, 56:244
princeps, 48:611
Zaretis callidryas, 48:515
Zariaspes mys, 48:523
Zarza, Heliot, Rodrigo A. Medellín, and Sergio Pérez, First record of the Yucatan deer mouse, *Peromyscus yucatanicus* (Rodentia: Muridae) from Guatemala, 48:310–312
Zaun, Brenda J., Kirke A. King, Carla Hurt, and H. Maaike Schotborgh, First record of white-faced ibis, *Plegadis chihi*, nesting in Arizona, 48:130–131
Zaun, Brenda J., see King, Kirke A., —
Zea, 56:9
mays, 50:3, 53:386, 54:410
Zelasko, Koreen A., see Bestgen, Kevin R., —
Zelotes
anglo, 56:49
chicano, 56:51
lasalanus, 56:49, 56:51
nilicola, 54:333, 54:334
tuobus, 56:49
Zeltzer, Sebastian L., see Anderson, Kirk E., —
Zenadia macroura, 53:453, 53:468
Zenaida, 55:379
asiatica, 49:105, 49:279, 50:442, 55:29–34, 55:225–228, 56:21
macroura, 47:282, 47:285, 47:391, 47:553, 49:279, 49:512–514, 50:446, 51:370, 51:528, 52:55–57, 52:276, 54:137, 54:139, 54:288, 55:24, 55:225, 55:571, 56:20
Zephyranthes longifolia, 55:497
Zera, 48:522
Zervanos, Stam. M., Renal structural adaptations among three species of peccary, 47:527–531
Zinnia, 48:482
acerosa, 49:6
Zizania texana, 52:201–208, 53:169–174
Ziziphus
mistol, 52:571
obtusifolia, 47:426, 48:559, 49:34, 52:200, 52:343, 52:355, 54:318, 54:447, 55:498
Zizula cyna, 48:508, 48:518
Zizyphus obtusifolia, 53:2
Zonotrichia
albicollis, 52:155
leucophrys, 47:287, 50:443
Zornia, 51:8
Zorocrates karli, 56:47, 56:50, 56:52
Zorocratidae, 56:47
Zuercher, Gerald L., see Howard, Mark E., —
Zuercher, Gerald L., see Krausman, Paul R., —

Zugmeyer, Claire A., and John L. Koprowski, Avian nestling predation by endangered Mount Graham red squirrel, 52:155–157
Zugmeyer, Claire A., see Koprowski, John L., —
Zugmeyer, Claire A., see Merrick, Melissa J., —
Zumatrichia notosa, 51:329, 51:333
Zuria, Iriana, and Eric Mellink, Natural and human impacts on two least tern colonies in northwestern Mexico, 47:617–623
Zygogeomys trichopus, 48:574, 48:578
Zygophyllaceae, 52:210, 53:73, 55:428, 56:161